



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: VI Month of publication: June 2023

DOI: <https://doi.org/10.22214/ijraset.2023.53992>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com



Comparative Analysis of Steel Wheel Rim & Alloy Wheel Rim of a Car with Respective Materials

Monika Khawaskar

Pursuing M.tech at GHRCEM, Wagholi, Pune

Abstract: This project conducts a comparative analysis of steel and alloy wheel rims for the Maruti Suzuki Baleno Sigma and Alpha variants. The aim is to assess the performance and suitability of these rim types for the specific vehicle models. Through a systematic examination of design considerations, structural analysis, and overall performance evaluation, the project provides valuable insights into the characteristics and capabilities of Carbon steel and Aluminium alloy wheel rims. CAD modeling, finite element analysis (FEA), and performance assessment techniques are employed to analyze stress distribution, strain levels, and deformation patterns. By understanding the differences and performance attributes of steel and alloy rims, the project assists in enhancing the overall performance and aesthetics of the vehicles.

Keywords: Wheel rims, Carbon steel, Aluminium Alloy, CAD, FEA.

I. INTRODUCTION

The selection of wheel rims for automobiles is a critical decision, as it significantly influences the vehicle's performance, safety, and aesthetics. Two popular options in the market are steel wheel rims and alloy wheel rims. While steel rims have traditionally been used for their durability and cost-effectiveness, alloy rims offer advantages in terms of weight reduction, improved fuel efficiency, and enhanced styling options. This project gives comparative analysis between steel wheel rims and alloy wheel rims.

The study involves a detailed examination of their design considerations, static structural analysis, Dynamic stress analysis, Modal analysis and harmonic response. The focus is on studying and analyzing the steel wheel rim and alloy wheel rim used in the Maruti Suzuki Baleno Sigma and Alpha variants. CAD modeling software, such as Creo Parametric, is utilized to create accurate 3D models of representative steel and alloy wheel rims. Finite Element Analysis (FEA) employed using ANSYS Workbench to simulate the structural behavior of the rims under various loading conditions.

Additionally, harmonic response and vibration analysis is carried out to study the dynamic behavior and potential resonant frequencies of the rims. Furthermore, a study on the fatigue life of both types of rims will be conducted, considering cyclic loading, material properties, and stress distribution. This investigation estimates the expected fatigue life and assesses the durability of the rims under typical operating conditions.

II. MATERIAL SELECTION

| Maruti Suzuki (Variants) | Sigma | Alpha |
|--------------------------|------------------------|-----------------------|
| Wheel Rim Type | Steel Wheel Rim | Alloy Wheel Rim |
| Material | Carbon Steel | Aluminum Alloy |
| Density | 7.85 g/cm ³ | 2.8 g/cm ³ |
| Young's Modulus | 200 GPa | 73.1 GPa |
| Poisson's Ratio: | 0.266 | 0.33 |
| Yield Stress | 250 MPa | 505 MPa |



A. Compositions

1) Alloy Wheel Rims

- a) Aluminum: Typically 90-95%
- b) Magnesium: Typically 2-5%
- c) Silicon: Typically 1-3%
- d) Other metals: Typically 1-2% (such as copper, nickel, and zinc).

2) Steel Wheel Rims

- a) Iron: Typically 97-99%
- b) Carbon: Typically 0.2-0.5%
- c) Manganese: Typically 0.5-1.2%
- d) Other metals: Typically 0.2-0.5% (such as chromium, nickel, and copper)

The alloy compositions play a significant role in determining the material properties and performance characteristics of the wheel rims. Alloy wheel rims, with their aluminum-magnesium-silicon composition, offer lightweight properties, good corrosion resistance, and improved heat dissipation. The addition of other metals helps enhance specific properties such as strength and durability.

Steel wheel rims, primarily composed of iron with carbon, manganese, and other alloying elements, provide high tensile strength, excellent impact resistance, and durability. The carbon content contributes to the hardness and strength of the steel rims. It's important to note that the specific alloy compositions can vary based on the manufacturer and their proprietary formulations.

B. Comparison

1) Steel Wheel Rims

a) Advantages

- **Durability:** Steel wheel rims are known for their strength and durability, making them suitable for heavy-duty applications and rough terrains.
- **Affordability:** Steel wheel rims are generally more affordable compared to alloy rims, making them a cost-effective option for vehicle owners.

b) Disadvantages

- **Weight:** Steel wheel rims are heavier compared to alloy rims, which can affect the overall weight of the vehicle and fuel efficiency.
- **Corrosion:** Steel rims are prone to corrosion, especially in regions with high humidity or salted roads, requiring regular maintenance and protection to prevent rusting.

c) Performance Metrics

- **Tensile Strength:** Steel wheel rims have higher tensile strength, providing excellent load-carrying capacity
- **Impact Resistance:** Steel rims offer superior impact resistance, making them suitable for off-road or rugged driving conditions.
- **Stiffness:** Steel rims have a higher modulus of elasticity, resulting in stiffer overall wheel assemblies.

2) Alloy Wheel Rims

a) Advantages

- **Lightweight:** Alloy wheel rims are significantly lighter than steel rims, improving the vehicle's overall performance, handling, and fuel efficiency.
- **Aesthetics:** Alloy rims offer a wide range of stylish designs and finishes, enhancing the appearance of the vehicle.
- **Corrosion Resistance:** Alloy rims are more resistant to corrosion compared to steel rims, requiring less maintenance and providing longer-lasting aesthetics.

b) *Disadvantages*

- *Cost:* Alloy wheel rims tend to be more expensive than steel rims due to the higher cost of materials and manufacturing processes.
- *Vulnerability to Damage:* Alloy rims are more susceptible to damage from impacts and potholes compared to steel rims.

c) *Performance Metrics*

- *Weight Reduction:* Alloy rims contribute to reducing the unsprung weight of the vehicle, leading to improved handling and suspension response.
- *Heat Dissipation:* Alloy rims offer better heat dissipation compared to steel rims, reducing the risk of brake fade during prolonged braking.

III. DESIGN AND MODELING

A. *CREO*

Creo is a family of Computer-aided design (CAD) apps supporting product design for discrete manufacturers and is developed by PTC. The suite consists of apps, each delivering a distinct set of capabilities for a user role within product development. Creo runs on Microsoft Windows and provides apps for 3D CAD parametric feature solid modeling, 3D direct modeling, 2D orthographic views, Finite Element Analysis and simulation, schematic design, technical illustrations, and viewing and visualization. Creo can also be paired with Mastercam (Machining based software) to machine any designed model in a minimal timeframe

B. *ANSYS*

For doing analysis of the model created in CREO PARAMETRIC, we used the finite element solver ANSYS 19.1. ANSYS is a general purpose finite element analysis (FEA) software package. Finite Element Analysis is a numerical method of deconstructing a complex system into very small pieces (of user-designated size) called elements. The software implements equations that govern the behavior of these elements and solve them all creating a comprehensive explanation of how the system acts as a whole. These results then can be presented in tabular or graphical forms.

This type of analysis is typically used for design and optimization of a system that is too complex to analyze by hand. Systems that may fit into this category are too complex due to their geometry, scale, or governing equations. ANSYS is the standard FEA teaching tool within mechanical engineering.

1) *Geometry of Wheels*

a) *Steel*




Fig. 3.1.1 steel wheel geometry

2) Material




Fig. 3.3. Carbon steel

a) Meshing




Fig. 3.4. Meshing in steel rim

Nodes: 40684
 Elements : 21420

b) Alloy



Fig. 3.2. Alloy wheel geometry




Fig. 3.3. Aluminum Alloy




Fig 3.6. Meshing in Aluminium wheel rim

Nodes: 27307
 Elements: 15135

IV. ANALYSIS

A. Static structural Analysis




Fig. 4.1.1. Equivalent stress (Von-mises stress)





Fig. 4.1.2. Total deformation

B. Modal Analysis





Fig. 4.2.1. Total deformation





Fig. 4.2.2. Total deformation





Fig. 4.2.4. Total deformation 4





Fig.4.2.5. Total deformation 5

C. Harmonic Response



V. RESULTS

A. Alloy wheel Static Structural results


| Type | Total Deformation | Equivalent (von-Mises) Stress | Maximum Principal Stress | Equivalent Elastic Strain | Maximum Principal Elastic Strain | Shear Stress |
|----------------|-------------------|-------------------------------|--------------------------|---------------------------|----------------------------------|------------------|
| Results | | | | | | |
| Minimum | 816.6 mm | 2.5942 MPa | -2169.6 MPa | 5.1788e-005 mm/mm | 7.5013e-006 mm/mm | -155.34 MPa |
| Maximum | 822.21 mm | 2684.3 MPa | 5061.7 MPa | 6.1532e-002 mm/mm | 4.9137e-002 mm/mm | 159.23 MPa |
| Average | 818.98 mm | 90.586 MPa | 82.011 MPa | 1.4457e-003 mm/mm | 1.1895e-003 mm/mm | -9.8214e-002 MPa |

| Minimum Value Over Time | | | | | | |
|-------------------------|------------|-----------------|-------------|-------------------|-------------------|-------------|
| Minimum | 0.26737 mm | 4.1186e-002 MPa | -2169.6 MPa | 6.738e-007 mm/mm | -1.185e-006 mm/mm | -155.34 MPa |
| Maximum | 816.6 mm | 2.5942 MPa | -42.105 MPa | 5.1788e-005 mm/mm | 7.5013e-006 mm/mm | -4.0706 MPa |
| Maximum Value Over Time | | | | | | |
| Minimum | 2.799 mm | 55.984 MPa | 94.604 MPa | 1.1655e-003 mm/mm | 9.667e-004 mm/mm | 7.9015 MPa |
| Maximum | 822.21 mm | 2684.3 MPa | 5061.7 MPa | 6.1532e-002 mm/mm | 4.9137e-002 mm/mm | 159.23 MPa |

B. Alloy Wheel Modal Analysis Result

| Total deformation | | | | | | | | | | |
|-------------------|-----------------|------------|----------------|-----------------|----------------|----------------|----------------|-----------------|-----------|-----------------|
| Object No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Results | | | | | | | | | | |
| Minimum | 10.129 mm | 1.4017 mm | 7.932 e-003 mm | 1.5311 e-003 mm | 1.3784e-002 mm | 4.0214e-003 mm | 3.9962e-003 mm | 6.870 3e-004 mm | 0.2257 mm | 7.5728 e-002 mm |
| Maximum | 10.129 mm | 13.299 mm | 15.264 mm | 23.474 mm | 15.299 mm | 23.777 mm | 29.573 mm | 28.84 mm | 20.078 mm | 16.793 mm |
| Average | 10.129 mm | 9.4634 mm | 5.9321 mm | 5.4006 mm | 5.8811 mm | 5.4133 mm | 4.8129 mm | 4.8193 mm | 10.044 mm | 9.2254 mm |
| Information | | | | | | | | | | |
| Damped Frequency | 4.24 75e-004 Hz | 0.64156 Hz | 197.55 Hz | 331.7 Hz | 440.83 Hz | 588. Hz | 810.99 Hz | 1016.1 Hz | 1331.5 Hz | 1419.4 Hz |

C. Harmonic Response / Frequency Response




D. Steel Rim Static Structural Analysis Results

| Type | Total Deformation | Equivalent (von-Mises) Stress | Maximum Principal Stress | Equivalent Elastic Strain | Maximum Principal Elastic Strain |
|-------------------|----------------------------|-------------------------------|--------------------------|---------------------------|----------------------------------|
| Results | | | | | |
| Minimum | 0. mm | 0.10549 MPa | -21.641 MPa | 2.2229e-006 mm/mm | -6.6948e-006 mm/mm |
| Maximum | 0.2345 mm | 48.647 MPa | 66.728 MPa | 3.3365e-004 mm/mm | 2.8385e-004 mm/mm |
| Average | 6.5055e-002 mm | 5.4395 MPa | 2.9567 MPa | 3.4552e-005 mm/mm | 1.8827e-005 mm/mm |
| Minimum Occurs On | Sold_Steel_Rim_3-FreeParts | | | | |
| Maximum Occurs On | Sold_Steel_Rim_3-FreeParts | | | | |

E. Steel Rim Modal Analysis Results

| Object No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--------------------|-----------------|-----------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|------------------|
| Results | | | | | | | | | | |
| Minimum | 0. mm | | | | | | | | | |
| Maximum | 20576 mm | 20621 mm | 24744 mm | 24891 mm | 12856 mm | 25706 mm | 25670 mm | 14130 mm | 16474 mm | 16383 mm |
| Average | 8183.2 mm | 8338.3 mm | 7080.6 mm | 7458.2 mm | 9311.4 mm | 6812.6 mm | 6724.3 mm | 8861.2 mm | 9557.2 mm | 9527.6 mm |
| Information | | | | | | | | | | |
| Frequency | 2.1877 e+005 Hz | 2.1937 e+005 Hz | 2.669 6e+0 05 Hz | 2.7252 e+005 Hz | 5.0782e +005 Hz | 7.7079e+ 005 Hz | 7.7164e+ 005 Hz | 7.9491e +005 Hz | 9.287e +005 Hz | 9.316 3e+00 5 Hz |

F. Harmonic Response / Frequency Response



VI. CONCLUSIONS

A comprehensive parametric modeling using Creo was conducted on both carbon steel and aluminum alloy wheel rims, followed by various analyses performed in ANSYS. A force of 625N was applied to assess the stress and strain values.

- 1) The deformation levels differed for each wheel rim at varying frequencies, with the alloy wheel rim exhibiting higher stability compared to the steel wheel rim.
- 2) To further evaluate the structural behavior, a vibrational analysis was carried out. The harmonic response analysis indicated a maximum amplitude of 1.6893, suggesting a stable model.
- 3) These findings indicate that the aluminum wheel rim outperforms the steel wheel rim in terms of heat dissipation, braking performance, and fatigue life.
- 4) The results strongly suggest that the aluminum alloy wheel rim is more suitable for the intended application due to its superior stability under vibrational loads, enhanced heat dissipation capabilities, improved braking performance, and extended fatigue life. These factors contribute to its overall superiority over the carbon steel wheel rim

Further research can be conducted to develop advanced aluminum alloys with enhanced mechanical properties, this could involve exploring novel alloy compositions or incorporating reinforced elements to optimize the material performance.



REFERENCES

- [1] Htay Htay win, May zon than Modal Analysis of Aluminium Alloy Five Spokes Wheel's Rim, iconic research and engineering journals, Volume 2 Issue 12, JUN 2019.
- [2] Ameya Malwadkar, Pradnya Mungi, International Research Journal of Engineering and Technology, Meshing and Analysis of Vehicle Wheel Rim, Volume: 09 Issue: 11 | Nov 2022.
- [3] P. Meghashyam, S. Girivardhan Naidu and N. Sayed Baba, Design and Analysis of Wheel Rim using CATIA & ANSYS, International Journal of Application or Innovation in Engineering & Management (IJAIEM), Volume 2, Issue 8, August 2013.
- [4] L. Natrayan, P. Dinesh Kumar, P. Santhakumar, R. Mohan raj, R. Mohandass, Design and Comparative Analysis of Old & New Model Car Wheel Rims with Various Materials, Journal for Research| Volume 02| Issue 02 | April 2016.
- [5] Sudhakar Mishra, Dr. L.P. Singh, Structural and Material Analysis of an Automobile Wheel Rim using ANSYS, International Research Journal of Engineering and Technology, Volume 06 Issue 1, Dec 2019.
- [6] Dhiraj Bhargav. A. S, A. S. Jayaram, Chandan. R, International Research Journal of Engineering and Technology (IRJET) e-ISSN: 2395-0056 Volume: 05 Issue: 10 | Oct 2018.
- [7] Mr. Sunil Prashanth Kumar, Muhammad Mansoor P, VishakVignesh, Abhijeet Kumar, Mordisangma, Design And Analysis of Automobile Wheel Rim International Research Journal Of Engineering And Technology (Irjet) E-Issn: 2395-0056 Volume: 08 Issue: 07 | July 2021.
- [8] Jaslok Pandey, Jayesh Dange, Fatigue Analysis of Wheel Rim Using Different Alloy to Eliminate the Manufacturing Difficulties with Reduced Weight, International Journal of Scientific & Engineering Research Volume 9, Issue 5, May-2018.
- [9] X Jiang, R Lyu, Y Fukushima, M Otake2 and D Y Ju, Lightweight design and analysis of automobile wheel based on bending and radial loads, International Conference on Material Strength and Applied Mechanics IOP Publishing Materials Science and Engineering 372 (2018).
- [10] Mr. Chintapalli Shekhar et al. ,International Journal of Advance Scientific Research and Engineering Trends, Volume 5, Issue 7, July 2020.
- [11] B. Lalunayak, K.Musalaiah "Design And Static Modal Analysis Of Car Alloy Wheel Using Finite Element Method: A Review, International Journal of Computational Mathematical IDEAS Publications ISSN 0974-8652, Volume 21, Issue 1, Dec 2020.
- [12] Priyam Deka, Faramarz Bagherzadeh, Sundeep Murugesan, Radial Fatigue Analysis of Automotive Wheel Rim (ISO 3006), Asian Journal of Convergence in Technology.
- [13] Kalpesh R. Salunkhe, Prof. Shailesh S Pimpale, Design FEM analysis of alloy wheel Rim of four wheeler, International Advanced Research Journal in Science, Engineering & Technology, Volume 4, Issue 9, Sep 2017.
- [14] Sasankshkar Panda et al. - International Journal of Engineering Science & Research Technology- 2016.
- [15] Sourav Das ,Design and Weight Optimization of Aluminium Alloy Wheel, International Journal of Scientific and Research Publications, Volume 4, Issue 6, June 2014.
- [16] Ch. Veera Venkata Krishna reddy, V.V. Ramakrishna, Development and Analysis of Wheel Rim by using 3 Different material Al-2024, Al6061 and ZnAl4, International Journal for Research in Science and Technology, volume 11, page 33-39, 2021 march.
- [17] Prasad Satish Divekar, Dr. Thippeswamy Ekbote, Design and Analysis of alloy wheel using Various Mixtures of Alloy, IJSDR, ISSUE 10, Volume 4, Oct 2019.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)