



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 4 Issue: XI Month of publication: November 2016

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Prediction of CBR value from Physical properties of coarse grained soils

Vishal Chandrakar¹, R K Yadav²

¹Post graduate student, Civil Engineering Department, Jabalpur Engineering College, Jabalpur

²Professor, Civil Engineering Department, Jabalpur Engineering College, Jabalpur

Abstract: California Bearing Ratio (CBR) has been recommended as one of the important parameter to determine the strength of sub grade soil of, road embankments, airport runways, bridge abutments and pavements. Technically, the CBR test can be carried out in the laboratory or in the field. The CBR test is time-consuming, laborious and expensive; hence a method is proposed to correlate CBR value with index properties and compaction properties of coarse grained soil. The laboratory test for estimation of OMC, MDD and Grain size distribution are easy and can be perform quickly. The correlation is established using data analysis tool pack of Microsoft excel.

Keywords: Coefficient of correlation (R) 2, MLRA, Regression, Soaked CBR value, SLRA.

I. INTRODUCTION

Strong foundation is always necessary for the construction of any kinds of engineering projects, such as construction of highway, building, dams and other structures, all those involving large quantities of earth works. Therefore, it is necessary to have reliable methods to access the engineering properties of such projects. In India and all over the world California Bearing Ratio (CBR) test is the most common test adopted for the design of flexible pavements.

In India the design of flexible pavement is made primarily other basis of the sub grade strength which is based on CBR value. It determines the thickness of the pavement. In other words, sub grade that has lower CBR value will have thicker pavement compared with the sub grade that has higher CBR value. CBR values can be calculated directly in the laboratory test as per the specification provided in IS 2720 part-XVI. For this study soil samples were collected from different locations of Jabalpur city of Madhya Pradesh India.

CBR test is quite time consuming, expensive and tedious test but it is necessary to perform multiple tests throughout the length of pavement in order to get a proper idea about strength of sub grade material. This leads to serious delay in project and also increases cost of project. It is therefore necessary to predict CBR values from simpler basic soil test in order to achieve economy in time and money.

With these objectives as the prime focus in this paper an attempt has been made to correlate the CBR values with simple soil index properties and compaction properties from data generated in the laboratory. Pradeep Muley and Jain (2013) developed a correlation to predict CBR of stone dust mixed poor soil. Roy *et.al*; 2010, Mukesh and H S Patel established a correlation between physical properties and CBR value both in soaked and unsoaked condition. Patel *et.al* (2010), Venkatasubramanian and Dhinakaran (2011), Ramasubbarao and Siva Sankar (2013), Akshay (2013), and Dilip Kumar Tulukdar (2014) had developed multiple liner regression analysis models (MLRA) for correlating CBR with index properties of soil.

This paper gives and over view to obtain a correlation between CBR values with soil index properties and compaction properties of coarse grained soil.

II. EXPERIMENTAL WORK

Eight no of disturbed soil samples are collected from different region of Jabalpur city. Three major tests are performed on each of the collected soil sample, grain size distribution, modified proctor and soaked California Bearing Ratio (CBR) test. All these tests are performed as per the IS code specifications. Outcomes of these tests are used to perform regression analysis. Simple and multiple linear regression analysis are done to predict soaked cbr value from physical properties of coarse grained soils. Multiple linear regression analysis is performed by considering CBR value as dependent variable and D_{30} , D_{60} , Cu, MDD and OMC as independent variables.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Table 1: Test results obtained from various laboratory tests.

S No	D ₃₀ (mm)	D ₆₀ (mm)	D ₁₀ (mm)	C _c	C _u	OMC %	MDD (g/cc)	CBR %	SOIL TYPE
1	7.1	13.44	1.15	3.26	11.2	10.8	2.14	18	GP
2	8.2	30.2	2	1.11	15.1	8	2.2	32	GW
3	5.1	18.62	1.4	1	13.3	9	2.17	21	GW
4	5	13.2	1.2	1.57	12	9.2	2.15	20	GW
5	.46	1.1	.17	1.13	6.47	9.8	2.06	12	SW
6	.49	1	.247	0.97	4.04	10.5	2.05	11.4	SP
7	.5	.8	.33	0.94	2.42	11.2	2.03	9.2	SP
8	.48	.7	.32	0.96	2.18	12	2	8.4	SP

III. RESULTS AND DISCUSSION

Results of experimental works are shown in table 1. Outcomes of laboratory test are used to develop regression models for the prediction of California bearing ratio using simple linear regression analysis on Excel as shown below in figures 1 to 6.




Figure 1: Optimum moisture content verses Soaked CBR value




Figure 2: maximum dry density verses soaked cbr value

International Journal for Research in Applied Science & Engineering Technology (IJRASET)




Figure 3: Cu verses Soaked CBR value




Figure 4: D₆₀ verses Soaked CBR value




Figure 5: D₃₀ verses Soaked CBR value

International Journal for Research in Applied Science & Engineering Technology (IJRASET)




Figure 6: D10 versus Soaked CBR value

As the main aim of this study is to establish a relation of CBR value of soil with D_{30} , D_{60} , MDD and OMC, a multiple linear regression model was developed by using Data Analysis tool pack of Microsoft Excel software. The Mathematical relationship is shown in equation 1, with coefficient of correlation (R^2)=0.9728, hence the equation holds good in correlating the CBR value with other soil properties

$$CBR = 198.63 - 3.78 * OMC - 73.37 * MDD + 0.34 * D_{60} + 1.64 * D_{30}$$

A comparison is made between experimental and predicted CBR values shown in table 2 and figure 7.

Table 2: COMPARISON OF LAB AND SOAKED CBR

CBR(%) from laboratory test	CBR(%) from mathematical equation
18	17
32	30.692
21	20.09
20	18.796
12	11.57
11.4	9.675
9.2	8.445
8.4	7.552




Figure 7: Comparison between predicted and experimental results

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

IV. CONCLUSIONS

Based on above test results and discussions the following conclusions may be made

- A. It is concluded in this research that there is good relationship between index properties/classification test parameters and soaked CBR values for coarse grained soil.
- B. CBR value decreases with the increase in the optimum moisture content of soil but increases with the increase in the maximum dry density and grain size.
- C. Prediction Models developed using simple linear regression analysis and multiple linear regression models with good (R^2) value.
- D. From the formula and table 2, it can be concluded that the correlation equation can be used for evaluating different values of CBR.

REFERENCES

- [1] IS: 2720 Part XVI (1980) IS: 9669, Laboratory determination of California bearing ratio (CBR) of soil, BIS, New Delhi.
- [2] IS 2720 (part 7)-1983 reaffirmed 1995; Indian standard method of test of soil, determination of water content- dry density relationship using heavy compaction, Bureau of Indian standards, New Delhi.
- [3] Dilip Kumar Talukdar (2014), A Study of Correlation Between California Bearing Ratio (CBR) Value With Other Properties of Soil, International Journal of Emerging Technology and Advanced Engineering, Volume 4, Issue 1, January 2014..
- [4] Patel Mukesh A., Dr. Patel H. S. (2012) "Correlation between physical properties and CBR test on soil of Gujarat region both in soaked and unsoaked condition" International journal of civil engineering and technology, vol 3, issue Patel Rashmi S., Desai M. D.,(2010),"CBR predicted by index properties for alluvial soils of south Gujarat ". Indian geotechnical conference-2010, December 16-18, pp 79-82.
- [5] Pradeep Muley, P. K. Jain (2013), Betterment and prediction of CBR of stone dust mixed poor soils, Proceedings of Indian Geotechnical Conference December 22-24, 2013, IIT Roorkee.
- [6] Ramasubbarao, G.V. and Siva Sankar G., "Predicting Soaked CBR value of fine grained soils using index and compaction characteristics", Jordan Journal of Civil Engineering, volume 7(2013), No.3, pp. 354-360.
- [7] Shirur Navin B., Hiremath Santosh G. (2014), "Establishing relationship between CBR value and physical properties of soil." IOSR journal of mechanical and civil engineering. vol 11, issue 5, version 1 ,pp26-30
- [8] Venkatasubramanian. C, Dhinakaran. G., "ANN model for predicting CBR from index properties of soils", International Journal of Civil and Structural Engineering, Integrated Publishing Association (IPA), Vol. 2 (2): 605-611(2011).)
- [9] Yildirim, B. and Gunaydin, O., "Estimation of California bearing ratio by using soft computing systems," Expert Systems with Applications, Vol.38, pp: 6381-6391(2011).



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)