



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 2017 **Issue:** conference **Month of publication:** September 15, 2017

**DOI:**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:** ☎ 08813907089

**E-mail ID:** [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Lexicon Based Sentiment Analysis For Product Review Data

Geetanjali Shirole<sup>1</sup>, Savita Sangam<sup>2</sup>

<sup>1</sup>PG Student, Computer Engineering, YTCEM,

<sup>2</sup>Assistant Professor, Information Technology, SSJCOE

**Abstract:** Many companies are selling their product online often ask their customers to review the product that they have purchased and the service they provided. Now a day's peoples are interested doing more and more shopping by online because of the popularity of e-commerce. The number of customers buy product online and also give the reviews of the product. For a particular product the number of reviews can be in hundreds or even thousands. This make it difficult for a customers to read them and make it decision on them whether to purchase the product or not. It is also make it difficult to product manufacturer to keep the track and manage the customer's opinion about the product. Additional difficulties for the product manufacturer are, many merchant sites may sell the same product at lower cost and some better facilities that they provide with product. On this research work, our aim to summarize the entire customer reviews of the product. In this summarization task we concentrate the features of the product on which the customers have expressed their opinion, whether it is positive or negative. The task is performed in three steps, first mining the product features that have been commented on by customers. Second step is identifying the opinion sentence or sentiments in each review and deciding whether each sentiment is positive or negative. Third and last step id analysis of the result and decision making about the all reviews whether the product contain good feedback or not.

**Keywords**—data mining, sentiment, sentiment analysis.

## I. INTRODUCTION

Opinions required for all human activities and incenses a lot on human behaviors and choice made. Our choices that we make towards any entity depend upon how others observe and assess the word. As the computers are getting faster, an increasing amount of data on internet is becoming more available for everyone. Before the advent of internet and technology, when an individual need to make a decision, he used to seek others opinion too. What other people think about a product is important concern for many people. Whenever organization need to make a decision, they used to conduct surveys, polls etc. thus seeking others opinion in decision-making is important from past many years. But often reviews in digital form are too lengthy and descriptive which make the tasks of opinion extraction more difficult. A demand has risen for data mining that enables individuals and companies to extract and find useful information from the available data. This is also case with sentiment analysis. There is a need for a way to identify the opinions of people regarding products and companies. Through this, for example, companies might gain valuable knowledge about their brand image, how their new product was received in media after launching. By seeing the opinions, the information can be used to pinpoint possible problems that required more attention or to confirm successful moves. It could also be used helping people for searching relevant products giving them on overall view of available options ranked by people's opinions. Sentiment analysis has many different uses and the task of finding the opinion polarity with in a document is just one of many. Other use cases are detecting subjectivity in documents, which means finding the subjective perspective express by the writer, and it can be applied for finding the different and possibly controversial perspectives that are expressed in document. Sentiment analysis, also called opinion mining, is a relatively new field of study, which has gained more and more interest during the recent decade. With the quick development of web based business in the course of recent years, an ever increasing number of items are sold Online, and an ever increasing number of individuals are purchasing items on the web. Keeping in mind the end goal to improve client shopping background, it has turned into a typical practice for online traders to empower their clients to compose surveys on items that they have obtained. With an ever increasing number of clients getting to be noticeably alright with the Internet, an expanding number of individuals are composing surveys. Therefore, the quantity of audits that an item gets develops quickly. Some well known items can get several surveys or more at some extensive shipper destinations. Many surveys are additionally long, which makes it hard for a potential client to peruse them to settle on an educated choice on whether to buy the item. On the off chance that he/she just peruses a couple of audits, he/she just gets a one-sided see. The substantial number of audits likewise makes it hard for item makers or organizations to monitor client assessments and estimations on their items and administrations. In the previous couple of years, numerous analysts examined the issue, which is called assessment mining or conclusion analysis.[9][12]. Supposition Estimation is

a disposition, thought or judgment provoked by feeling. Supposition investigation, which is otherwise called conclusion mining or survey mining, which considers individuals' assumptions towards the item they purchase or a specific entities.[13]

## II. APPROACHES FOR SENTIMENT ANALYSIS

### A. Machine Learning Approaches

Machine taking in, a branch of manmade brainpower, is a logical train worried about the outline and improvement of calculations that enable PCs to develop practices in light of observational information, for example, from sensor information or databases. A student can exploit illustrations (information) to catch attributes of enthusiasm of their obscure fundamental likelihood dissemination. Information can be viewed as cases that outline relations between watched factors. A noteworthy concentration of machine learning research is to consequently figure out how to perceive complex examples and settle on smart choices in light of information; the trouble lies in the way that the arrangement of every conceivable conduct given every conceivable information is too huge to possibly be secured by the arrangement of watched cases (preparing information). Subsequently the student must sum up from the given cases, in order to have the capacity to deliver a helpful yield in new cases. [17]

### B. Lexicon Based Approach

Machine learning based notion investigation arranges just survey. Conversely vocabulary based notion examination characterizes the conclusion message by breaking down the feeling of the assessment word. Feeling words are utilized in numerous estimation grouping assignments. Positive sentiment words are utilized to express some coveted states, while negative supposition words are utilized to express some undesired states. There are likewise conclusion expressions and maxims which together are called assessment dictionary. There are three principle approaches keeping in mind the end goal to accumulate or gather the sentiment word list. Manual approach is exceptionally tedious and it is not utilized alone. It is typically joined with the other two computerized approaches as a last check to dodge the oversights that came about because of mechanized strategies. The two robotized approaches are introduced in the accompanying subsections. [9][12][13] The Semantic approach gives notion esteems straightforwardly and depends on various standards for registering the comparability between words. This rule gives comparative slant esteems to semantically close words. WordNet for instance gives various types of semantic connections between words used to compute supposition polarities. WordNet could be utilized too to obtain a rundown of feeling words by iteratively growing the underlying set with equivalent words and antonyms and afterward deciding the opinion extremity for an obscure word by the relative number of positive and negative equivalent words of this word.[17]

## III. LITERATURE SURVEY

Lina Zhou [1], uses machine learning and semantic orientation techniques for review mining, for investigation uses movie review data. A corpus is formed to represent the data in document and all the classifiers are trained using this corpus. Machine learning used supervised and semantic orientation used unsupervised learning algorithm. That conclude machine learning is more efficient but required more time to train model. On other hand the semantic orientation approach is less accurate but it is more efficient to use in real time application. Bo pang, Lillion lee and Shivakumar [2] uses machine learning techniques to investigate the effectiveness of classification of document by overall sentiment. It uses learning method Naïve Bayes, maximum entropy classification and support vector machine were employed. That conclude machine learning techniques are better than human produce baseline for sentiment analysis on movie review data. Bo Pang, L. Lee and S. Vaithyanathan [2] employed document level opinion mining. Rather classifying the document on topic basis, they classified the overall sentiment determining whether a review is positive or negative. They had used this technique to classify the movie review and rate it using thumbs up and thumbs down approach. Ratings were automatically extracted and converted into one of three categories: positive, negative, or neutral.

Pang et al proposed three methods of machine learning, maximum entropy, naive Bayes and support vector machines. They used these methods to classify a movie reviews into positive or negative opinion. Results of their results depicted that machine learning techniques yields good results as compared to the complications required in manual classification. Moreover, machine learning methods failed to perform well in sentiment classification as compared to traditional topic based categorization [7]. To pre-vent a sentiment classifier from considering irrelevant or even potentially misleading text they decided to first employ a sentence-level classification to identify the sentences in a document as either subjective or objective. It then discards objective sentences followed by applying sentiment classifier. This technique supplies improved results [8].

The above approach to sentiment detection all used linguistic heuristics explicit list of pre-selected words and other such techniques that requires use of expert knowledge that may not yield the best result. For that Alekh Agarwal et al [3] proposed machine learning



method incorporating linguistic knowledge through Word Net synonymy graph for effective opinion classification. Generic method using graph cut technique for efficient opinion classification. It is simple as compare to Bo pang [2].

Zhu et. [4] Used conclusion surveying technique in that bootstrapping based ART learning and multiaspects sentence division calculation utilized. It is anything but difficult to execute and pertinent to different areas like item or motion picture survey information. Be that as it may, issue touched base in bootstrapping learning is the means by which to predefined some suitable ART seeds physically ahead of time.

Ahmed Abbasi et al., [6] proposed novel supposition investigation strategies to characterize web gathering conclusions in various dialects. The proposed estimation investigation technique used the capacity of elaborate and syntactic components to assess the feeling in English and Arabic substance. The Entropy weighted Genetic Algorithm is fused to improve the execution of the classifier and accomplish the genuine evaluation of the key components. Trials were led utilizing motion picture audit informational collection and the outcomes exhibited that the proposed methods are productive.

Anidya et al., [7] positioned the item surveys in view of client arranged and maker positioning instrument. The normal support of the survey is utilized for the positioning and furthermore positioning depends on the normal impact at a bargain. The proposed strategies distinguish the surveys which have the most effect. For highlight based items, he audits that affirm the data contained in the item portrayal are utilized, and surveys with subjective perspective are valuable for encounter products. Econometric investigation with content mining strategies and with subjectivity examination is utilized as a part of the proposed strategy. Item costs and deals positioning openly accessible on amazon.com were utilized to arrange the information set. The item and deals information are the two arrangements of data gathered for every item. Items, for example, sound and video players, computerized cameras were utilized to shape the informational collection. The observational examination is performed utilizing the incorporated informational collection.

Miniqing Hu et al., [9] performed mining and rundown procedure to all the client audits of an item. The proposed procedure is completed in three stages: First the item includes remarked by the client in the audit are mined. Normal dialect handling and Data digging strategies are utilized for mining. Second the conclusions in the audit are recognized and the feelings are named positive or negative. Set of modifiers words called conclusion words are recognized and semantic introduction of the feeling words is resolved. Word Net can be utilized to recognize the semantic introduction and the feeling introduction of each sentence is chosen. Third abridge the outcomes. The goal of the investigation is to perform highlight based outline of an extensive number of client surveys of an item sold on the web.

Xiaowen Ding et al., [12] proposed an all encompassing vocabulary based approach which utilizes outer signs and phonetic traditions of normal dialect articulations to decide the semantic introductions of conclusions. Favorable position of this approach is that sentiment words which are setting subordinate are effectively dealt with. The calculation utilized utilizations semantic examples to manage exceptional words, phrases. Analysts manufactured a framework called Opinion Observer in view of this method. Examinations utilizing item audit dataset was profoundly compelling. It was demonstrated that numerous clashing conclusion words in sentence are likewise managed effectively. This framework indicates better execution when contrasted with existing strategies.

Anna Jurek, Maurice D. Mulvenna and Yaxin Bi [13], this shows another dictionary based slant investigation calculation that has been composed with the principle concentrate on ongoing Twitter content examination. The calculation comprises of two key parts, to be specific opinion standardization and proof based mix work, which have been utilized as a part of request to evaluate the force of the supposition as opposed to positive/negative mark and to help the blended slant grouping process. At long last, they represent a contextual analysis looking at the connection between negative suppositions of twitter presents related on English Defense League and the level of confusion amid the association's connected occasions.

#### IV. PROPOSED SYSTEM

What makes slant investigation troublesome is that suppositions are regularly subjective. A sentence like "God is incredible" can be certain for a few people, however some would not concur. From a target perspective, that sentence can be certain in light of the fact that there is a regularly known descriptive word "incredible" which may allude to something positive. Then again, it could likewise be about one's size. Frequently assessments are area subordinate. This implies a sentence like "The climate has been truly hot and sunny." can have a positive introduction in the event that it was about summer get-away. Notwithstanding on the off chance that it was said when looking at cultivating, the sentence may have totally the inverse significance since plants don't really appreciate comparable climate conditions as people [9].

The issue of existing methodology is that assumptions of conclusion words are setting delicate. "The photo quality is low..!" In this sentence "low" means negative supposition while in another case, "The CCD clamor is low.." Here "low" is a positive term for CCD commotion. Along these lines, this proposed technique looks to distinguish the conclusion highlights as per their space significance.

A specimen audit taken from site is given as beneath:

"The iPhone 6 conveys an open, fresh 4.7-inch screen, enhanced remote rates, better camera self-adjust, and knock up capacity abilities to 128GB at the best end. The iPhone 6 is a remarkable telephone in almost every path aside from its normal battery life: it's thin, quick, and elements the great iOS working framework."

The above specimen audit communicates opposing conclusions related with various traits or parts of iPhone6. Camera quality, stockpiling limit and speed react. the positive parts of this telephone, while battery life is irritating which gives a negative explanation towards this telephone. These days, brilliant supporters are not prepared to settle on any decision just by taking a gander at the general rating of the item. They need to comprehend why it gets the rating, that is, which are the positive parts of the telephone and which the negative parts of the telephones which add to the nal rating of the item. It is imperative to abuse the correct conclusion highlights from audits and characterize them to fine-grained assessments [12].

The announcement is "The photos are clear."

In this sentence, the client is happy with the photo nature of the camera, picture is the component that the client discusses. While the component of this sentence is expressly said in the sentence, a few elements are verifiable and elusive. For instance, "While light, it won't effortlessly fit in pockets." This client is discussing the extent of the camera, however the word estimate does not show up in the sentence. In this work, we concentrate on discovering highlights that seem expressly as things or thing phrases in the surveys.

Opinion can be defined in two types

Regular opinion: A regular opinion conveys a sentiment only on a particular entity or an aspect o the entity. Thus only one entity is described using such type of opinion. eg: "Shamali plays football very good."This statement expresses a positive sentiment towards Shamali.

Comparative opinion: A comparative opinion compares multiple entities based on some of their shared aspects. Thus two entities are involved in which a comparison is made. e.g.: "Shamali plays football better than Radha...!" This statement compares sports behavior of Shamali and Radha based on their performance and expresses a positive tone for Shamali.




Fig.1 Architecture diagram for Sentiment Analysis

#### A. Algorithm

Step 1: Collect all the product review.

Step 2: Identifying the product features.

Step 3: Identifying the opinion about the product features.

Step 4: If opinion about the product is positive, then the statement is positive else, the statement is negative.

Step 5: If value of positive and negative sentiment is same then the statement is neutral statement.

Step 6: Analysis of all the results about the statements and give the overall (good or bad) result about the product.




Fig 2. The sample implementation of sentiment analysis

In above implementation there is gaming application. By analyzing the opinion or reviews there are 34 positive comments and 23 negative comments, on that it gives the overall rating and comment ratio of the application. The features list contain the parameters like user interface, resolution etc. we extract that features from the customer comments and extracting the sentiments, analyzing the result and gives the overall prediction about the product.

#### V. CONCLUSION

In the proposed system a strategy for mining and breaking down of item survey in light of content mining and dictionary based feeling examination approach. The goal is to be give a components based supposition mining of an extensive number of client surveys of an item which sold on the web. Examination of result is valuable to clients as well as critical to item producer.

#### REFERENCES

- [1] Lina Zhou, Pimwadee Chaovalit, "Movie Review Mining: a Comparison between Supervised and Unsupervised Classification Approaches", 2005.
- [2] Bo Pang, Lillian Lee, and Shiva Kumar Vaithyanathan, "Thumbs up? Sentiment classification using machine learning techniques", 2002.
- [3] Zhu, Jingbo Wang, Huizhen Zhu, MuhuaTsou, Benjamin K. Ma, Matthew, "Aspect-Based Opinion Polling from Customer Reviews", IEEE Transactions on Affective Computing, Volume: 2, Issue: 1 On page(s): 37. Jan-June 2011.
- [4] Yi, J., T. Nasukawa, R. Bunescu, and W. Niblack: 2003, "Sentiment Analyzer: Extracting Sentiments about a Given Topic using Natural Language Processing Techniques", In: Proceedings of the 3rd IEEE International Conference on Data Mining (ICDM-2003). Melbourne, Florida.
- [5] Alekh Agarwal and Pushpak Bhattacharyya, "Sentiment analysis: A new approach for effective use of linguistic knowledge and exploiting similarities in a set of documents to be classified", 2005.
- [6] Ahmed Abbasi, Hsinchun Chen, and Arab Salem, "Sentiment Analysis in Multiple Languages: Feature Selection for Opinion Classification in Web Forums", ACM Trans. Inf. Syst., Vol. 26, No. 3. (June 2008).
- [7] Anindya Ghose, Panagiotis G. Ipeirotis, "Designing Novel Review Ranking Systems: Predicting Usefulness and Impact of Reviews", (2007).
- [8] Michael Gamon, Anthony Aue, Simon Corston-Oliver, and Eric Ringger, "Pulse: Mining Customer Opinions from Free Text Natural Language Processing", Microsoft Research, Redmond, WA 98052, USA.
- [9] Mingqing Hu and Bing Liu, "Mining and Summarizing Customer Reviews", (KDD-2004), August.



- [10] GuangQiu, Bing Liu, Jiajun Bu and Chun Chen. "Opinion Word Expansion and Target Extraction through Double Propagation." Computational Linguistics, March 2011.
- [11] Lei Zhang and Bing Liu. "Identifying Noun Product Features that Imply Opinions." ACL-2011 (short paper), Portland, Oregon, USA, June 2011.
- [12] Xiaowen Ding. A Holistic Lexicon-Based Approach to Opinion Mining- WSDM'08, February 11-12, 2008, Palo Alto, California, USA. 2008 ACM
- [13] Anna Jurek, Maurice D. Mulvenna And Yaxin Bi. "Improved Lexicon Based Sentiment Analysis for Social media Analytics". 2015
- [14] Blei, D.M., Ng, A.Y., & Jordan, M., Latent Dirichlet allocation (2003).
- [15] Blei, D. M. & Lafferty, J. D. (2006). Dynamic topic models. (ICML2006), Pittsburgh, Pennsylvania, USA.
- [16] Gaurav Chakraborty, Text analysis and sentiment mining using SAS. 2 12-13 june (2014)
- [17] Walaa Medhat, Ahmad Hassan, Hoda Korashy. "Sentiment analysis Algorithm and Application: A survey". Jasej (2014-04)





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)