



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: II Month of publication: February 2018

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Evaluation of Factors Affecting the Construction Projects

ManojSharma¹, Dr. A.S.Trivedi², Priya Rao³

¹Asst. Professor, Civil IPS CTM Gwalior, RGPV University Bhopal (M.P) / India

²Professor, Civil IPS CTM Gwalior, RGPV University Bhopal (M.P) / India

³Research Scholar, M. Tech Civil IPS CTM Gwalior, RGPV University Bhopal (M.P) / India

Abstract: *The main objective of this study is to identify the critical factors influencing delay and their impact on project completion. Quality is one of the important aspects of all projects. The level of success of construction projects greatly depends on the quality performance. The Indian construction sector is facing quality related issues, which lead to ineffective and inefficient projects in terms of overrun, delays and excessive rework. The results presented are based on a study carried out at various ongoing and completed construction projects in Indian context. A structured questionnaire survey was used to solicit the causes from various construction professionals in various firms. About forty four respondents were participated in this survey. A questionnaire was developed based on identified factors to take opinion of construction experts. After their feedback a statistical analysis tool such as RII method were used to rank the significance level of these factors.*

Keywords: *Quality, Time, Cost, Delay, Construction Projects, RII Method*

I. INTRODUCTION

The construction industry is a very important role of the economy development for any developing country. In India, the construction industry plays a very important role for the economy. It provides the physical infrastructure, which is primary for the country's development. Construction projects are falling at an alarming rate worldwide (Matta and Ashkena, 2007). Delay could be defined as the time overrun either beyond the completion date that parties agreed upon for delivery of a project. While several studies that discuss about the critical factors affecting project delay in various countries, (Kumaraswamy and Chan, 1998, Lo et. al, 2006, Assaf and Al-Hejji, 2006, Sambasivan and Soon 2007, Ogunlana et. al, 1996). A Possible reason for the absence of such studies could be that a client would not like to incur additional cost and time on a failed project for studying the reason for delay.

This study makes an attempt to find the critical factor influencing on resource related delay in construction projects. This paper focuses on the construction stage of projects. The objectives of this study include:

To identify the factorcauses of delays in construction projects in India. To identify top ten most important critical factors of delay from a list of sixty one(61) different sub factors with ten different groups of resources based on the RII value and rank. To identify the degree of agreement in most important causes of delays between two parties involved in projects.

II. BACKGROUND

Time and cost are the two common concerns of construction management. Many factors relate to delay with types of project, locations, sizes, and scopes. Construction projects with their features of complexity and capital requirement have resulted interest to many researchers. Al-Momani (2000) conducted a quantitative analysis of construction delays by examining the records of one hundred and thirty public building projects constructed in Jordan. There were presented the regression models of the relationship between actual and planned project duration for different causes of delays. They concluded that the main causes of delays in construction projects relate to designers, user changes, weather, site conditions, late deliveries, economic conditions, and increase in quantities. Assafet. al (1995) identified fifty six causes of delay under nine major groups and evaluated their relative importance index by them in Saudi Arabia. They were concluded that contractor owners and architects in general agree to the ranking of individual delay factors while contractors and architects substantially agree with the ranking of groups of delay factors while contractors and owners, and architects and owners don't agree. Assaf and Al-Hejji (1995) identified that the most common cause out of the listed 73 causes of delay identified by all parties of construction is change of orders using Frequency Index (FI), Severity Index (SI) and Important Index (II). Chan and Kumaraswamy (1997) examined the relative importance of delay factors in Hong Kong. There were identified five principal delay factors such as: poor risk management, poor supervision, unforeseen site conditions, slow decision making involving variation, and necessary variation works. El-Razeket. al (2008) examined the causes of delays in Egyptian construction projects. There concluded that different parties of construction don't agree on the relative

importance of various factors of delay, mostly blaming each other of delays using importance index and spearman rank correlation. Faridi and El- Sayegh (1995) identified that over 50% of construction projects experience delay due to factors such as delay in approval of construction drawings, poor pre-planning and slow decision making process. Comparing the key factors of construction delay across UAE, the Kingdom of Saudi Arabia (KSA) and Lebanon, the research asserted that delay in approval, owner's slow decision making and material shortages are common causes of construction delay across the region. However, the findings those other high ranked factors in UAE had no significant impact in KSA construction projects clearly highlight the fact that factors causing construction delay cannot be considered common across the countries. Iyer and Jha (2005) reported the success and failure attributes of the project and their latent property failure attributes being: conflict among project participants, ignorance and lack of knowledge, presence of poor project specific attributes and non-existence of cooperation, hostile socio economic and climatic condition, reluctance in timely decision, aggressive competition at tender stage, short bid preparation time. Kumaraswamy and Chan (1998) reviewed eight categories of delay factor as: project related factors, client related factors, design team related factors, contractor related factors, materials, labour, plant and equipment, and external factors. Lo et. al (2006) identified thirty causes of delay factors under seven categories namely client related, engineer related, contractor related, human behavior related, project related, external factors and resource related in Hong Kong construction projects. There were analyzed and ranked by using Rank Agreement Factor (RAF), Percentage Agreement (PA) and Percentage Disagreement (PD) difference in perceptions of various construction practitioners on causes of delay. Mansfield et. al (1994) reported the causes of delays and cost overrun in Nigerian construction projects. There were identified sixteen major factors that caused delays and cost overruns in Nigeria. The most important items agreed on by the contractor, consultants, and public clients surveyed were the financing and payment for completed works, poor contract management, change in site conditions, and shortages of materials inaccurate estimation, and overall price fluctuations. Sambasivan and Soon (1997) reported an integrated approach for causes and effects of construction delays in Malaysia construction projects, they were identified ten important factors Out of twenty eight listed factors and six main effects of delays using relative importance index and in order to test the degree of agreement between the three groups of respondents as to cause of delays. Odeyinka and Yusuf (1997) examined the causes of delays in housing projects and identified main categories as: client, consultant, and contractor caused delays, and extraneous factors in inclement weather, acts of nature, labor disputes and strikes in Nigeria. The research asserted that client-caused delays predominately arise from design variation in projects.

III. RESEARCH METHODOLOGY

For this research, a questionnaire survey method has been adopted to find the impact of critical factors that leads to delay on resource related in the Indian construction sector drawing from various international researchers mentioned above in particular (Sambasivan and Soon 2007). A questionnaire survey was conducted of construction professionals representing various stakeholders involved in construction projects in India.

A. Questionnaire Design

The questionnaire was designed based on critical factors were identified that contributed to the causes of delays. A questionnaire survey was developed to assess the perceptions of various construction professional of the relative importance of causes and the effects of construction delays. The questionnaire was designed into two sections: Section A; section B. Section A is to obtain the requested background information about the respondents. Section B is to obtain the information on factors that contribute to the causes of delays in construction projects from the perspective of construction professionals. A total twenty eight resource related factors were identified under three broad categories namely manpower related, material related and equipment related issues. The critical factors are listed in Table 1. A five point Likert scale (1 very low, 2 low, 3 moderate, 4 high, 5 very high) was adopted where respondents were asked to rank the importance and impact of a particular factors on delay in one of their selected projects. Descriptive statistics techniques namely Relative Importance Index (RII) has been used to highlight the relative importance of critical factors as perceived by the respondents (Assaf et. al, 1995; Faridi and El-Sayegh, 2006; Iyer and Jha, 2005; Kumaraswamy and Chan, 1998).

B. Data Analysis

The data analysis will be done by relative importance index technique used to determine the relative importance of the various cause of factors. The same method is going to be adopted in this study. The five-point scale ranged from 1(very low important) to 5 (very high important) will be adopted and will be transformed to relative importance indices (RII) for each factors as follows:

$$RII = \sum W/A * N$$

Where, W is the weighting given to each factor by the respondents (ranging from 1 to 5), A is the highest weight (i.e. 5 in this case), and N is the total number of respondents. The RII value had a range from 0 to 4 (0 not inclusive), higher the value of the RII, more important was the causes of delays. The RII was used to rank the different uncertainty factors that cause delay. These ranking made it possible to cross-compare the relative importance of the uncertainty factors as perceived by the respondents.

Tables 1: Numerical conversion for the rating attributes

α, β	
Rating Attributes	Numerical Conversion
0	0.0
1	0.2
2	0.4
3	0.6
4	0.8
5	1.0

After obtaining index score for each factor, standard deviation and coefficient of variation of each factor is also determined. Subsequently, ranking of factors is done based on Index score.

IV. RESULT AND DISCUSSION

A. Analysis of Data

Total twenty eight respondents have filled up the questionnaire. Subsequently for analysis of responses following steps are followed:

- 1) Responses were converted into numerical values based on their rating attributes. A sample is shown in Table
- 2) After that mean of numerical values of all twenty eight responses is determined
- 3) Then, Standard deviation and coefficient of variation for each risk factor is determined
- 4) Afterwards, Index Score for each risk is calculated by using RI Method.

Table 2: Conversion of response into numerical values (Questionnaire 1)

Groups/Factors	Very low important	Low important	Medium Important	High important	Very high important
(1) Cost factors	1	2	3	4	5
Market share of organization			0.6		
Liquidity of organization					1
Cash flow of project					1
Profit rate of project				0.8	
Overhead percentage of project		0.4			
Project design cost			0.6		
Material and equipment cost			0.6		
Project labor cost				0.8	
Project overtime cost		0.4			
Cost of rework	0.2				
Cost of variation orders				0.6	
Waste rate of materials	0.2				
Regular project budget update			0.6		
Cost control system				0.8	
Escalation of material prices				0.8	

(2) Time factors					
Site preparation time			0.6		
Planned time for project construction				0.8	
Percentage of orders delivered late					1
Time needed to implement variation orders				0.8	
Time needed to rectify defects			0.6		
Average delay in claim approval			0.6		
Average delay in payment from owner to contractor			0.6		
Availability of resources as planned through project duration				0.8	
Average delay because of closures and materials shortage				0.8	
(3) Quality factors					
Conformance to specification					1
Availability of personals with high experience and qualification					1
Quality of equipments and raw materials in project					1
Participation of managerial levels with decision making				0.8	
Quality assessment system in organization					1
Quality training/meeting				0.8	
(4) Productivity factors					
Project complexity			0.6		
Number of new projects / year			0.6		
Management-labor relationship				0.8	
Absenteeism rate through project				0.8	
Sequencing of work according to schedule				0.8	
(5) Client Satisfaction factors					
Information coordination between owner and project parties					1
Leadership skills for project manager					1
Speed and reliability of service to owner					1
Number of disputes between owner and project parties			0.6		
Number of reworks			0.6		
(6) Regular and community satisfaction factors					
Cost of compliance to regulators requirements			0.6		

Number of non compliance to regulation			0.6		
Quality and availability of regulator documentation				0.8	
Neighbors and site conditions problems				0.8	
(7) People factors					
Employee attitudes in project					1
Recruitment and competence development between employees				0.8	
Employees motivation					1
Belonging to work					1
(8) Health and Safety factors					
Application of Health and safety factors in organization				0.8	
Easiness to reach to the site (location of project)					YES
Reportable accidents rate in project			0.6		
Assurance rate of project			0.6		
(9) Innovation and learning factors					
Learning from own experience and past history				0.8	
Learning from best practice and experience of others				0.8	
Training the human resources in the skills demanded by the project			0.6		
Work group					1
Review of failures and solve them				0.8	
(10) Environment factors					
Air quality				0.8	
Noise level				0.8	
Wastes around the site					1
Climate condition in the site					1


S.NO	INTERV IEW NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	Total	Mean(m)	SD(s)	C.O.V=(s/m)
	(1) Cost factors																								
1	Market share of organization	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9.6	0.50526	0.1224	0.242
2	Liquidity of	1	0	0	0	0			0				0	0			0	0	0	0		15.8	0.83158	0.1797	0.216

	time	.6	.8	.6	.8	.8	.6	.6	.6	.4	.6	.4	.6	.8	.4	.6	.6	.8	.8	.8	.2	211	427	2
17	Planned time for project construction	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	0.72	0.0	0.13
		8	8	6	8	8	8	8	8	6	6	8	8	8	6	6	6	8	6	8	.8	632	991	6
18	Percentage of orders delivered late	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0.75	0.1	0.18
		1	8	6	8	8	1	8	8	6	6	8	1	8	6	6	6	8	6	8	.4	789	427	8
19	Time needed to implement variation orders	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0.64	0.1	0.24
		8	6	4	6	6	8	8	8	6	8	8	8	6	4	4	4	8	6	6	.2	211	575	5
20	Time needed to rectify defects	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9.	0.49	0.1	0.20
		6	4	4	4	6	6	6	6	6	6	6	6	4	4	4	4	4	4	4	4	474	026	7
21	Average delay in claim approval	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0.58	0.0	0.07
		6	6	6	6	6	6	6	6	6	6	6	6	6	4	6	6	6	6	6	.2	947	459	7
22	Average delay in payment from owner to contractor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11		0.1	0.19
		6	8	6	6	8	6	6	4	6	6	4	6	8	6	4	6	6	6	6	.4	0.6	155	2
23	Availability of resources as planned through project duration	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0.62	0.2	0.33
		8	1	4	4	8	8	8	4	8	8	6	8	8	4	6	4	4	4	4	.8	105	097	7
24	Average delay because of closures and materials shortage	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0.76	0.1	0.15
		8	1	8	8	6	8	8	8	8	4	8	8	8	8	6	8	8	8	8	.6	842	204	6
(3) Quality factors																								
25	Conformance to specification	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0.74	0.1	0.24
		1	1	6	6	4	6	1	8	8	8	8	1	1	6	6	8	6	6	6	.2	737	867	9
26	Availability of personals with high experience and qualification	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0.73	0.1	0.20
		1	8	8	6	6	4	8	8	8	8	6	1	8	8	8	8	6	6	6	14	684	499	3
27	Quality of equipments and raw materials in project	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	0.70	0.1	0.21
		1	8	6	6	6	6	8	8	8	4	8	1	8	6	6	6	6	8	6	.4	526	545	9
28	Participation of managerial levels with decision making	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0.74	0.1	0.15
		8	8	8	6	8	6	8	6	6	1	8	8	8	8	8	8	6	8	6	.2	737	124	0


29	Quality assessment system in organization	1	1	6	8	8	6	6	8	6	8	8	8	1	6	6	8	8	6	8	14.4	0.75789	0.1427	0.188
30	Quality training/meeting	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10.8	0.56842	0.1529	0.269
(4) Productivity factors																								
31	Project complexity	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	0.73684	0.0955	0.129
32	Number of new projects / year	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13.4	0.70526	0.0667	0.0945
33	Management-labor relationship	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14.2	0.74737	0.1015	0.135
34	Absenteeism rate through project	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14.4	0.75789	0.1988	0.262
35	Sequencing of work according to schedule	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10.8	0.56842	0.2029	0.356
(5) Client satisfaction factors																								
36	Information coordination between owner and project parties	1	1	6	6	6	1	8	6	8	8	8	1	8	6	6	6	6	6	6	14	0.73684	0.164	0.222
37	Leadership skills for project manager	1	8	6	8	6	8	6	6	6	6	6	1	8	6	6	6	8	8	8	13.6	0.71579	0.1385	0.193
38	Speed and reliability of service to owner	1	8	6	6	4	8	6	8	6	6	6	1	8	6	6	6	6	6	6	12.8	0.67368	0.1522	0.225
39	Number of disputes between owner and project parties	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8.8	0.46316	0.0955	0.206
40	Number of reworks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8.6	0.45263	0.0905	0.199
(6) Regular and community satisfaction factors																								
41	Cost of compliance to regulators	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12.2	0.64211	0.1261	0.196

	best practice and experience of others	.8	.4	.6	.4	.8	.8	.6	.6	.8	.6	.8	.8	.4	.4	.4	.6	.6	.6		158	797	4	
55	Training the human resources in the skills demanded by the project	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0.63 158	0.1 204	0.19 0
56	Work group	1	1	8	6	4	8	8	6	6	8	6	1	8	8	4	8	6	6	6	13	0.71 579	0.1 803	0.25 1
57	Review of failures and solve them	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0.63 158	0.1 668	0.26 4
(10) Environment factors																								
58	Air quality	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0.55 789	0.1 261	0.22 6
59	Noise level	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0.6 943	0.0	0.15 7
60	Wastes around the site	1	6	4	6	4	6	8	8	8	8	8	1	6	4	4	4	4	6	6	12	0.63 158	0.2 029	0.32 1
61	Climate condition in the site	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	13	0.71 579	0.1 537	0.21 4


Cost factors			
S. No	Sub factors	Index Score	Ranking
1	Cash flow of project	0.873	1
2	Liquidity of organization	0.831	2
3	Escalation of material prices	0.778	3
4	Profit rate of project	0.726	8
5	Project design cost	0.726	8
6	Cost control system	0.715	9
7	Overhead percentage of project	0.642	15
8	Project overtime cost	0.631	16
9	Material and equipment cost	0.61	18
10	Cost of variation orders	0.61	18
11	Regular project budget update	0.578	21
12	Project labor cost	0.578	21
13	Waste rate of materials	0.536	24
14	Cost of rework	0.526	25
15	Market share of organization	0.505	26




2	Time factor		
S. No	Sub factors	Index Score	Ranking
1	Average delay because of closures and materials shortage	0.768	4
2	Percentage of orders delivered late	0.757	5
3	Planned time for project construction	0.726	8
4	Site preparation time	0.642	15
5	Time needed to implement variation orders	0.642	15
6	Availability of resources as planned through project duration	0.621	17
7	Average delay in payment from owner to contractor	0.6	19
8	Average delay in claim approval	0.589	20
9	Time needed to rectify defects	0.494	27




3 Quality factors			
S. No	Sub factors	Index Score	Ranking
1	Quality assessment system in organization	0.757	5
2	Conformance to specification	0.747	6
3	Participation of managerial levels with decision making	0.747	6
4	Availability of personals with high experience and qualification	0.736	7
5	Quality of equipments and raw materials in project	0.705	10
6	Quality training/meeting	0.568	22




4 Productivity factors			
S.No	Sub factors	Index Score	Ranking
1	Absenteeism rate through project	0.757	5
2	Management-labor relationship	0.747	6
3	Project complexity	0.736	7
4	Number of new projects / year	0.705	10
5	Sequencing of work according to schedule	0.568	22




5 Client satisfaction factors			
S. No	Sub factors	Index Score	Ranking
1	Information coordination between owner and project parties	0.736	7
2	Leadership skills for project manager	0.715	9
3	Speed and reliability of service to owner	0.673	12
4	Number of disputes between owner and project parties	0.463	28
5	Number of reworks	0.452	29




6 Regular and Community Satisfaction Factor			
S.No	Sub factors	Index Score	Ranking
1	Quality and availability of regulator documentation	0.694	11
2	Neighbors and site conditions problems	0.694	11
3	Cost of compliance to regulators requirements	0.642	15
4	Number of non compliance to regulation	0.6	19




7 people factors			
S.No	Sub factors	Index Score	Ranking
1	Employee attitudes in project	0.778	3
2	Employees motivation	0.736	7
3	Belonging to work	0.715	9
4	Recruitment and competence development between employees	0.652	14




8 Healthy and Safety factors			
S.No	Sub factors	Index Score	Ranking
1	Easiness to reach to the site (location of project)	0.757	5
2	Application of Health and safety factors in organization	0.715	9
3	Assurance rate of project	0.663	13
4	Reportable accidents rate in project	0.61	18



9 Innovation and Learning factors			
S.No	Sub factors	Index Score	Ranking
1	Learning from own experience and past history	0.768	4
2	Work group	0.715	9
3	Learning from best practice and experience of others	0.631	16
4	Training the human resources in the skills demanded by the project	0.631	16
5	Review of failures and solve them	0.631	16



10 Environment Factors			
S.No	Sub factors	Index Score	Ranking
1	Climate condition in the site	0.715	9
2	Wastes around the site	0.631	16
3	Noise level	0.6	19
4	Air quality	0.55	23



V. CONCLUSIONS

The aim of this paper is to identify the critical factors in construction projects because delays are considered to be serious problem in the construction industry.

Construction delay is a critical function in construction projects.

In general, the amount of time-delay and cost-increase (overrun), increased with an increase in the total cost of a residential project. Cost overrun and time overrun (extension of project duration) were the two most frequent effects of delays which significantly affects the construction projects.

There are loss and expense claims arising from delay and fluctuation claims during the delay period which have significant effects on cost overrun.

REFERENCES

- [1] AjibadeAyodejiAibinu and AgboolaOdeyinka (2006) "Construction Delays and their causative factors in Nigeria", Journal of Construction Engineering and Management, Vol.132, No.8, Page No.667-677.
- [2] Jyh-Bin Yang and Pel-RelWel (2010) " Causes of delay in the Planning and Design phases for Construction Projects" Journal of Architectural Engineering , Vol.16, No.2, Page No.80-83.
- [3] K.C.Iyer and K.N.Jha (2006) "Critical Factors Affecting Schedule Performance: Evidence from Indian Construction Projects", Journal of Construction Engineering and Management, Vol.132, No.8, Page No. 871- 881.
- [4] Andrew S.Chang and Fang-Ying Shen (2014) "Effectiveness of Coordination Methods in Construction Project", Journal of Management in Engineering.
- [5] Pablo Gonzalez, Vicente Gonzalez,KeithMolenaarph.D. M ASCE and Francisco Orozco ph.D. (2013) "Analysis of causes of delay and times performance in construction projects", Journal of Construction Engineering and Management.
- [6] N.Hamzah,M.A.Khoiry ,I.Arshad ,N.M.tawil, and A.I.CheAni (2011)"Causes Of Construction Delay- Theoretical Frame work",Procedia Engineering 20 (2011) 490-495.
- [7] M.E.Abd El-Razek ,H.A.Bassioni, And A.M.Mobarak (2008) "Causes of Delay in Building Construction Projects in Egypt " Journal of Construction Engineering and Management, Vol.134,No.11, Page No. 831-841.
- [8] Murat Gunduz, Ph.d, A.M.ASCE, YaseminNielsen,Ph.d and Mustafa Ozdemir (2013) "Quantification of Delay Factors Using the Relative Importance Index Method for Construction Projects in Turkey " Journal of Management in Engineering, Vol.29, No.2, Page No. 133-139.
- [9] Peter E.D.Love , Raymond Y.C.Tse, and David J.Edwards (2005) "Time-Cost Relationships in Australian Building Construction Projects " Journal of Construction Engineering and Management, Vol.131, No.2, Page No.187-194.
- [10] H. Abdul-Rahaman, M.A.Berawi, A.R.Berawi, O. Mohamed, M.Othman, and I.A.Yahya (2006) "Delay Mitigation in the Malaysian Construction Industry" Journal of Construction Engineering and Management, Vol.132, No.2, Page No. 125-133.
- [11] Youngiane Kim, A.M.ASCE, Kyungrai Kim, A.M.ASCE, and Dongwoo Shin (2005) "Delay Analysis Method Using Delay Section" Journal of Construction Engineering and Management, Vol.131, No.11, Page No. 1155-1164.
- [12] Cecilia Gravina da Racha and Sergio LuizKemmer (2013) "Method of Implement Delayed product Differentiation in Construction of High-Rise Apartment Building Projects" Journal of Construction Engineering and Management.
- [13] ThillaiA.Rajan, GovindGopinath and MonalisaBehera (2013) "PPPs and Project Overruns: Evidence from Road Projects in India" Journal of Construction Engineering and Management.
- [14] A.A. Aibinu, G.O. Jagboro," The effects of construction delays on project delivery in Nigerian construction industry", International Journal of Project Management 20 (2002) 593– 599.
- [15] Desai madhura .c, Prof. s.v.desale, "Study factors affecting of delay in residential construction projects for Nasik city", International Journal of Latest Trends in Engineering and Technology (IJLTET).
- [16] MuraliSambasivan, Yau Wen Soon," Causes and effects of delays in Malaysian construction industry", International Journal of Project Management 25 (2007) 517–526.
- [17] PrakashRao, B. And Joseph CamronCulas Causes of delays in construction projects International Journal of Current Research.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)