



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 3**

**Issue: 1**

**Month of publication: January 2015**

**DOI:**

**[www.ijraset.com](http://www.ijraset.com)**

**Call: ☎ 08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# International Journal for Research in Applied Science & Engineering Technology (IJRASET)

## A Note on an Upper Bound for $B_q(n, d)$

Dr.M.Mary Jansi Rani<sup>1</sup>, P.Komalavalli<sup>2</sup>

<sup>1</sup>Head & Assistant Professor, Department of mathematics, Thanthai Hans Roever college, Perambalur.

<sup>2</sup>Assistant Professor, Department of Mathematics, Thanthai Hans Roever College, Perambalur.

**Abstract:** In this correspondence, we have to obtain an upper bound for the value of  $B_q(n, d)$ , we have related to the bounds on the number of code words in a linear code  $C$  of length  $n$ . In particular we have given the exact inequality for  $B_q(n, d)$ .

**Keywords:** Minimum distance, upper bound, minimum Hamming distance, lower bound.

### I. INTRODUCTION

Let  $F_q$  be a field having  $q$  elements, where  $q = p^m$  ( $p$  a prime and  $m \geq 1$ ). A linear code  $C$  of dimension  $k$  is a subspace of the vector space  $F_q^n$  over  $F_q$ .  $C$  contains  $n$  elements which are  $n$ -tuples  $(x_1, x_2, \dots, x_n); x_i \in F_q, i=1$  to  $n$  and elements. The elements of  $C$  are called code words of length  $n$ . The distance between two code words is define as follows.

First, the Hamming weight of a vector  $\bar{u} = u_1, u_2, \dots, u_n$  is the number of non-zero  $u_i$  in  $\bar{u}$  written  $wt(\bar{u})$ .

Secondly, the Hamming distance between two vectors  $\bar{u} = u_1, u_2, \dots, u_n$  and

$\bar{v} = v_1, v_2, \dots, v_n$  is the number of places where co-ordinates of  $\bar{u}$  and  $\bar{v}$  differ and it is denoted by  $d(\bar{u}, \bar{v})$ .

Evidently,  $d(\bar{u}, \bar{v}) = wt(\bar{u} - \bar{v})$  as  $F_q^n$  is an abelian group with identity

$\bar{0} = 0, 0, 0, \dots, 0, \bar{u} - \bar{v} \in F_q^n$  and  $wt(\bar{u} - \bar{v})$  is also well defined.

### II. PRELIMINARY RESULTS

Where not given, Proofs or references for the results of this section may be found in section 2 of [7]

The Hamming weight of a vector  $\bar{u}$  denoted by  $wt(\bar{u})$  is the number of non-zero entries in  $\bar{u}$ . For a linear code, the minimum distance is equal to the smallest of the weights of the non-zero code words. If  $C$  is an  $(n, k)$  code, we let  $A_i$  and  $B_i$  denoted the number of code words of weight  $i$  in  $C$ .

**2.1 Definition** The minimum distance of the code is the minimum Hamming distance between its code words. That is,

$$d = \min d(\bar{u}, \bar{v})$$

$$= \min wt(\bar{u} - \bar{v}), \bar{u}, \bar{v} \in C, \bar{u} \neq \bar{v}$$

$$(or) = \min wt(\bar{u}), \bar{u} \in C, \bar{u} \neq \bar{0}.$$

It is known that the minimum distance of a linear code is the minimum weight of any non-zero code word.

**2.2 Definition** A linear code of length  $n$ , dimension  $k$ , and minimum distance  $d$  is known as an

$[n, k, d]$  code.

Bounds on the number of code words in a linear code  $C$  of length  $n$ , and minimum distance  $d$  having studied by various authors. See carry Huffman and Vera pless [1].

**Theorem 2.3** (The Mac William's Identities)

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Let C be an  $[n, k]$  code over GF (q). Then the  $A_i$ 's and  $B_i$ 's satisfy

$$\sum_{j=0}^{n-t} \binom{n-j}{t} A_j - q^{k-t} \sum_{j=0}^t \binom{n-j}{n-t} B_j \text{ for } t=0, 1 \dots n$$

Lemma 2.4 For an  $(n, k, d)$  code over GF (q),  $B_i = 0$  for each value of  $i$  (where  $1 \leq i \leq k$ ) such that there does not exist an  $(n-i, k-i+1, d)$  code.

Lemma 2.5 Suppose  $\vec{u}$  and  $\vec{v}$  are linearly independent vector in  $V(n, q)$  then

$$wt(\vec{u}) + wt(\vec{v}) + \sum_{\lambda \in GF(q) \setminus \{0\}} wt(\vec{u} + \lambda \vec{v}) = q(n - z)$$

Where Z denotes the number of co-ordinates places in which both  $\vec{u}$  and  $\vec{v}$  have zero entries.

### III. AN INEQUALITY FOR $B_q(n, d)$

It is known that  $B_q(n, d)$  is a non-negative integer power of q. For an  $[n, k, d]$  code  $B_q(n, d) = q^k$

If  $d > 1$  then  $B_q(n, d) \leq B_q(n-1, d-1)$ , for  $q=2$   $B_2(n, d) = B_2(n-1, d-1)$ . Also  $B_q(n, n) = q$ .

Theorem 3.1 For  $d \geq 1$ , if  $n \geq 2d - 1$ , then  $B_q(n, d) \leq q^{d-1}(q-1)^{n-d+1}$  ..... (1.1)

Proof In [1] it is shown that  $B_q(n, d) \leq q B_q(n-1, d)$  ..... (1.2)

Changing d to d-1 in (1.2) we obtain

$$B_q(n, d-1) \leq B_q(n-1, d-1) \text{ ..... (1.3)}$$

As a code word of length n and minimum distance atleast d is counted in a code word of minimum distance atleast d-1

$$B_q(n, d) \leq B_q(n, d-1) \text{ ..... (1.4)}$$

Form (1.3) and (1.4) we deduce that

$$B_q(n, d) \leq q B_q(n-1, d-1) \text{ ..... (1.5)}$$

Suppose  $n - d = m$ ,  $m \geq 0$ ; Successive application of (1.5)  $d-1$  times.

$$B_q(n, d) \leq q^{d-1} B_q(m+1, d) \text{ ..... (1.6)}$$

As  $m+1 = n - (d-1)$ . We arrive at

$$B_q(n, d) \leq q^{d-1} B_q(n - (d-1), d) \text{ ..... (1.7)}$$

When  $n - d + 1 \geq d$  (1.7) holds for  $n \geq 2d - 1$

But  $B_q(m+1, d) \leq (q-1)^{m+1}$

Then form (1.7)  $B_q(n, d) \leq q^{d-1}(q-1)^{n-d+1}$

# International Journal for Research in Applied Science & Engineering Technology (IJRASET)

## REFERENCES

- [1] Carry Huffman and Vera pless , Fundamentals of Errors Correcting Codes Cambridge University press, First south Asian Edition(2004)
- [2] L.L.Donhoff and F.E.Hohn , Chapter 2 page 53-57 Applied Modern Algebra Macmillan pub to NY(1978)
- [3] P.Delsarte, Bounds for unrestricted codes by linear programming Philips Research Report 27 (1972), 272-289.
- [4] P.P.Greenough, searching for optimal linear codes, M.Sc Thesis, University of Salford, 1991.
- [5] R.Hill , Optimal linear codes in proceeding and of second IMA conference on Cryptography and coding (oxford university press) to appear
- [6] R.Hill and D.E.Newton , Some optimal ternary linear codes ,Ars combinatoria 25A (1988),61-72
- [7] R.Hill and D.E.Newton , Optimal ternary linear codes, to appear in Design, codes and Cryptography
- [8] T.Verhoef f , An updated table of minimum distance bounds for binary linear codes IEEE Trans.Info.Theory , IT-33(1987) 665-680





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)