



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: I Month of publication: January 2020

DOI: <http://doi.org/10.22214/ijraset.2020.1096>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Review of Literature with Data Analysis across Different Study Designs and Patterns, Related to Mother - Child Healthcare

Mahadev Bag¹, Dr. Abhishek Badholia²

^{1, 2}Department MSEIT, MATS University Raipur(CG)

Abstract: *Un-documented transients, specifically pregnant ladies and their infants, comprise an especially powerless gathering of vagrants. The point of this estimation was to efficiently audit the scholastic writing on the utilization and results of mother and child medicinal services by undocumented vagrants in the different nations.*

Keywords: *Review, child healthcare, data analysis, design, patterns*

I. INTRODUCTION

Kids are the extremely noteworthy properties of our nation so their improvement is as critical as the advancement of different resources. Vaccination is an extremely vital part of the best possible advancement of the kid's development. The help of the Immunization is a safe, simple and capable procedure of ensuring people against the world's most irresistible illnesses by overseeing antibodies. Vaccination secures and lessens the spreading of sicknesses hence shields the general public from different destructive maladies. Inoculation assumes a huge job in the kids' lives as a preventive wellbeing activity since it shields them from most perilous youth infections. Inoculation framework will turn out to be increasingly fruitful if the youngster taken full course of suggested vaccination dosages. As per World Health Organization (WHO), Immunization right now deflects an expected 2 to 3 million passing consistently yet an expected 18.7 million babies overall are as yet passing up essential antibodies. entire the world, UNICEF and its accomplices like GAVI, WHO, the Vaccine Alliance, the US communities for Disease Control, the Bill and Melinda Gates Foundation and others including various non-administrative associations together act to guarantee that antibodies secure all youngsters, for the most part, those hardest to reach and most out of luck.

A huge number of Indian ladies conceive an offspring consistently, and almost a fourth of them will have various sorts of pregnancy-related intricacy. The individuals who don't mindful right pre-birth care run the hazard that such complexities would not be found or would not be managed soon enough. Also, that can prompt idleness difficult issues for both the mother and her infant. Persuading wellbeing dissimilarity exists all nations for maternal and newborn child wellbeing results. Neediness, absence of foundation and lacking human services add to creating nations viewpoint the best maternal and baby huge weight, Pregnant ladies in creating nations have an intensified hazard for pregnancy-related intricacies and passing and the newborn children of these moms have an expanded hazard for complexities during birth and not long after conveyance. Notwithstanding, by suitable antenatal consideration (ANC) with a large number of the complexities are preventable.

AI application that gives frameworks the capacity to consequently take in and created for a fact elite of being unequivocally modified information. AI centers around the development of PC programs that can get to information and use it learn for themselves. The primary point is to permit the PCs to adapt consequently without human intercession or help and modify activities as needs be. The learning starts with information or estimation, for example, models, guidance or direct understanding, so as to search for designs in information and settle on better choices later on dependent on the models that we give.

II. A BRIEF REVIEW STUDY

Mahunnah et.al, have present the present status in the administration of pregnancy difficulties, which persuades the requirement for improvement. at that point clarify investigation and configuration models by following operator arranged displaying, which considers man-made specialists (programming specialists) and human operators. At long last present and talk about multi-specialist design which delivers an answer for the sketched out above human services difficulties [1].

Rabottiet.al., have discovered that assessment just because, the utilization of EHG examination for portray compressions in ladies in two distinct periods of the menstrual cycle, when the uterus is unsurprising to be dynamic and quiet. In this starter study, by evaluating the time development of the EHG signal vitality, creators infer the constriction recurrence, fC, as a potential marker for

measuring the activity of the uterus and segregate among dynamic and tranquil status. At last, finished up for the first time, the plausibility of EHG examination for the appraisal of uterine development in non-pregnant compression, the proposed new techniques for uterine movement assessment by EHG signal investigation of the non-pregnant human uterus show a decent agreement with visual review of USImage groupings and are talented to segregate dynamic and non-dynamic period of the uterus [2]. Cömert et al., have discovered that Cardiotocography (CTG) is an observing procedure that is utilized routinely during pregnancy and labor to survey fetal prosperity. CTG comprises of two signs which are uterine withdrawal (UC) and fetal pulse (FHR). Twenty-one highlights speaking to the attribute of FHR have been utilized in this work. At long last finished up FHR designs are named typical, farfetched and obsessive by utilizing ANN and ELM. Twenty-one highlights were functional as a contribution to systems. The exhibition of systems was resolved to rely upon criteria, such a stressing time, testing times and the order precision of networks [3].

Altiniet al., have discovered that propose a technique join electrogastrography (EHG) and pulse (HR) information to distinguish work. Work introduction might be useful in giving in the nick of time care and keeping away from pointless antenatal visits. At long last finished up a technique consolidating EHG and HR features registered more than 20-minute windows to discover work without requiring manual division of constrictions data [4].

Shah et al., have discovered that packing approach in gathering with three conventional choice trees calculations (irregular backwoods, Reduced Error Pruning Tree (REPTree) and J48) has been applied to perceive typical and obsessive fetal state utilizing CTG information. Studies exhibit that choice trees calculations and sacking have independently indicated awesome upgrades in the order of sound and neurotic subjects in the restorative area. The parameters of classifiers were improved before apply to the informational collections. The ten folds cross approval is utilized for analytical the strong of the classifiers. The level of partition was evaluated utilizing exactness, Recall, and F-Measure. At long last creator closed, the demonstration of three choice trees based calculations, in particular, arbitrary woodland, REPTree, and J48 with sacking draw close to were assessed for the order of CTG information. For the examination, informational collections with complete highlights and decreased highlights have been utilized. Each of the three classifiers have demonstrated practically comparative order exactnesses on full highlights set [5].

Mischet al., have discovered that start devoted entropy estimates got from a solitary channel electrogastrogram (EHG). Techniques: The estimation of Approximate Entropy (ApEn) and Sample Entropy (SampEn) is natural to screen varieties in the normality of single-channel EHG chronicles, reflecting myoelectrical changes because of pregnancy movement. At long last finished up with Entropy occasions have been returned to and balanced with the target of accomplishing noninvasive expectation of conveyance and determination of preterm birth by investigation of single-channel EHG signals [6].

Kotani et al., have discovered that explored varieties in a ladies' intellectual reason during a period of pregnancy and childbearing. Volunteers were made out of 114 solid ladies going in age from 23–43 years with a normal period of 31.8 years (SD=4.3). Further, 79 were pregnant and 35 were not pregnant. All the pregnant ladies were expected their first youngster and proceeded with the psychological capacity investigation after their childbearing was finished up. At long last creators finished up examined varieties in a ladies' intellectual capacity through a period of pregnancy and childbearing [7].

Ungureanu et al., have discovered that proposes another arrangement to examine the relations between the fHR, the mHR, and the uterine action, by applying the time-variation Partial Directed Coherence (tvPDC). Some power from the EHG sign to the mHR was seen at high frequencies and, as announced in the literature, the high frequencies segments of the EHG being of enthusiasm for ordinary pregnancies around parturition. The high occurrence segments of the uterine action have a few times impact over the fHR changeability. The further examinations, thinking about more information, will include with the measurable evaluation of the coordinated network among the fHR, mHR, and the EHG [8].

Bochicchio et al., have discovered that introduces another technique, in light of multidimensional investigation for making changed fetal development bends. A basic usage, in light of Open Source programming and reenacted information, shows the need for Big Data procedures in direct proportional up the issue. At last, the creator closed the fetal development assessment is an important issue since it worries around 140 ML of infants every year. Because of the populace and "ethnicity reshuffle meant", it's naturally a worldwide wonders which can advantage from the appropriation of Bigdata systems and cloud frameworks. The objective is to discover customized Fetal Growth Curves' calculation inside a given time allotment (< 1.5 s) over a given dataset (around 360 GB) of multidimensional data [9].

Almira et al., have discovered that in this examination directed investigation of introduction among Gaussian and respective channel in the fetal length. Pinnacle sign to commotion proportion (PSNR) was utilized to quantify the nature of reconstructing the picture pressure. If there should be an occurrence of early pregnancy, fetal investigation is huge to decide a few incapacities that may cause premature delivery. One pointer parameter for choosing the fetal wellbeing on the early pregnancy is Crown Rump Length (CRL) or

fetal length. At long last creator finished up the fetal development assessment is a significant issue since it worries around 140 ML of babies for each year. Because of the populace and "ethnicity reshuffling", it's commonly a worldwide wonders which can profit by the acknowledgment of Bigdata systems and cloud infrastructures [10].

Endo et.al., have discovered that this examination investigates the Internet of Things and how it very well may be utilized to created tolerant observing in new social insurance to guarantee the wellbeing of pregnant ladies and their kids. The impression of the Internet of Things and associated social insurance will be placed into setting in regards to improving the result of pregnancy for ladies with restricted access to medicinal services. Through our continuous research venture, creators propose a framework that can emphatically affect the standard of life for pregnant moms. At long last Author closed a framework for observing the strength of pregnant ladies by using the possibility of the Internet of Things. Studies have demonstrated that physical separation to medical clinics is a significant boundary to social insurance right of passage for some people [11].

Endo et.al., have discovered that LAIS, an Intelligent wellbeing investigation framework that utilizations information mining (DM) to produce infants demise hazard cautions through likelihood-based strategies. Results show that the Naïve Bayes classifier displays preferable execution over the other DM ways to deal with the pre-owned pregnancy informational index investigation of this work. At long last finished up the GISSA structure that contains a progression of programming administrations to help the procedure of basic leadership in wellbeing frameworks of government agencies [12].

Marcinkowska et. al., have discovered that to investigated how richness status control ladies' facial manliness inclination in men by breaking down an enormous example of hetero ladies (N=3720). Women were routinely either cycling (in both low-and high-origination likelihood gatherings), lactating or were as of late in a non-fruitful state (pregnant or post-menopausal). Analyses together controlled for ladies' age and sexual receptiveness. Members through two elective required decision questions made a decision about the appeal of masculinized and feminized men's countenances. Subsequent to controlling for the impact of age and sociosexuality, over and again cycling and pregnant ladies demonstrated a functioning inclination for manliness than lactating and mailmen menopausal ladies. At last, I finished up an impact of extensive ripeness status on facial sexual dimorphisms reference in ladies. It look that the general brought down richness state brought about by menopause rouse the manliness reference. Inclinations for manliness in normally cycling ladies were, nonetheless, low, which can be connected by inclinations for normal, as opposed to manly faces that give medical advantages to children [13].

Interat et.al, have discovered that to analyze whether best in class maternal age is uninhibitedly connected with an expanded danger of youth malignant growths in the posterity. Aretrospective associate investigation of ladies who communicated between the years 1991 and 2014 as directed. At last, creators finished up cutting edge maternal age doesn't seem to raise the hazard for future danger in the posterity up to the age of 18 years. The exact idea of the connection between maternal age and leukemia of the posterity requires further inquiry [14]

Guerrero et. al., have discovered that the event of mental trouble toward the finish of pregnancy and after birth and the effect of chose socio-segment and obstetric variables. This is a cross-sectional examination. The example is comprised of 351 puerperal ladies at 18 years old and over. Socio segment, obstetric factors were created to recognize significant mental pain; the instrument utilized was General Health Questionnaire (GHQ-28). Strategic multivariable relapses were utilized to research affiliations. At last, creators closed there is a raised normality of mental pain in baby blues ladies after a full-term pregnancy, especially corresponding to social angles. The pressure educated during pregnancy has a reasonable force on the enthusiastic pain expanding substantial manifestations, tension, and burdensome side effects toward the finish of incubation and after birth [15].

Hernigouet.al., have discovered that a case-hybrid procedure structure among 652 patients who were sound (with no known reason for osteonecrosis) during or after pregnancy, creator characterized the times of hazard depends on the planning of revealed osteonecrosis and pregnancy. creator looked at every patient's probability of osteonecrosis during a ten years time span including five years antepartum, pregnancy and five years of baby blues with multi-month interims for the multi-year and multi-month interims for the two years after incubation. At long last creator closed a danger of hip osteonecrosis is available at some phase toward the finish of pregnancy and after conveyance, and seems to diminish rapidly [16].

Battaglia et. al., have discovered that to investigate adjustments in sexual capacity during pregnancy by methods for transtibial ultrasonography and organization of polls on sexual movement. Eighteen sound and grown-up (25–35 years) pregnant ladies without sexual brokenness and with a steady hetero relationship were analyzed at 10–12, 18–20, and 30–32 weeks of development. At long last creators finished up with-significant changes in genital morphology and vascularity all through incubation; these progressions don't appear to affect sexual capacity in pregnancy. Further and all the more wide examinations are important to all the more likely comprehend the mind-boggling connection between pregnancy versatile procedures, morpho practical changes of sexual organs, and couple's sexuality [17].

Wallace et. al., in this examination researched the degree to which these patients felt upheld by their social insurance suppliers and any distinctions in the apparent degree of help experienced by those working with a doctor versus those working with a hereditary guide. Two online care groups, SOFT and Hope for Trisomy, conveyed an online study to their individuals. Means, standard deviations and chi-square investigation were determined to depict their reactions. At long last finished up with the investigation propose that hereditary advisors can be an advantage during pre-birth care. The outcomes further propose that the two doctors and hereditary guides could best serve guardians who proceed with a pregnancy with an actual existence restricting analysis, for example, Trisomy 13/18 by offering help in a few ways [18].

Liu et. al., have discovered that an exhibit study was directed between June 2014 and September 2016 of every maternity ward, which coordinated ladies who have had a solitary pregnancy and have been done a McDonald cerclage. All maternal restorative records were evaluated. The adequacy of cerclage for forestalling late fetal misfortune was surveyed utilizing multivariable strategic relapse investigation. At long last creators reasoned that both prophylactic cervical cerclage and helpful cervical cerclage decrease the event of intermittent premature birth or preterm birth and expertly expand the length of the pregnancy with live births. The prophylactic cervical cerclage has more points of interest in working time, length of emergency clinic remain after medical procedure, gestational age at conveyance, live births and preterm birth [19].

Hauta-plus et.al., have discovered that cross-sectional investigation were to portray maternal and umbilical rope blood (UCB) 25-hydroxyvitamin D (25(OH)D) to describe maternal variables changing 25(OH)D during pregnancy and foresee UCB 25(OH)D in two subgroups with Declined [$\Delta 25(\text{OH})\text{D} < 0 \text{ nmol/l}$] and Increased [$\Delta 25(\text{OH})\text{D} > 0 \text{ nmol/l}$] 25(OH)D fixation. At long last creators closed Maternal and infant nutrient D status was satisfactory, along these lines general wellbeing arrangements in Finland have been fruitful. The key modifiable maternal determinants for 25(OH)D during pregnancy, and of the infant, were supplemental nutrient D consumption, visit usage of nutrient D strengthened nourishments, and physical activity [20].

Nguyen et., found that review the long haul impacts of confounded pregnancy on one's future instructive accomplishment and work. creator utilizes the time hole between a youngster's introduction to the world year and their moms' marriage year as an intermediary pointer of confused pregnancy [21].

Li et. al., have discovered that measure clinical particular or research center biomarkers between early beginning and late beginning preeclampsia are constrained. Information on 177 ladies with youthful or deferred preeclampsia with conveys hypertension were gathered from a University Teaching Hospital from January 2010 to January 2011 and examined. Information conceded all the clinical particular and research center biomarkers of liver and renal assistance. 63 ladies and 114 ladies were pinpoint with right on time and late preeclampsia with serious hypertension, respectively [22].

Foo et. al., have discovered that to finish the attributes of hypertensive issue of pregnancy in twin examination with singleton pregnancies. Investigation of an individually recorded database of 4976 hypertensive pregnancies. At long last creators finished up, with the expanded danger of a twin pregnancy accompanying helped conceptive innovation in this era [23]

Ayorinde et.al., have discovered that to assess the outcome of familial danger of preeclampsia and gestational hypertension in ladies conceived of a preeclamptic pregnancy and those conceived of pregnancy trouble by gestational hypertension while reviewing for other hazard factors. At last closed, there was a demonstration reaction impact in the legacy checking of preeclampsia with the most noteworthy hazard in ladies conceived of preeclamptic pregnancies. Gestational hypertension shows comparative expanded hazard with maternal gestational hypertension and preeclampsia [24].

Hoedjes et.al., have discovered that after mellow and genuine preeclampsia, to survey whether ladies meet the physical action support at 3 and a half year baby blues and whether segment, obstetric and anthropometric qualities, psychological well-being, and wellbeing related ethicalness of life are related with less physical movement than suggested. At long last finished up there is by all accounts a need to dynamize physical movement in around 33% of ladies after a pregnancy confounded by preeclampsia, typically in the event of extreme preeclampsia and other negative pregnancy results. Customized ways of life obstruction are wanted for ladies who neglect to meet the recommendation [25].

Corridor et.al, have discovered that to determine whether pre-eclampsia and gestational hypertension are less acknowledged in HIV contaminated ladies. At last, finished up Pre-eclampsia and gestational hypertension is less acknowledged in HIV contaminated ladies being dealt with mono-or triple enemy of retroviral therapy [26].

III.CONCLUSION

In this review article we have been summarize various mother child healthcare phenomena along with persons related to respective topic. We assure about the information provided in this article will definitely help the researchers to further extended study in the field at a glance.

REFERENCES

- [1] MsuryMahunnah, KuldarTaveter, A Scalable Multi-Agent Architecture in Environments with Limited Connectivity, 978-1-4799-0786-1/13/31.00 2013 IEEE
- [2] Chiara Rabotti, Federica Sammali, NienkeKuijsters, BenedictusSchoot, MadyKortenhorst, and Massimo Mischi, Analysis of uterine activity in non-pregnant women by electrohysterography: a feasibility study , 978-1-4244-9270-1/15/31.00 ,2015
- [3] Zafer, Adnan FatihKocamaz, Sami Güngör, Classification and Comparison of
- [4] Cardiotocography Signals with Artificial Neural Network and Extreme Learning Machine,978-1-5090-1679-2/16/31.00 2016 IEEE,
- [5] Marco Altini, Elisa Rossetti, MichielRooijackers, JulienPenders, DorienLanssens, Lars Grieten and WilfriedGyselaers, Combining Electrohysterography and Heart Rate Data to Detect Labour, 978-1-5090-4179-4/17/31.00 2017 IEEE
- [6] Syed Ahsin Ali Shah, Wajid Aziz, Muhammad Arif, Malik Sajjad A. Nadeem, Decision Trees based Classification of Cardiotocograms using Bagging Approach, 978-1-4673-9666-0/15 31.00 2015 IEEE DOI 10.1109/FIT.2015.14
- [7] Massimo Mischi, Chuan Chen, Tanya Ignatenko, Hinke de Lau, Beijing Ding, Guid S. Oei and Chiara Rabotti, Dedicated entropy measures for early assessment of pregnancy progression from single-channel electrohysterography, DOI 10.1109/TBME.2017.2723933, IEEE
- [8] Hiroko Kotani, MakaMatsuno, and Hidenori Nakagawa, Fundamental Study of Functional Changes to Female Brain Inducedby Pregnancy and Childbirth, 978-1-4244-9270-1/15/31.00 2015 IEEE
- [9] G. MihaelaUngureanu, Dragos D. Taralunga, Monitoring the Fetal Heart Rate Variations by Means of Time-Variant Multivariate Analysis, 35th Annual International Conference of the IEEE EMBSOsaka, Japan, 3 - 7 July, 2013
- [10] Mario A. Bochicchio, AntonellaLongo,LuciaVaira, Antonio Malvasi, Andrea Tinelli, Multidimensional Analysis of Fetal Growth Curves, 978-1-4799-1293-3/13/31.00 2013 IEEE
- [11] GustiAyuAlmira,TriHarsono, RiyantoSigit, I.G.N.T.B. Bimantara, Michael Saputra J.S. , “Performance Analysis of Gaussian and Bilateral Filterin Case of Determination the Fetal Length”, 978-1-5050-5231-8/16/31.00 @2016 IEEE
- [12] George K. Endo, IbukunOluwayomi, and Victor Alexandru, YashodhanAthavale, Sridhar Krishnan, Technology for Continuous Long-term Monitoring of Pregnant Women for Safe Childbirth,978-1-5090-6264-5/17/31.00 2017 IEEE
- [13] Ronaldo Ramos, Cristiano Silva, M’ario W. L. Moreira1, Joel J. P. C. Rodrigues Mauro Oliveira, and OdoricoMonteiro, Using Predictive Classifiers to Prevent Infant Mortality in the Brazilian Northeast, 978-1-5090-6704-6/17/31.00 2017 IEEE
- [14] Urszula M. Marcinkowska, GrazynaJasienska, PavolProkop ,“A Comparison of Masculinity Facial Preference Among Naturally Cycling, Pregnant, Lactating, and Post-Menopausal Women”, Arch Sex Behav DOI 10.1007/s10508-017-1093-3
- [15] MajdiImterat,TamarWainstock, EyalSheiner, Joseph Kapelushnik, Laura Fischer,AsnatWalfisch, “Advanced maternal age during pregnancy and the risk for malignant morbidity in the childhood”, European Journal of Pediatrics<https://doi.org/10.1007/s00431-018-3136-8>
- [16] L. Lorén-Guerrero, A. Gascón-Catalán, D. Pasierb,M. A. Romero-Cardiel, “Assessment of significant psychological distress at the end of pregnancy and associated factors”, Arch WomensMent Health <https://doi.org/10.1007/s00737-017-0795-9>.
- [17] Philippe Hernigou, SibylleJammal, Jacques Pariat,Charles Henri Flouzat-Lachaniette, Arnaud Dubory,” Hip osteonecrosis and pregnancy in healthy women”, International Orthopaedics<https://doi.org/10.1007/s00264-017-3736-3>, Springer
- [18] CesareBattaglia, Nicola Persico, Isabella Zanetti, Francesca Guasina,MaraMattioli, Paolo Casadio, Elena Morotti, “Morphometric and Vascular Modifications of the Clitoris During Pregnancy: A Longitudinal, Pilot Study”, 7 November 2016 / Revised: 12 July 2017 / Accepted: 17 July 2017 Springer Science+Business Media, LLC 2018
- [19] Stephanie E. Wallace, Sara Gilvary, Michael J. Smith, Siobhan M. Dolan1, “Parent Perspectives of Support Received from Physicians and/or Genetic Counselors Following a Decision to Continue a Pregnancy with a Prenatal Diagnosis of Trisomy 13/18”,Received: 29 March 2017 /Accepted: 10 October 2017 # National Society of Genetic Counselors, Inc. 2017”,
- [20] Yanyan Liu, ZikanKe, Wanmin Liao, Hanping Chen, Shiqing Wei, Xiaoquan Lai, Xi Chen,” Pregnancy outcomes and superiorities of prophylactic cervical cerclage and therapeutic cervical cerclage in cervical insufficiency pregnant women”, Received: 27 August 2017 / Accepted: 4 March 2018 Springer-Verlag GmbH Germany, part of Springer Nature 2018
- [21] Helena H. Hauta-alus, Elisa M. Holmlund-Suila, Hannu J. Rita, Maria Enlund-Cerullo, enniRosendahl, Saara M. Valkama, Otto M. Helve, Timo K. Hytinantti, Heljä-MarjaSurcel, Outi M. Mäkitie1, StureAndersson, Heli T. Viljakainen1, “Season, dietary factors, and physical activity modify 25-hydroxyvitamin D concentration during pregnancy”, Received: 3 June 2016 / Accepted: 19 February 2017 Springer-Verlag Berlin Heidelberg 2017
- [22] Cuong Viet Nguyen, “The long-term effects of mistimed pregnancy on children’s education and employment”, Received: 13 January 2017 /Accepted: 8 March 2018 # Springer-Verlag GmbH Germany, part of Springer Nature 2018
- [23] X.L. Li , P.L. Guo , Y. Xue , W.L. Gou , M. Tong , Q. Chen, An analysis of the differences between early and late preeclampsia with severe hypertension, 2210-7789/_ 2015 International Society for the Study of Hypertension in Pregnancy Published by Elsevier.
- [24] J.Y. Foo , G.J. Mangos , M.A. Brown , Characteristics of hypertensive disorders in twin versus singleton pregnancies, 2210-7789/ - see front matter _ 2012 International Society for the Study of Hypertension in Pregnancy. Published by Elsevier ,<http://dx.doi.org/10.1016/j.preghy.2012.05.005>
- [25] Abimbola A. Ayorinde, Sohinee Bhattacharya, Inherited predisposition to preeclampsia: Analysis of the Aberdeen intergenerational cohort, 2210-7789/_ 2017 International Society for the Study of Hypertension in Pregnancy. Published by Elsevier ,B.V. All rights reserved.
- [26] MeekeHoedjes , Durk Berks , Ineke Vogel , ArieFranx , AnkeOenema , Johannes J. Duvekot , J. Dik F. Habbema , Eric A.P. Steegers , Hein Raat, Postpartum physical activity after preeclampsia, 2210-7789/ - see front matter _ 2012 International Society for the Study of Hypertension in Pregnancy. Published by Elsevier <http://dx.doi.org/10.1016/j.preghy.2012.01.003>
- [27] David Hall , Stefan Gebhardt , Gerhard Theron , Debbie Grové, Pre-eclampsia and gestational hypertension are less common in HIV infected women, 2210-7789/ - see front matter _ 2013 International Society for the Study of Hypertension in Pregnancy Published by Elsevier B.V. All rights reserved. <http://dx.doi.org/10.1016/j.preghy.2013.11.008>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)