



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: III Month of publication: March 2020 DOI:

www.ijraset.com

Call: 🛇 08813907089 🕴 E-mail ID: ijraset@gmail.com

# **Soil Moisture Prediction based Smart Irrigation System**

R. Kingsly Stephen<sup>1</sup>, Sneha Ghosh<sup>2</sup>, Devikar Sayali<sup>3</sup>, K. Yasaswi<sup>4</sup>

<sup>1</sup>Assistant Professor, Department of Computer Science and Engineering, SRMIST Ramapuram, Chennai. <sup>2, 3, 4</sup>Department of Computer Science and Engineering, SRMIST Ramapuram, Chennai.

Abstract: A programmed water system control framework has been intended to encourage the programmed supply of sufficient water from a repository to field or household crops in every single agrarian season. One of the goals of this work is to perceive how human control could be expelled from water system and furthermore to enhance the utilization of water all the while. The technique utilized is to constantly screen the dirt dampness level to choose whether water system is required, and how much water is required in the dirt. A siphoning instrument is utilized to convey the required measure of water to the dirt. The work can be gathered into four subsystems to be specific; power supply, detecting unit, control unit and siphoning subsystems which make up the programmed water system control framework. A moisture sensor was built to display the electrical obstruction of the dirt; a directed 12 volts power supply unit was built to control the framework; the control circuit was actualized utilizing operational enhancer and clock; and the siphoning subsystem comprising of a submersible low-commotion small scale water siphon was built utilizing a little dc-worked engine. Framework reaction tests were completed to decide the time taken for the framework to water pruned tests of various soil types having extraordinary levels of dryness. The outcomes acquired demonstrated that sandy soils require less water than loamy soils and mud soils require the most water for water system. Keywords: Automation, irrigation, control, pumping, soil moisture

# I. INTRODUCTION

Small scale Irrigation, according to [1] is a counterfeit providing of water to the base of plant. Water system has been utilized to aid the developing of farming yields, upkeep of scenes, what's more, re-vegetation of upset soils in dry zones what's more, during times of insufficient precipitation. In crop creation, water system helps in securing plants against ice, stifling weed development in grain fields and forestalling soil combination. Water system frameworks are additionally utilized for dust concealment, removal of sewage, and in mining. The old strategy utilized for water system was the utilization of watering jars, water channels that must be opened and shut physically or rucksack sprinklers. Right now, parcel of water is squandered in the process [2]. There is requirement for enhancement of the current or old types of framework needs to be recreated to improve water use for agrarian yields [3]. An insightful programmed water system framework must have all the segments that independently screen and control the level of water accessible to the plants with no disappointment or human intercession [4]. The clever framework ought to play out the accompanying capacities:

- 1) Persistently screen the measure of soil water accessible to plants (this is as a rule accomplished utilizing a detecting framework).
- 2) Decide whether watering is required for the plants dependent on the data acquired from observing the dirt water content.
- *3)* Supply definite (or surmised) measure of water required for the plants. This will be upgraded by how well it accomplishes prerequisite 1.
- 4) End the water supply when the required sum has been conveyed to the plants. This component is significant as the measure of water accessible for the water system framework isn't endless, thus water conservation is fundamental.

The benefits of programmed water system to the plants incorporate setting aside cash, water, preservation of work and generally speaking comfort [5, 6, 7, and 8]. The water supply required by the framework to play out its water system capacity can be from any source, for example all things considered, waterway, stream, lake, tidal pond, and so forth. Be that as it may, it is generally alluring if a steady wellspring of water is accessible to the framework so as to guarantee coherence of activity. The most favored game plan will be a water repository which is continually kept up at full limit or an enormous wellspring of crisp water which remains constantly accessible independent of varieties in climate or climatic conditions. There are around four classifications of strategies, as indicated by [9], proposed for planning water system viably:

- a) Entirely observational strategy and without any sort of on-going estimation
- b) Method dependent on checking soil dampness
- c) Method dependent on evaluations of water use from climate information, and
- d) Method dependent on following the condition of the harvest typically alluded to as yield water pressure.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 8 Issue III Mar 2020- Available at www.ijraset.com

The strategy for observing the dirt dampness is utilized right now. By this strategy, the measure of water applied to the rural items is limited and it decreases crop creation cost. Water system strategies, as indicated by [10, 11] depend on the accompanying; the experience of the rancher, the dirt properties and ecological conditions. A superior method to screen the ecological conditions and successful use of water to stay away from wastage is by the utilization of sensor arrangement.

# II. PROPOSED SYSTEM

The computerized irrigation system changed into designed to continuously feel the moisture stage of the soil. The gadget responds accurately through watering the soil with the exact required amount of water after which shuts down the water deliver while the required level of soil moisture is achieved. The reference degree of soil moisture content was made to be adjustable for the three most common soil samples (sandy, loamy and clayey soils). Also the quantity of irrigation, i.e. The extent of water brought to the soil, could be adjustable by using the machine operator (moderate, nominal and high stages). The moisture sensors had been designed using probes made from corrosion-resistant fabric which may be stuck into soil sample. Voltage tiers corresponding to the wet and dry states of the soil sample have been computed by using measuring the resistance among the moisture detector probes and matching them to output voltages of a comparator circuit. A submersible low-noise micro water pump become developed to supply the water to the proper elements of the soil (the bottom of the plants). The volume of water required for irrigation in line with time changed into computed through considering the potential of the water pump and the water channels. The required irrigation time was decided via thinking about the reaction time of the water pump and the water extent required in keeping with irrigation instance. Simulations have been completed using Proteus<sup>TM</sup> circuit simulation software program. Circuit construction became accomplished on a Vero board.

# III. SYSTEM COMPONENTS

# A. The Power Supply Circuit

A step-down transformer with turns ratio of 16:1 is considered to convert the 240V mains supply voltage to 15V for the supply. The 15 V ac was transformed to dc voltage the use of a full wave rectifier circuit. The circuit design is as follows:

 $V_{DD}$  = Diode forward conduction voltage drop voltage drop across the diode bridge at any instant transformer secondary voltage

 $V_B$  = Peak value of transformer secondary voltage

 $V_s$  = Peak output dc voltage from the diode bridge

 $V_{SP}$  = Average value of the diode bridge output voltage

 $V_M = R.M.S$  value of output dc voltage of the diode bridge

 $V_{AC}$  = Ripple factor for a full wave rectification process using a diode bridge  $V_{DC}$  = Ripple voltage

C = Capacitance value

I = Required output current from power supply circuit

f = Frequency of the ac mains supply voltage

t = Time taken for filtering capacitor to discharge in compensation for the ripple in the dc output

q = Charge on filtering capacitor

 $V_{DD} = 0.7 V$   $V_{B} = 2 \times V_{DD} = 1.4 V$   $V_{S} = 15 V$   $V_{SP} = 1.414 \times V_{S} = 21.21 V$   $V_{M} = V_{SP} - V_{B} = 19.81 V$   $V_{AC} = (2/\pi) \times V_{M} = 12.611 V$   $V_{DC} = V_{M}/1.414 = 14.01 V$   $\gamma = \sqrt{(V_{DC}^{2} - V_{AC}^{2})/V_{DC}} = 0.48 \qquad \dots (1)$ 

The ripple within the output voltage is directly proportional to the current output and is related to the filtering capacitance by the following equations:

$$\begin{split} I &= 2.5 \text{ A} \\ f &= 50 \text{ Hz} \\ q &= I \times t = C \times dV_{SP} \qquad \qquad \dots (2) \\ t &= 2 \times f \\ dV_{SP} &= V_R \end{split}$$



# International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 8 Issue III Mar 2020- Available at www.ijraset.com

$$\begin{split} &V_R \!=\! \gamma \times V_{SP} = 10.1808 \; V \qquad \qquad \dots (3) \\ &2 \times I \times f \!=\! C \times V_R \\ &C \!=\! 1/(2 \times f \; \times V_R) \!=\! 2,\!456 \; \mu F \end{split}$$

The closest to be had capacitor fee to this is the 2200  $\mu$ F capacitor which is still ideal as it will in addition lessen the ripple in the output voltage. A 12 V regulator,  $\mu$ A7812 to adjust the output is because of its capability to restriction the modern so that it will save you excessive contemporary and also lessen the amount of strength lost as heat inside the circuit. 0.1  $\mu$ F noise clear out capacitors are used to ground the outside or environmental noise voltages that the circuit may pick up. This guarantees that the circuit produces a nearly natural dc voltage of 12 volts.

# B. The Sensing Circuit

The sensor designed were made from two undertaking steel probes located in a block of varnished wood. The distance of separation of the probes was 4cm. The probes had conducting wires attached to them on the cease above the block.

#### C. The Pump

A 12 V dc-powered motor was used in designing the pump. The motor obtained power from the 12 V dc output from the electricity deliver circuit. The pump became capable of delivering  $250 \text{ cm}^3$  of water in 10 seconds. The required irrigation time was calculated as follows:

 $P_{C}$  = Pumping capacity of the pump

 $V_{\rm P} =$ Volume of water pumped

 $T_V$  = Time taken to pump  $V_P$  in seconds

 $V_{IRR}$  = Volume of water required for irrigating the soil from dry point

 $T_{IRR}$  = Required time for irrigation (length time for which the pump must be active)

 $V_{\rm P} = 250 \ {\rm cm}^3$ 

$V_{\rm IRR} = 200 \ \rm cm^3$	
$P_{\rm C} = V_{\rm P}/T_{\rm V} = 25 \ {\rm cm}^3/{\rm s}$	(5)
$T_{IRR} = V_{IRR} / P_C = 8 s$	(6)

It is with this time  $T_{IRR}$  in mind that the control subsystem was designed.

# D. The Control Circuit

One of the maximum vital components of an automatic irrigation machine is the irrigation controller additionally known as a timer or clock [12]. A 555 timer was employed because the brain of the control circuit because of its operational characteristics in the monostable mode. The timer turned was employed to produce 11.01 V to energize the relay coil, consequently activating the pump motor circuit for approximately five seconds, that is the time needed for irrigation  $T_{IRR}$ . Connected within the monostable mode, the parameters of the 555 timer are as follows:

 $V_{CC}$  = Supply voltage to the timer =  $V_{DC}$ 

 $R_T$  = Resistance tying the discharge and threshold pins to  $V_{CC}$ 

 $C_T$  = Capacitance tying the discharge and threshold pins to ground

 $C_1$  = Decoupling capacitor for noise voltage filtering. Standard value is 0.1  $\mu$ F

The reset pin is tied directly to  $V_{CC}$  and the ground pin connected to ground. The output pin is connected to the relay. The values of  $R_T$  and  $C_T$  are calculated below:

 $C_{T} = 100 \ \mu F$ 

 $T_{IRR} = 1.1 \times R_T \times C_T \qquad \dots (7)$  $R_T = 72.8 \text{ k}\Omega \qquad \dots (8)$ 

In case of a unique resistance value, a potentiometer is used for deciding on values of  $R_T$ . This became accomplished so that  $T_{IRR}$  can be extended or shortened based totally on the water necessities of the unique vegetation or plant life at the soil being irrigated. A normally-open relay was used as the actuator to enforce the triggering of the pump-motor circuit. A free-wheeling diode turned into linked across the relay coil to permit for modern-day dissipation because of stored energy when the relay coil turns into deenergized.





Figure 1. Component Diagram

# **IV.** CONSTRUCTION

# A. The Moisture Sensor

The sensor comprises of two cylindrical galvanized steel probes. The probes had been slotted firmly into a block of varnished wood with a spacing of 4 centimeters among them inside the wooden block. An insulated undertaking wire is attached to every probe. The wires were held firmly, underneath the probe heads,

to the timber block. A 2nd timber block is attached using metallic studs to the timber block retaining the probes as a way to ensure absolute firmness of the meeting (i.e. To save the probes from coming out of the retaining block). The contrary aspects of the preserving block had been also secured collectively with studs. Cylindrical rubber bungs have been connected to the bottom of the maintaining block for elevation above the soil floor and additionally to prevent excessive touch of the wood block with soil moisture. The rubber bungs had been additionally secured to the keeping block by the use of metal studs. The entire assembly turned into seven centimeters lengthy, and half of centimeters wide and eight centimeters in top.

#### B. The Motor

The pump used consists of a miniature dc motor powered by means of the output of the power supply unit. The mechanical output factor of the motor is to be loaded with miniature bidirectional fan blades and secured firmly by the use of glue. The pumping was accomplished with the aid of placing the fan blades in an enclosure crafted from two cylindrical plastic stoppers. The motor was additionally inserted right into a stopper to guard it from contact with water. The electrical connections to the motor have been exceeded via a good hole within the side of the stopper. The stopper containing the motor was then taped with a water-tight cellophane tape to the pumping enclosure to make the pumping system one unit. When located in water (the pump has to be horizontally) and related to the electricity from the power delivery unit, water is taken via the hole at the pinnacle of the pump, the blades connected to the rotor spin the water around inside the pumping enclosure and the water exits via the pipe attached to the hollow on the side of the enclosure.



Figure 2. Circuit Diagram



# International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 8 Issue III Mar 2020- Available at www.ijraset.com

# V. IMPLEMENTATION AND TESTING

The implementation of the digital circuitry concerned the computerized simulation of the machine design, bodily simulation of the circuit using a breadboard to make certain proper operation and the final implementation of the circuit on a Vero board. The device became tested using exclusive soil samples.

# VI. RESULT

It may be seen from the outcomes obtained that the machine replied linearly with respect to the diploma of dryness for the 3 soil sorts. There is a linear dating among the diploma of soil dryness and the time taken to irrigate the soil. At 50% dryness, irrigation periods had been 2.0, 2.0 and a 2.5 seconds for sandy, loamy and clayey soils respectively. While at 70% dryness, irrigation intervals elevated to 3.0, 7.5 and 8.0 seconds for sandy, loamy and clayey soils respectively. It is visible that irrigation in loamy soil typically took longer in loamy soil than in sandy soil, and clayey soil irrigation took longest.



Figure 3. Experimental setup

# VII. CONCLUSION

Automatic irrigation manipulation device has been designed and constructed. The prototype of the machine worked consistent with specification and quite satisfactorily. The machine additives are without difficulty to be had, particularly less costly and that they operate quite reliably. The machine allows to get rid of the stress of manual irrigation and irrigation control whilst at the identical time preserving the to be had water delivery. Improving Irrigation performance can make a contribution substantially to decreasing production prices of agricultural merchandise, thereby making the enterprise to be greater competitive and sustainable. The device became tested on three varieties of soil and from the result evaluation sandy soils require less water than loamy soils and clay soils require the maximum water for irrigation. For destiny work on this project, we advise that for a big scale implementation a more powerful water pump may be used. Also a microcontroller should be used to deal with multiple sensor enter and additionally manage special irrigation regimes independently. A wi-fi sensor and GPRS(General Packet Radio Service) based computerized irrigation gadget also can be employed, which in step with , will assist monitor the soil moisture and to govern the utility of water to the agricultural products thereby saving water.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 8 Issue III Mar 2020- Available at www.ijraset.com

#### REFERENCES

- [1] "GSM based automatic irrigation control system for efficient use of resources and crop planning by using an Android mobile", (2014), Pavithra D.S, Srinath M.S from IOSR Journal of Mechanical and Civil Engineering Volume 11, Issue 4 page 49-55.
- [2] "Microcontroller-based Automatic Irrigation System with Moisture Sensor", (2011), Abhinav Rajpal, Sumit Jain, Nistha Khare and Anil Kumar Shukla, Proceedings of the International Conference on Science and Engineering.
- [3] M.A Journal of Instrumentation and Measurement, Gutierrez J, Villa-medina, J,F, Nieto Garibay, A. and Porta-Gandara IEEE Transactions Volume 63 Issue 1, page 166-176
- [4] "Automatic monitor and control system Of water saving irrigation", (2007), Qiuming K.; Yandong Z.; Chenxiang B Transactions of the Chinese Society of Agricultural Engineering, Society of Agricultural Engineering.
- [5] "Microcontroller based automatic plant irrigation System",(2013), Venkata Naga, Rohit Gunturi , International Journal of Advancement in Research and Technology, Volume 2, page 194-198.
- [6] Automatic Irrigation Systems available related searches on <u>www.irrigation.org</u>
- [7] "design and development of an auto irrigation System",(1997), S.K Luthra, M.J Kaledhaikar, O.P Singh, N.K Tyagi, from Elsevier journal of Agricultural water Management 33 page 169-181.
- [8] Journal of Electrical Engineering From <u>www.jee.ro</u>
- [9] Online at <a href="http://edis.ifas.ufl.edu">http://edis.ifas.ufl.edu</a>, Rafael Munoz-Carpena and Michael D. Dukes, "Automatic Irrigation Based on Soil moisture for vegetable crops" (2015).
- [10] https://www.electronicshub.org/auto-irrigation-system-using-soil-moisture-sensor-and-pic-microcontroller/
- [12] https://www.sciencedirect.com/science/article/abs/pii/S0167880909002308
- [13] http://www.circuitstoday.com/arduino-irrigation-plant-watering-using-soil-moisture-sensor
- [14] https://www.watelectronics.com/automatic-plant-irrigation-system-circuit-and-its-working/
- [15] https://www.researchgate.net/publication/228520879 Evaluation of the effectiveness of an automated irrigation system using wheat crops











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)