



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: IV Month of publication: April 2020 DOI:

www.ijraset.com

Call: 🛇 08813907089 🕴 E-mail ID: ijraset@gmail.com



# A Novel Approach of Feed Forward Neural Networks based on Group Lasso Method

Akash<sup>1</sup>, Himanshu Joshi<sup>2</sup>, Sagar Kumar<sup>3</sup>, Sridevi<sup>4</sup>

<sup>1, 2, 3, 4</sup>Computer Science and Engineering, SRM Institute of Science and Technology, Chennai

Abstract: To adjust to the unpredictable and adaptable engineering of subjective feed-forward neural system, fractional request and topology request are proposed with minor changes. In light of the model vector, discrete degree and similitude degree are introduced. So as to look through repetitive neurons and associations, the rules of excess neurons and associations are raised. So as to keep up the first info yield conduct it is required to adjust the rest of the loads and limit locally, and make new associations some of the time.

The change to the related loads and limits can be gotten by developing and settling an arrangement of straight conditions. Major component learning models are well known models that can learn helpful portrayals. Be that as it may, the vast majority of those models need a client characterized steady to control the sparsity of portrayals. We propose a new synthesis method for a sparse neural network (NN).

Keywords: Text Recognition, Social Media Mining, ANN, Radial Basis Function, Natural Language Processing, Regularization, Notification setup.

## I. INTRODUCTION

Artificial Neural Network (ANN) is a computational model inspired by the natural neural network of the brain and human nervous system, it is intended to replicate the way that we humans learn.

A neural Network consists of input and output layers, as well as a hidden layer which consists of neurons and is primarily used to convert the input into something that the output can use. ANN can 'learn' by considering examples i.e. when data is fed to the ANN it learns overtime and becomes more and more accurate overtime.

ANN does not require specific instructions to learn from the data. For example, an ANN can learn whether an image is of a cat or not after it has been fed with the examples of what a cat image is and what isn't, when the ANN starts it has no information about cats.

Feedforward neural network is type of neural in which the data passes through different input nodes till it reaches the output node, i.e., data moves in one direction only, input nodes – Hidden layer(s) – Output nodes. In feed forward neural network, the sum of the products of the input and their weights are calculated which is then passed to the output layer, feed forward neural network can have one or multiple hidden layers. Feed forward neural networks are easier to maintain. Regularization is a technique used to reduce the complexity of the regression function without reducing the degree of the polynomial function. Regression is categorized as Ridge and LASSO. Ridge and lasso have different cost functions. Group lasso method does variable selection on a group of predefined variables.

#### **II. RELATED WORKS**

#### A. A Multiobjective Sparse Feature Learning Model for Deep Neural Networks

This paper proposes, Hierarchical profound neural systems are as of now famous learning models for copying the progressive engineering of human cerebrum. Single-layer include extractors are the blocks to manufacture profound systems. Inadequate component learning models are well known models that can learn valuable portrayals.

In any case, the vast majority of those models need a client characterized consistent to control the sparsity of portrayals. Right now, propose a multiobjective inadequate element learning model dependent on the autoencoder. The parameters of the model are found out by upgrading two destinations, reproduction blunder and the sparsity of shrouded units at the same time to locate a sensible trade-off between them consequently.

We plan a multiobjective incited learning method for this model dependent on a multiobjective developmental calculation. In the examinations, we exhibit that the learning strategy is compelling, and the proposed multiobjective model can learn valuable inadequate highlights.



# International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 8 Issue IV Apr 2020- Available at www.ijraset.com

## B. Logistic Regression by Means of Evolutionary Radial Basis Function Neural Networks

This paper proposes a half breed multiobjective approach, named calculated relapse utilizing beginning and outspread premise work (RBF) covariates. The procedure for acquiring the coefficients is completed in three stages. Initial, a transformative programming (EP) calculation is applied, so as to create a RBF neural system (RBFNN) with a diminished number of RBF changes and the easiest structure conceivable. At that point, the underlying characteristic space (or, as usually known as in calculated relapse writing, the covariate space) is changed by including the nonlinear changes of the information factors given by the RBFs of the best individual in the last age. At last, a most extreme probability advancement technique decides the coefficients related with a multilogistic relapse model implicit this expanded covariate space.

Right now, two diverse multilogistic relapse calculations are applied: one thinks about all underlying and RBF covariates (multilogistic beginning RBF relapse) and the other one gradually develops the model and applies cross approval, bringing about a programmed covariate choice [simple strategic starting RBF relapse (SLIRBF)]. The two techniques incorporate a regularization parameter, which has been likewise streamlined.

The strategy proposed is tried utilizing 18 benchmark characterization issues from notable AI issues and two genuine agronomical issues.

The outcomes are contrasted and the comparing multilogistic relapse strategies applied to the underlying covariate space, to the RBFNNs acquired by the EP calculation, and to other probabilistic classifiers, including distinctive RBFNN structure techniques [e.g., loosened up factor part thickness estimation, bolster vector machines, an inadequate classifier (scanty multinomial calculated regression)] and a method like SLIRBF yet utilizing item unit premise capacities. The SLIRBF models are seen as serious when contrasted and the comparing multilogistic relapse techniques and the RBFEP strategy. A proportion of measurable essentialness is utilized, which demonstrates that SLIRBF arrives at the best in class.

#### C. A GAMP Based Algorithm with Hierarchical Priors for Recovering Non-Negative Sparse Signals

This paper proposes, we investigate calculations for settling the scanty nonnegative least squares (NNLS) issue utilizing an amended Gaussian scale blend approach joined with the summed up rough message passing calculation (GAMP). The methodology utilizes a various levelled portrayal dependent on the scale blend earlier and a picked blending thickness. The desire augmentation calculation is utilized to perform type II estimation of the hyperparameters that are then used to get a point gauge of the obscure sign. Right now, GAMP calculation is utilized to execute the E-step. Contrasted with existing GAMP based NNLS calculations, this methodology upgrades assembly when the change lattice is non-Gaussian. Different points of interest remember critical decrease for induction multifaceted nature of the calculation, and the capacity to force distinctive sparsity advancing priors on the sign, just by changing the less computationally requesting M-step. In addition, stretching out the calculation to the numerous estimation vector case is direct, and is accomplished by a straightforward adjustment to the M-step too.

#### **III.EXISTING SYSTEM**

Artificial neural systems are progressively being utilized for an assortment of AI issues. Be that as it may, expanded thickness of interconnections in counterfeit neural systems prompts high computational and force prerequisites. One approach to diminish the force is to decrease the quantity of interconnections which can be accomplished utilizing LASSO systems. Getting motivation from the natural neural systems, Artificial Neural Networks (ANNs) are being utilized in an enormous number of relapses, characterization and acknowledgment errands.

ANNs have demonstrated remarkable outcomes (close to human execution or at times far superior) on the AI issues. Notwithstanding, huge (and more profound) ANNs are power concentrated. Given the ever-expanding utilization of these ANNs close by held gadgets, the force necessities of ANNs has become a zone of significant worry, with a great deal of research being completed to lessen the force caused. Regularization is one of the broadly utilized techniques to empower the ANNs to sum up better the models they learn.

Other than this, regularization can likewise be viewed as a method for accomplishing inadequate systems. This is on the grounds that the punishment term (regularization) utilized in the preparation of ANNs brings about loads of littler extents. A smoothing capacity that has lower mistake from LASSO work around the inception when contrasted with the current smoothing capacities. The comparing cost work is utilized to get the loads for feedforward ANNs with the point of accomplishing maximal arrangements. Different mixes of actuation capacities and mistake terms are considered. Sparsity is acquired by pruning loads that have an extent not exactly a specific limit.



Volume 8 Issue IV Apr 2020- Available at www.ijraset.com

- A. Drawbacks of existing System
- 1) Large errors at the output of ANN.
- 2) Deeper ANNs are power intensive.
- *3)* Time consuming and tedious.
- 4) High Complexity.
- 5) Complexity in modelling

#### **IV.PROPOSED SYSTEM**

The proposed framework is a multiobjective inadequate element learning model dependent on the autoencoder. The parameters of the model are found out by improving two targets, reproduction blunder and the sparsity of concealed units at the same time to locate a sensible trade-off between them consequently. We structure a multiobjective prompted learning methodology for this model dependent on a multiobjective developmental calculation. Gradual pruning is an experimentation way to deal with finding a proper number of concealed neurons. The gradual pruning calculation starts with an undeveloped neural system. It at that point endeavours to prepare the neural system commonly. Each time, it utilizes an alternate arrangement of shrouded neurons. The gradual preparing calculation must be provided with a satisfactory mistake rate. It is searching for the neural system that can be prepared to fall underneath this rate is discovered, the calculation is finished. The neural system will prepare for various quantities of shrouded neurons, starting at first with a solitary neuron. Since the blunder rate doesn't drop adequately quick, the single concealed neuron neural system will rapidly be deserted. Any number of techniques can be utilized to decide when to relinquish a neural system. The strategy that will be utilized right now to check the present blunder rate after interims of 1,000 cycles. On the off chance that the blunder doesn't diminish by a solitary rate point, at that point the pursuit will be relinquished. This permits us to rapidly desert shrouded layer estimates that are unreasonably little for the planned undertaking.

- A. Advantages of Proposed System
- 1) Significant increase in the sparsity levels of ANNs.
- 2) Less dispersion and wide bandwidth.
- *3)* High Effectiveness and Efficiency.
- 4) Significant improvement in implementation time.
- B. Architecture of Proposed System



Fig. 1 System Architecture

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 8 Issue IV Apr 2020- Available at www.ijraset.com

#### V. CONCLUSIONS

Another lasso type estimator depending on actuated smoothing which permits to acquire suitable covariance lattice and Wald measurement generally no problem at all. Some reproduction tests uncover that our methodology displays great execution when appeared differently in relation to the ongoing inferential instruments in the lasso system. The specific pruning calculation contrasts from the steady pruning calculation in a few significant manners. One of the most striking contrasts is the starting condition of the neural system. No preparation was required before starting the steady pruning calculation. This isn't the situation with the particular pruning calculation. The particular pruning calculation works by analyzing the weight frameworks of a formerly prepared neural system. The particular preparing calculation will at that point endeavor to expel neurons without upsetting the yield of the neural system. An end area isn't required. Albeit an end may survey the primary concerns of the paper, don't reproduce the conceptual as the end. An end may expound on the significance of the work or recommend applications and augmentations.

#### REFERENCES

- Iskandarani, Mahmoud Z. "A novel approach to system security using derived odor keys with weight elimination neural algorithm (DOKWENA)." Transactions on Machine Learning and Artificial Intelligence 2 (2014): 20-31.
- [2] Mukherjee, Subhadip, and Chandra Sekhar Seelamantula. "Convergence rate analysis of smoothed LASSO." Communication (NCC), 2016 Twenty Second National Conference on. IEEE, 2016.
- [3] Aghasi, Alireza, et al. "Net-trim: Convex pruning of deep neural networks with performance guarantee." Advances in Neural Information Processing Systems. 2017.
- [4] Venkataramani, Swagath, et al. "AxNN: energy-efficient neuromorphic systems using approximate computing."Proceedings of the 2014 international symposium on Low power electronics and design. ACM, 2014.
- [5] Zhang, Qian, et al. "ApproxANN: an approximate computing framework for artificial neural network." Proceedings of the 2015 Design, Automation & Test in Europe Conference & Exhibition. EDA Consortium, 2015.
- [6] Jain, Shubham, et al. "Compensated-DNN: energy efficient lowprecision deep neural networks by compensating quantization errors." 2018 55th ACM/ESDA/IEEE Design Automation Conference (DAC). IEEE, 2018.
- [7] Guo, Jianxin, et al. "Bit-Width Based Resource Partitioning for CNN Acceleration on FPGA." Field-Programmable Custom Computing Machines (FCCM), 2017 IEEE 25th Annual International Symposium on. IEEE, 2017.
- [8] Anwar, Sajid, Kyuyeon Hwang, and Wonyong Sung. "Fixed point optimization of deep convolutional neural networks for object recognition." Acoustics, Speech and Signal Processing (ICASSP), 2015 IEEE International Conference on. IEEE, 2015.
- [9] Shin, Sungho, Kyuyeon Hwang, and Wonyong Sung. "Fixed-point performance analysis of recurrent neural networks." 2016 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP). IEEE, 2016
- [10] L.-C. Tsai, "A triple-band bow-tie-shaped CPW-fed slot antenna for WLAN applications," Prog Electromagn Res C, vol. 47, pp. 167–171, Feb. 2014
- [11] C. Jiang, Y. Chen, Y.-H. Yang, C.-Y. Wang, and K. J. R. Liu, "Dynamic Chinese restaurant game: Theory and application in cognitive radio net-works," IEEE Trans. Wireless Commun., vol. 13, no. 4, pp. 1960–1973, Apr. 2014











45.98



IMPACT FACTOR: 7.129







# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)