



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: VI Month of publication: June 2020

DOI: http://doi.org/10.22214/ijraset.2020.6113

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



A Survey on Brain Tumor Detection using Machine Learning

Mrunal Kurade¹, Nikita Nakil², Shreya Pai³, Vidya Ringane⁴, P. K. Akulwar⁵

^{1, 2, 3, 4} Student, Department of Computer Science & Engineering, Sanjay Ghodawat Group of Institutions, Kolhapur, India

⁵ Assistant Professor, Department of Computer Science & Engineering, Sanjay Ghodawat Group of University, Kolhapur,

India

Abstract: Automated defect detection in medical picturing has transform the emergent field in several medical diagnostic applications. Automated detection of Tumor in Magnetic Resonance Imaging (MRI) is identical pivotal as it provides data about abnormal tissues which is required for planning treatment. The conventional method for defect detection in magnetic resonance brain picture is human inspection. This method is impractical for ample quantity of data. So, automated Tumor detection methods are developed as it would save radiologist time period. The MRI brain tumor detection is complex task due to complexity and variant of Tumors. Tumor is noticed in brain MRI using Machine Learning algorithms. Keywords: MRI images, malignant cells, benign cells, machine learning based techniques.

I. INTRODUCTION

The human body is composed of many types of cells. Each cell has a specific function. The cells in the body grow and divide in an orderly manner and form some new cells. These new cells helps to keep the human body healthy and properly working. When some cells misplace their capability to control their growth, they grow without any order. The extra cells formed form a mass of tissue which is called Tumor. Malignant Tumors lead to cancer while benign Tumors are not cancerous. The important element in the medical diagnosis include the medical image data obtained from various biomedical devices that uses different imaging techniques like X-ray, CT Scan, MRI. Magnetic Resonance Imaging (MRI) is a technique which depends on the measurement of magnetic field vectors that are render after an appropriate inflammation of strong magnetic fields and radio frequency pulses in the nuclei of hydrogen atoms present in the water molecules of a patient's body. The MRI scan is so much better than CT scan for diagnosis as it doesn't use any radiation. The formal method for Tumor detection in MRI image is human inspection. This method is very time consuming. It is not appropriate for large amount of data. The MRI also contains noise caused due to operator intervention which can lead to inaccurate classification. Large volume of MRI is to analyzed, thus, automated systems are needed as it they are more cost-effective. Automated detection of Tumor in MRI images is essential as high accuracy is needed when dealing with human life.



Fig. 1: Brain Tumor

II. LITERATURE REVIEW

The authors [1] proposed the system for Detection of brain Tumor from MRI images by using segmentation & SVM. This paper proposed adaptive brain Tumor detection system. Image processing is used in the medical tools for detection of Tumor, only MRI images are not able to identify the Tumors region using K-Means segmentation with pre-processing of image. Which control denoising by Median filter and skull masking is used. Also using object labelling for more detailed information of Tumor region. To make this system an adaptive using SVM (Support Vector Machine), SVM is used in unsupervised manner which will use to create and maintain the pattern for future use. Also for patterns to find out the feature to train SVM. For that here find out the texture feature and color features. It is expected that the experimental results of the proposed system will give better result in comparison to other existing systems.

The authors [2] proposed the system for Detection and analysis of brain Tumor from MRI by Integrated Thresholding and



Morphological Process with Histogram based method. This paper describes a system that can detect brain Tumor more precisely and analysis the different features of the Tumor. Our system proposed a computer aided image processing based method to that gives improved accuracy rate of the brain Tumor detection along with the calculation of the Tumor size (surface area of the Tumor) and its location. It also provides with the information that helps to determine whether the Tumor is malignant or not. The system, describing in this paper, detect brain Tumor from MRI by integrated thresholding and morphological process with histogram based method and gives a thorough analysis.

The authors [3] proposed the system for Brain Tumor Detection and Segmentation Using Conditional Random Field. Medical image techniques are used to manage the inner portions of the human body for medical diagnosis. MRI images are widely used in the diagnosis of brain Tumor. The paper present an automated method to detect and segment the brain Tumor regions. The planned method consists of three main steps, initial segmentation, modeling of energy function and optimize the energy function. To make segmentation more reliable information present in the T1 and FLAIR MRI images is used. Conditional Random Field (CRF) based frame word is used to combined the information present inT1and FLAIR in probabilistic domain. Main advantages of CRF based frame work is mode complex shapes easily and incorporate the observation of energy function.

The authors [4] proposed the system for Automatic detection brain Tumors in MRI images. This paper Handel with automatic brain Tumor detection in magnetic resonance images. The goal is to determine whether the MRI image of a brain contains a Tumor. The projected method works with T2-weighted magnetic resonance images, where the knowledge is vertically aligned. The detection is based on checking the left-right symmetry of the brain, which is the possibility of healthy brain. The algorithm was tried by fivefold cross-validation technique on 72 images of brain control Tumors and 131 images of healthy brain. The planned method reaches the true positive rate of 91.16% and the true negative rate of 94.68%.

The authors [5] proposed the system for An efficient brain Tumor detection from MRI images using entropy measures. MRI computer based picture processing technique for detecting and diagnosing brain Tumor. Separation of images in MRI helps us to detect Tumor size, location and shape. There are many techniques of segmentation in image processing. Segmentation methods are region based, boundary based and threshold based. Threshold technique involves an entropy supported algorithmic techniques that are highly useful for early detection brain Tumor. The paper is comparison and analyzing various threshold-entropy based segmentation methods on the basis of simulation results. Entropy methods like Shannon, Renvi, Vajda, Havrda-Charvat and Kapur are applied to the MRI images of brain Tumor or any inner structure of our body, are analyzed and compared. An approaching of threshold selection of images based on selective information methods are found highly effective in diagnosis of brain Tumor.

III. MACHINE LEARNING ALGORITHM

A. Probabilistic Neural Network

A probabilistic neural network (PNN) is a feedforward neural network, which is broadly used in classification and shape identification problems. In the PNN algorithm, the parent probability distribution function (PDF) of every class is approximated by a Parzen window and a non-parametric function. Then, using PDF of each class, the class possibility of a new input information is assessed and Bayes' rule is then active to allot the class with uppermost subsequent probability to new input data. By this technique, the probability of mis-classification is minimalized. In a PNN, the processes are planned into a multilayered feedforward network with four layers:

- 1) Input layer
- 2) Design layer
- 3) Summary layer
- 4) Output layer





B. Support Vector Machines

In machine learning, support-vector machines (SVM) are supervised learning models with related learning algorithms that examine data used for classification and reversion analysis, an SVM training algorithm builds a model that allocates new samples to one category or the other, making it a non-probabilistic binary linear classifier. A support vector machine ideas a hyperplasia or set of hyperplasia in a top or unlimited dimensional space, which can be used for procedure, reversion, or other tasks like outliers appreciation. Instinctively, a good parting is accomplished by the hyperplane that has the major distance to the adjacent training-data point of any class (so-called functional margin), meanwhile the higher the margin, the lesser the simplification error of the classifier. It can be professionally achieved a non-collinear arrangement using what is called the core trick.



Fig. 2: (b) SVM

C. Principal Component Analysis

PCA is a mathematical technique that uses unified variables into a pairs of values of linearly uncorrelated variables called principal components. This transformation is defined in such a way that the first principal component has the major likely modification and each following component in turn has the maximum modification possible under the limitation that it is orthogonal to the previous components. PCA is frequently used as a tool in examining data analysis and for making analytical models. It is regularly used to visualize hereditary distance and understanding between populations. PCA can be done by eigen value decay of a data correlation matrix or particular value disintegration of a data matrix, typically later a regulation step of the primary data. The regulation of each attribute contains of mean positioning – deducting each data value from its variable's measured mean so that its empirical mean (average) is zero – and, probably, regularizing each variable's variance to make it equal to 1. The results of a PCA are typically discoursed in terms of factor scores, occasionally called factor scores and loadings.



Fig. 2: (c) PCA



D. Fuzzy C-Means

Fuzzy C-means (FCM) with mechanically determined for the number of clusters can improve the detection accurateness. Using a combination of Gaussians along with the expectation-maximization algorithm is a more statistically dignified technique which contains some of these concepts: partial membership in classes. Fuzzy clustering (also discussed as soft clustering or soft k-means) is a procedure of clustering in which each data point can belong to more than one cluster. Clustering or cluster analysis comprises assigning data points to clusters such that substances in the same cluster are as similar as possible, while substances belonging to different clusters are as dissimilar as possible. Clusters are recognized via comparison measures. These comparison measures consist of distance, connectivity, and strength.



Fig. 2: (d) Fuzzy C Mean

E. Back Propagation Neural Network:

In machine learning, backpropagation is a broadly used algorithm in training feedforward neural networks for supervised learning. The backpropagation algorithm perform by calculating the gradient of the loss function through admiration to each weight by the chain rule, calculating the gradient one layer at a time, repeating backward from the last layer to avoid terminated calculations of transitional relations in the chain rule. Backpropagation calculates the gradient of the loss function through admiration to the weights of the network for a single input–output sample, and does very professionally, unlike a naive straight calculation of the gradient with respect to each weight independently. This proficiency makes it possible to use gradient procedures for training multilayer networks, apprising weights to minimalize loss; gradient parentage, or variants such as stochastic gradient parentage, are generally used.





F. Supervised Learning

Supervised learning is the machine learning technique which concludes a function from labeled training data containing of a set of training samples. In supervised learning, each sample is a pair containing of an input item (typically a vector) and a desired output value (also called the supervisory signal). A supervised learning algorithm examines the training data and produces an conditional function, which can be used for plotting new samples. An optimum situation will permit for the algorithm to properly determine the class labels for hidden examples. This needs the learning algorithm to simplify from the training data to hidden conditions in a "practical" way. The equivalent task in human and animal mind is often denoted as concept learning.



Fig. 2: (f) Supervised Learning

G. Decision Tree

Decision Tree algorithm goes to the family of supervised learning algorithms. Unlike other supervised learning algorithms, decision tree algorithm can be used for solving reversion and arrangement difficulties too. The overall reason of using Decision Tree is to form a training model which can use to forecast class or cost of target variables by learning decision guidelines incidental from previous information(training data). The sympathetic level of Decision Trees algorithm is so informal related with other classification algorithms. The decision tree algorithm attempts to explain the problem, by using tree illustration. Each inner node of the tree corresponds to an attribute, and each leaf node corresponds to a class label.





International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 8 Issue VI June 2020- Available at www.ijraset.com

IV. COMPARISION BETWEEN METHODS

The following table contains different Machine Learning Techniques, along with average accuracy rate, advantages and disadvantages.

Sr.No	Name of the Method	Accuracy	Advantages	Disadvantages
1.	PNN	76.35%	 Accuracy in algorithm. PNN networks are comparatively unresponsive. These method has optimal classification. 	 The algorithm gets significantly slower. Does not categorize new cases. Need more memory space to stock the model.
2.	SVM	83.22%	 SVM's are good when there is no idea on the data. Different from neural networks, SVM is not solved for local optimal. 	 Selecting a "good" kernel function is difficult. Lengthy training time for large datasets.
3.	PCA	88.2%	 Removes Connected Features. Progresses Algorithm Performance. Decreases Overfitting. 	 Data Loss. PCA does not have dependent Variables. Data Correction is necessity before PCA.
4.	Fuzzy C Means	78.3%	 Gives finest results for overlapping . Fit in to one cluster center. It is comparatively better than K-Means. 	 A previous requirement of the sum of cluster. Expenditure of more number of repetition. Distance actions can irregularly weight underlying.
5.	BPNN	70%	 It is fast, simpler & easy to program. It has no limits to tune. 	 Back propagation can be complex. Completely matrix built method.
6.	Supervised learning	79.59%	 1)It uses mathematical formulation. 2)Classifier training is done. 	 May be over trained. It may get incorrect class label.
7.	Decision Tree	82.69%	 1)Easy to understand and recognize. 2)Have value even with little hard information. 3)Uses a white box model. 	 They are not stable. They are frequently inaccurate. It has different number of stages.

Table-I: Different Machine Learning Techniques

Names of methods





Fig. 3. Graphical representation of accuracy

V. APPLICATIONS OF MACHINE LEARNING IN MEDICAL FIELD

The increasingly developing number of applications of machine learning in human health permits to look at a future where information, investigation and advancement work connected at the hip to help incalculable patients without them consistently acknowledging it. Before long, it will be very regular to discover ML-based applications implanted with continuous patient information accessible from various medicinal services frameworks in different nations ,in this way expanding the viability of new treatment alternatives which were inaccessible previously. Machine Learning in health care is one such territory which is seeing steady acknowledgment in the health care industry.

A. Identifying Diseases And Determination

One of the central ML applications in health care is the recognizable proof and finding of sickness and illnesses which are in any case considered hard-to-analyze. This can incorporate anything from tumors which are hard to find during the underlying stages, to other hereditary diseases. AI to develop the apeutic treatments in zones for example oncology.P1vitals Anticipate (Foreseeing Reaction to Melancholy Treatment) means to build up an economically practical approach to analyze and give treatment in routine clinical conditions.

B. Drug Discovery And Manufacturing

One of the particular clinical applications of machine learning lies in early stage drug discovery process. As of now, the machine learning methods include unsupervised learning which can recognize designs in data without giving any forecasts. Task Handover created by Microsoft is ML-based innovations for numerous activities including creating AI-based innovations for malignancy treatment.

C. Clinical Imaging Identification

AI and profound learning are both answerable for the leap forward innovation called PC Vision. This has discovered acknowledgment in the Inward Eye activity established by Microsoft which works on picture analytic apparatuses for picture examination. As AI turns out to be progressively available and as they develop in their logocal limit, hope to see more information sources from changed clinical symbolism become a piece of this man-made Intelligence driven indicative procedure.

D. Machine Learning Based Social Adjustment

Interactive change is an significant piece of preventive medication, and since the time the multiplication of AI in human services, endless new companies are springing up in the fields of malignancy anticipation and distinguishing proof, understanding treatment and so on. Somatix is a B2B2C-based information investigation firm which has discharged a ML-based application to perceive motions which we make in our day-by-day lives, permitting us to comprehend our inaudible conduct and roll out essential improvements.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 8 Issue VI June 2020- Available at www.ijraset.com

E. Smart Health Records

The main role of machine learning in health care is to make easy procedures to spare time, labors, and cash. Report sorting approaches utilizing vector machines and ML-based OCR acknowledgment systems are gradually assembling steam, for example, Cloud Vision Programming Interface and MATLAB's AI based penmanship acknowledgment technology. ML-based tolls starting from the earliest stage to help with analysis, medical treatment proposals and so on.

F. Clinical Trial And Research

Machine Learning has different potential applications in the field of clinical trials and research. Applying ML-based prescient investigation to recognize potential clinical preliminary applicants can assist scientists with drawing a pool from a wide assortment of information facts, for example, earlier specialist visits, internet based life and so on. AI has likewise discovered use in guaranteeing continuous checking and information access of the preliminary members, seeing the best example size tried, and utilizing the intensity of electronic records to diminish information based blunders.

G. Superior Radiotherapy

One of the foremost sought-after applications of machine learning in human health is in the field of Radiology. Medicinal picture examination has numerous distinct factors which can rise at any specific minute of time. There are numerous injuries, cancer emphases, and so on. Which cannot be essentially modeled utilizing compound equations. Since ML-based algorithms learn from the large number of distinctive tests accessible on-hand, it gets to be simpler to diagnose and discover the factors. One of the foremost prevalent employments of machine learning in medicinal picture examination is the classification of things such as injuries into categories such as typical or unusual, injury or non-lesions, etc.

VI. CONCLUSION

In Medical field, manually identifying the Tumor by doctors referring the MR image was very time consuming task. Instead of manually identifying tumor image processing and machine learning methods can be used to recognize the Tumor which is less time consuming, cost effective and more accurate than manual identification technique. In Machine Learning , different techniques are used for detection of Tumor.

REFERENCES

- Daljit Singh, Kamaljeet Kaur, "Classification of Abnormalities in Brain MRI Images Using GLCM, PCA and SVM", International Journal of Engineering and Advanced Technology (IJEAT): 2249 – 8958, Volume-1, Issue-6, August 2012.
- [2] E. Ben George, M.Karnan, "MRI Brain Image Enhancement Using Filtering Technique", International Journal of Computer Science & Engineering Technology,IJCSET,2012.
- [3] Mahmoud Al-Ayyoub, Ghaith Husari, Ahmad Alabed-alaziz and Omar Darwish, "Machine Learning Approach for Brain Tumor Detection ",ICICS 12 Proceedings of the 3rd International Conference on Information and Communication Systems, Article-23,2013-04-03.
- [4] Prachi Gadpayleand, P.S.Mahajani, "Detection and Classification of Brain Tumor in MRI Images", International Journal of Emerging Trends in Electrical and Electronics, IJETEE ISSN:2320-9569, Vol. 5, Issue. 1, July-2014.
- [5] Samir Kumar Bandhyopadhyay and Tuhin Utsab Paul, "Automatic Segmentation of Brain Tumor from Multiple Images of Brain MRI", International Journal of Application or Innovation in Engineering & Management, Vol.2, No.1, pp.240-248, 2015.
- [6] R.Kumari, "SVM classification an approach on detecting abnormality in brain MRI images," International Journal of Engineering Research and Applications, vol. 3, pp. 1686-1690,2015.
- [7] J.Liu, M. Li, J. Wang, F. Wu,T. Liu, and Y. Pan, "A survey of MRI-based brain tumor segmentation methods," Tsinghua Science and Technology, vol. 19, no.6, pp. 578-595,2016.
- [8] S.U.ASWATHY at el, A Survey on Detection of Brain Tumor from MRI Brain Images, 2016 International Conference on control, Instrumentation, Communication and Computational Technologies(ICCICCT)
- [9] S.R.Telrandhe, A.Pimpalkar and A.Kendhe, "Brain Tumor Detection using Object Labeling Algorithm & SVM", in international Engineering Journal For Research & Development Vol.2, special issue, pp.2-8, nov2017.
- [10] M. Alfonse and A-B. M.Salem, "An automatic classification of brain Tumors through MRI using support vector machine ",Egyption Computer Science Journal, vol.40, pp. 11-21,2017.
- [11] Bahadure NB, Ray AK, Thethi HP (2017) Image analysis for MRI based brain Tumor detection and feature extraction using biologically inspired BWT and SVM. Int J Biomed Imaging 2018.
- [12] Walaa Hussein Ibrahim, Ahmed Abdle Rhman AhmedOsman, Yusra Ibrahim Mohaed, "MRI Brain Image Classification Using Neural Networks", IEEE international Conference On Computing, Electrical and Electronics Engineerig,
- [13] Noramalina Abdullah ,Lee Wee Chuen, Umi KalthumNgah Khairul Azman Ahmad, "Improvement of MRI Brain Classification using Principle Component Analysis",IEEE International Conference on Control System,Computing and Engineering,2018.
- [14] V.Sala Selvam and S.Shenbagadevi, "Brain Tumor Detection Using Scale EEG with Modified Wavelet-ICA Multi Layer Feed Froward Neural Network" Annual International Conference on the IEEE EMBSboston, Massachusetts USA, August 30-September 3, 2018.
- [15] Amir Shahzad, Muhammad Sharif, Mudassar Raza, Khalid Hussai, "Enhanced Watershed image Processing Segmentation", Journal of Information & Communication Technology, Vol.2, No. 1,2019











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)