



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 3

Issue: XI

Month of publication: November 2015

DOI:

www.ijraset.com

Call: ☎ 08813907089

E-mail ID: ijraset@gmail.com

Comparison of MCS and GA in Term of Iteration and Time Constraint

Anish Garg¹, Deepak kaushik², Parveen Rana³

¹M.Tech scholar, Dept. of Electronics and Communication Engineering, PPIMT, Hisar

²Assistant Professor Dept. of Electronics and Communication Engineering, DRCET, Panipat

³Working in TCS Dept. of Electronics and Communication Engineering, DCRUST, Murthal, Haryana, India

Abstract— In radio communication industry Frequency assignment [13] is main problem. In the communication there are transmitter and receiver that transmit data between sources to destination. For this we use a radio network that is generally wired and wireless. In this problem at source station there are number of transmitter. Each transmitter has number of antenna having frequency spectrum, certain power and directional distribution. The aim is to assign some values to satisfy some rule. In communication there are many frequency assignment problems. Here we study radio link frequency assignment problem (RLFA). To optimize the bandwidth available using various natural existing optimization techniques and give best results in GA and MCS.

Index Terms— genetic algorithm (GA), particle swarm optimization (PSO), ant colony search (ACS), harmony search (HS), bacterial foraging (BF), biogeography based optimization (BBO), radio link frequency assignment.

I. INTRODUCTION

More and more modern metaheuristic algorithms inspired by nature are emerging and they become increasingly popular.

A. Metaheuristics

In computer science, we use metaheuristic process [7] to solving optimization problem. It work as a higher level procedure to lower level procedure that provide good solution to an optimization problem, rather we have less information or limited computation capacity. In this process we use some assumptions about the optimization problem, so that large number of problem can be solved. In SDM cellular networks, the service area or circle of operation is divided into a number of hexagonal cells. By using appropriate reuse distance criteria, large geographical area coverage with minimum interference with limited bandwidth is possible. This problem is generally referred as channel allocation problem (c) .

In CAP, each cellular network is considered to have n arbitrary cells. Without loss of generality, it is assumed that channels are evenly spaced in the radio frequency spectrum and the channels are mapped to consequent positive numbers. The separation between these channel numbers would reflect the separation in the frequencies in order to satisfy the interference constraints. While assigning channels to users in various cells, at least 3 constraints need to be satisfied namely:

Co-site interference constraint (CSC)

Adjacent channel interference constraint (ACC)

Co-channel interference constraint (CCC)

The solution to the problem can be generally classified in to two types: 1) Fixed channel allocation (FCA), where channels are permanently allocated to each cell and 2) Dynamic channel allocation (DCA), where all channels are available for the entire network, and are allocated dynamically depending on the traffic requirement of each cell. .

B. Evolutionary Computing

Evolutionary computation [11] is the process in computer science which solves computational problems use ideas from biological evolution. Some time the problems require search through wide area of solutions and larger hardware circuit required. The set of equations will shows the up and down in financial market, some set of rules that control navigation in environment. Such type of problems requires adaptive type system, which work continuous in changing environment.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

When to Use Evolutionary Computing

For complex optimization problems Evolutionary computing used. It is good due to following conditions [22]:

Big Solution area

Exhausted search is some time prefer for small solution space. Evolutionary Computing is good for large problems and it can easily used in parallel computing for combination.

Not need to find the Best Solution

Evolutionary computing gives a good solution. As we know a good solution is not a best solution. It's not providing information that over results is how much distance from best solution.

Fast Result not Needed

Evolutionary computing algorithms may take up some time.

No Exact Heuristics Available

Evolutionary computing is well suited for little understood problems, as no problem specific knowledge is required to use them. If good, fast and exact heuristics that lead to an optimum value are available, they should be used instead.

Constraints or Multiple Objectives are Present

Evolutionary Computing is able handle problem that are so difficult. For this it uses constraints and multiple objectives.

Need Racy Solutions

The noise and dynamic environments are used for computing. A new environment is used for algorithm.

C. Evolutionary Computing Vs Traditional Methods

For solving various single and multi-objective problems this method is used. Some problem that are high dimensionally, not smooth in nature are also solved by this computing technique. Evolutionary techniques are combination of a set of dissimilar family of algorithms. This type of procedure gives tentative solutions of a problem in form of optimal or quasi-optimal. This process (Evolutionary optimization) is preferred than traditional methods [22]. This method is not depending on the nature of problem so it can be used in real-world engineering optimization problems. It can define hard restraint with easy way. From last ten years marvelous growth in the field of optimization is seen which is heuristic based to solve problems. There is large number of nature divine evolutionary algorithms. They are:

Genetic algorithm (GA)

Particle swarm optimization (PSO)

Harmony search (HS)

Ant colony search (ACS),

Biogeography based optimization (BBO)

Bacterial foraging (BF) etc.

The above are mostly used in the fields of engineering science and management.

The advantages of this method are:

Based on Population searching mechanism is random.

It is not depending on function that is nature.

It can handle hard restraint easily.

Initial solution is not matter.

II. CUCKOO SEARCH

By Yang and Deb a algorithm is made namely CS. It is based on reproduction strategy of cuckoos. As in the basic level, cuckoos put down their eggs in cuddle of other server birds. They belong to different species. The server bird some time find that the eggs are not it's own and destroy the egg of all nest together. This is due to the evolution of cuckoo eggs which is related to server birds. Yang and Deb describe three idealized rules:

For set of solution each cuckoo dump one egg at a time and dumps it in random nest.

The nests server consists the best eggs. That is also known as solutions. This will carry over to the next generation.

An unknown egg is finding by the host. The numbers of nests are fixed. Now host can either distinguish a new number of nest and results in building.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Now the above steps are used in the CS and also in there algorithm. Levy flights is important component of CS is the use of for both local and global searching algorithm. Levy flight is used in search algorithms. A random walk is a series of instant jumps. This random process is search pattern is frequently found in nature. The above process is work as when a new egg in algorithm generated so a Levy flight is performed at starting. Egg is moved to new position if objective function value is better than another randomly selected egg. For this step size of Levy flight is taken as a . As example setting $a = 0.1$. It is good for small domains problems.

III. GENETIC ALGORITHM

As to solve the computational problem many methods are used. Different methods have different specification. The genetic algorithm [27] is also a searching algorithm. For best solution of frequency problem that searching algorithm is used. It finds an optimal solution of a problem. Now the main feature of genetic algorithm is how the searching process is done. The possible solution of a problem is creating by algorithm in form of "population". To find better and better solutions it "evolves" multiple generations. The figure 1 shows the generic wine of the genetic algorithm.

As the solution of the candidate in the form of population [33] are considered in the course of algorithm. In this process of searching, new members are "born" into the population. The members who are "die" go to out of population. As there are number of solution to a problem, so for every problem an individual solution is preferred. Now the fitness of every solution is showing how the solution is good. As the fitness value is high, it's mean that the solution is better. It is depend on how problem is solved.

This all process is depending on the fitness valve of a solution. The single solution is selected for a problem which is best one. The cross-over arise by combining the two solutions together. By this two new are generated.

IV. MODIFIED CUCKOO SEARCH

Yang and Deb introduced CS in 2009. According to their work CS algorithm has a much stronger ability to optimize true global solutions than a number of other metaheuristic algorithms. It was initially found that the time taken to find optimum meshes using CS was prohibitively long. From entire study and many function evaluations CS needs to find an objective function's minimum.

To address this problem a number of modifications were made to the algorithm, to speed up convergence. The result of this work was MCS [4]. When applied to a mesh optimisation scheme MCS is found to outperform existing techniques. Random walks are the searching mechanism used in CS that always gives optimum solution. The fast convergence rate cannot be possible. To increase the convergence rate two modifications are done at first time, thus it makes for larger range of application in practically. By this it not lose feature of original method.

The two types of modification are shown below:

The first modification is on step size. As we know Levy flight has step size a . As in previous value of α is constant and it is represented as $\alpha = 1$ in CS. In modified version as the number of generation's increases than the value are decreases. This is same as in PSO where inertia constant is reduced. By doing this the egg in the cuckoo spices get closer to the solution. At starting step size value in Levy flight $A = 1$ is chosen. For every generation, a new value of step size is compute using $\alpha = A / \sqrt{G}$, where G is number of generation.

In second modification is so important because of information exchange is done. This is done between the eggs. By this minimum speed up convergence is archive.

As in previous method there is no information exchange between individuals. Also searches are done independently. In MCS, some eggs are dividing in groups to archive best fitness. Now they are set on top eggs. At every top egg, second egg is select randomly. Now combining that two eggs a new egg is generated.

V. COMPARISON OF MCS WITH PSO AND GA

Form entire study we see that, MCS outperformed than CS and performed significantly better than, PSO. If evaluations are done on lower numbers of objective function, the differences between the methods tested were less significant. From this it is conclusion that in MCS and PSO are better than CS, which was one of the main goals of this work. This led to the conclusion that, in applications with computationally expensive objective functions, PSO and MCS would be the techniques of choice.

If evaluations are done on high numbers of objective function, MCS outperformed PSO in a number of cases. It followed that MCS

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

is the technique of choice, even when the CPU cost of the objective function is not prohibitive. The results suggested that MCS is well suited to problems where the objective function has a high number of dimensions. In these situations, MCS significantly outperformed PSO and CS. This is probably due to the Levy flight effectively reduced the size of search space with the large jumps between steps, and the simultaneous refinement of local searches, which an unmodified CS did not achieve. In the majority of cases tested. The examples showed that MCS performed equally well in term of functions and dimensions, and can find a best solution. All the findings detailed in this conclusion is that they were limited to the comparison of the optimisation algorithms considered. This means that when a statement such as 'MCS is the technique of choice...' was made, it was only valid when compared to PSO, DE and CS on this subset of problems. It would be impossible to compare MCS to all algorithms for all problems.

Table 6-1 Conclusions of GA and MCS

G.A.	M.C.S.
Convergence rate is low	Convergence rate is high
Gives lower value of fitness function	Gives higher value of fitness function
Evaluations is done on lower numbers of objective function	Evaluations is done on high numbers of objective function

A. Figure Shows Iterations Value Of GA, MCS in CSC, ACC, CCC




Fig 5.3 Iterations Values for CSC

Here the above figure shows the Co-site channel interference iteration .Iteration means how many times ,we perform the function to obtain result . In Genetic Algorithm the level of iteration is greater than 30.In Modified cuckoo search the the iteration is nearly 5.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)




Fig 5.5 Iterations Values for ACC

Here the above figure shows the Adjacent channel interference iteration . Iteration means how many times ,we perform the function to obtain result . In Genetic Algorithm the level of iteration is greater than 30. In Modified cuckoo search the iteration is nearly 5.





Fig 5.7 Iterations Value for CCC

Here the above figure shows the Co channel interference iteration . Iteration means how many times ,we perform the function to obtain result . In Genetic Algorithm the level of iteration is greater than 30. In Modified cuckoo search the iteration is nearly 5.


1) Time Constraint Of G.A.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



Function Name	Calls	Total Time	Self Time*	Total Time Plot (dark band = self time)
Main	1	105.739 s	0.733 s	
fitness	2000	98.608 s	98.608 s	
Channel	1	5.336 s	5.336 s	
GA_crossover	100	0.751 s	0.141 s	
bin2dec	2997	0.500 s	0.453 s	

2) Time Constraint Of M.C.S.



Function Name	Calls	Total Time	Self Time*	Total Time Plot (dark band = self time)
Main	1	71.939 s	0.125 s	
MCS	1	66.324 s	0.218 s	
fitness	1396	65.404 s	65.404 s	
Channel	1	5.287 s	5.287 s	
de2bi	1000	0.249 s	0.249 s	

VI. CONCLUSIONS

In this paper, we have formulated a new metaheuristic Cuckoo Search in combination with Levy flights, random walk based on the breeding strategy of some cuckoo species. The proposed algorithm has been validated and compared with other algorithms such as genetic algorithms and particle swarm optimization. Simulations and comparison show that CS is superior to these existing algorithms for multimodal objective functions. This is due to the fact that there are fewer parameters to be fine-tuned in CS than in PSO and genetic algorithms. In fact, apart from the population size n , there is essentially one parameter p_a . Furthermore, our simulations also indicate that the convergence rate is insensitive to the parameter p_a . This also means that we do not have to fine tune these parameters for a specific problem. Subsequently, CS is more generic and robust for many optimization problems, comparing with other metaheuristic algorithms. A new modified cuckoo search MCS algorithm will further used to outperform the standard CS.

A. Future Work

A number of different methodologies that is Genetic Algorithm, Cuckoo search and Modified Cuckoo Search made by various researchers were detailed. A comparison between the performances of these different modifications is needed. Currently cuckoo search development has branched into a number of different directions. It may be beneficial to merge some of these branches, by combining with different modifications Paralysis strategies need to be investigated to improve computational efficiency. Further validation of cuckoo search and modified cuckoo search is needed. Initially this could be done on a wider range of shifted and rotated test functions, but the ultimate goal should be test the algorithms on real problems and give the best result for large solution

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

space. Comparisons between other gradient free and gradient based algorithms should be made where possible.

REFERENCES

- [1] Zhou, Zheng, Qifang & Jinzhao, "An improved Cuckoo Search Algorithm for Solving Planar Graph Coloring Problem", Applied Mathematics and Information Sciences vol. 7, pp. 785-792, 2013.
- [2] A. Kaveh, "An Efficient Optimization Procedure Based on cuckoo search algorithm for practical design of steel structures" International journal of optimization in civil engineering int. J. Optimum. Civil Engineering vol. 2 Issue 1, pp.1-14, 2012.
- [3] Alagu's, "A Novel Adaptive Channel Allocation Scheme To Handle Handoffs" International Journal of Distributed and Parallel Systems (IJDPs) vol.3, No.3, May 2012.
- [4] M.P. Mishra, P. C. Saxena, "Survey of Channel Allocation Algorithms Research for Cellular Systems" International Journal of Networks and Communications pp. 74-104, 2012.
- [5] S. Walton, O. Hassan, K. Morgan & M.R. Brown, "Modified cuckoo search: A new gradient free optimisation algorithm", Chaos, Solitons & Fractals vol.44, pp 710-718, 2011.
- [6] O.Hassan, & M.R. Brown, "Modified cuckoo search: A new gradient free optimization algorithm", Chaos, Solitons & Fractals vol.44, pp 710-718, 2011.
- [7] Yang and Deb, "Cuckoo search via Lévy flights", Proc. World Congress on Nature & Biologically Inspired Computing, IEEE, pp. 210-214, 2007.
- [8] Yi Pan, "Using a genetic algorithm approach to solve the dynamic channel-assignment problem" International Journal for Mobile Communications, vol. 4, no. 3, 2006.
- [9] Geetali Vidyarthi, Alioune Ngom, and Ivan Stojmenovic, "A Hybrid Channel Assignment Approach Using an Efficient Evolutionary Strategy in Wireless Mobile Networks", IEEE Trans. Veh. Technol., vol. 54, no. 5, pp 1887 – 1895, Nov 2005.
- [10] Goutam Chakraborty, "An Efficient Heuristic Algorithm for Channel Assignment Problem in Cellular Radio Networks", IEEE Trans. Veh. Technol., vol. 50, no. 6, Nov. 2001.
- [11] F. J. Jaimes-Romero, D. Munoz-Rodriguez, and S. Tekinay, "Channel assignment in cellular systems using genetic algorithms," in Proc. IEEE 46th Vehicular Technology Conference, vol. 2, pp. 741-745, 1996.
- [12] G.L. Tellez, "Application of genetic algorithm approach to a cellular dynamic channel allocation", in Proc. IMACS Symp. Soft Computing in Engineering Applications, pp.527- 532, Sep.1992.
- [13] G. Syswerda, "Uniform Crossover in Genetic Algorithms" Proc. of the Third International conference on Genetic Algorithm, pp.2-9, 1989.
- [14] H. P. Schwefel, "Numerical Optimization of Computer Models", IEEE Trans. Evol. Computer, pp.438-444, 1981.
- [15] W. K. Hale, "Frequency Assignment: Theory and Applications", Proc. of the IEEE. vol. 68, No. 12, pp. 1497 – 1514, Dec 1980.
- [16] N. D. Georgans and T. J. Kahwa, "A hybrid channel assignment schemes in large scale, cellular structured mobile communication systems," IEEE Trans. Communication, vol. 26, pp. 432-438, 1978.
- [17] Srinivas Pinagapany and A V Kulkarni, "Solving channel allocation problem in cellular radio network using Genetic Algorithm", IEEE Trans. Commun., vol. COM-26, pp. 432-438, 1978.
- [18] Mohammad Shahbaz, "Fixed Network Design of Cellular Mobile Communication Networks using Genetic Algorithms" Communication Networks - Aachen University of Technology Kopernikusstr. 16, 52074 Aachen, Germany
- [19] Alir Yildiz Cuckoo search algorithm for the selection of optimal machining parameters in milling operations. The International Journal of Advanced Manufacturing Technology vol. 61, pp. 64-55, 2013.
- [20] MATLAB version 7.8.0. Natick, Massachusetts: The MathWorks Inc.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)