



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5

Issue: 1

Month of publication: January 2017

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Survey on Recommendation Systems

Avadhut D. Wagavkar¹, Shubhangi S. Vairagar²
Department of Computer Engineering, SCOE, Pune.

Abstract: Recommendation systems are efficient measures to handle unstructured, raw and complex data in the big data environment. Big Data has the potential to ascertain valued insights for enhanced decision-making process. Recommender systems play an important role in our day-to-day life. A recommender system automatically suggests an item to a user interested in. The recommender system has to work parallelly to provide the recommendation to the user. This paper provides a study and analysis of quality parameters of recommendation systems.

Keywords: Big Data, Recommendation, Preferences, Content based filtering, Collaborative Filtering.

I. INTRODUCTION

A key foundation of new waves of the productivity boom, innovation, and consumer surplus is “Big data”. Information discovery and choice making from such unexpectedly developing voluminous data is a hard task in terms of data organization and processing that is an emerging trend called big data computing. Big Data organizes and extracts the valued data from the unexpectedly growing, huge volumes, variety forms, and often changing data sets accrued from multiple, and self-reliant sources within the minimal feasible time, the use of numerous statistical, and machine learning strategies .

Big data also brings new possibilities and crucial challenges to enterprise and academia , The recommender system is set to identify the information approximately the same user or the event and derive the favourable component based totally on it. It’s far the standards of “individualized” and “interesting and beneficial” that separates the recommender system from records retrieval systems. Recommender systems are a notably studied and well-established area of research. Recommender systems are the systems which analyses taste and interest of users and recommend services, products, brands or persons as best suited. Users may find it tough to select the best service that meets their individual interest and prerequisite.

Most of algorithms and strategies are evolved to improve the recommender systems. Recommender systems typically depend on collaborative filtering, content-based filtering, knowledge-based filtering, or hybrid recommendation algorithms. Recommender systems encounter two main challenges for big data application:

To make the decision within the acceptable time.

To generate ideal recommendations from so many services.

In Content-based recommendations, the user will be recommended items similar to the ones preferred in the past. In Collaborative recommendations user will be recommended items that people with similar tastes and preferences liked in the past. In Hybrid Approaches these methods combine collaborative and content-based methods. [8]. Examples of such practical applications include CDs, books, web pages and various other products now use recommender systems .

In many traditional service recommender systems available the ranking and recommendation list provided is the same. Recommender systems have become an important research area. The interest in this region is high as it constitutes a problem-rich research place and due to the abundance of realistic applications that assist users to cope with data. Recommender systems have their relevance to information retrieval in different areas .

II. LITERATURE SURVEY

In Khushboo,KASR gives the personalized recommendation. Both active user’s preferences and passive user’s reviews and sentiments in the text are considered for score calculation. Sentiment Analysis is applied to these reviews to provide more accuracy.

In Iman, propose an algorithmic framework Based on matrix factorization that simultaneously exploits the similarity information among users and items to alleviate the cold-start problem.

In this paper addresses the difficulty of retrieving relevant, pertinent, and novel information for a large system that involves fusion of data in different formats such as, text, barcode, and images. They propose a framework to combine an intelligent image retrieval and intelligent information retrieval (IIR) along with the user profile learning to develop a recommender system. In Sherla1 It aims at presenting a customized service recommendation list and recommending the foremost applicable services to the users effectively. Specifically, keywords area unit won’t indicate users’ preferences, and a user-based cooperative Filtering algorithm is adopted to get applicable recommendations.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

In here summarizes the various aspects of RS, problems /challenges. It also discusses certain issues specific to context-aware systems and the long tail problem of RS.

In Chiranjeevi, Their system provides a personalized service recommendation list to the users and recommends the most useful services to the users which will increase the accuracy and efficiency in searching better services.

In authors explore the different characteristics and potentials of different prediction techniques in recommendation systems in order to serve as a compass for research and practice in the field of recommendation systems.

In the system can recommend interesting document files to users by collaborative filtering. In the system, they employ nearby similarity between customers and worldwide similarity between businesses. Using this system, users can discover important knowledge and reuse knowledge effectively.

In author proposes text indexing system based on an assignment of an appropriate weighted single term which produces superior retrieval result as evidence accumulated over the past 20 years. This result depends crucially on the choice of effective term weighted system.

In author proposes weighted least-square method is applied to attain the weights. This approach has the advantage that it includes the solution of a set of simultaneous linear algebraic equations and is thus conceptually simpler to understand than the eigenvector approach.

III. RELATED WORK

In the year 2004, Jonathan L. Herlocker within the paper "evaluating collaborative filtering recommender systems" review the key choices in evaluating collaborative filtering recommender systems: the user duties being evaluated, the varieties of analysis and datasets getting used, the approaches in which prediction quality is measured, the evaluation of prediction attributes other than quality, and the user-based evaluation of the system as a whole.

In this paper, the author proposes a hybrid recommendation model to address the cold start problem, which explores the item content features learned from a deep getting to know neural network and applies them to the time SVD++ CF version. Extensive experiments are run on a massive Netflix rating dataset for films. Experiment results show that the proposed hybrid recommendation model offers a good prediction for cold start items, and performs higher than four existing recommendation models for the rating of non-cold start items.

In the year 2002, Robin Burke in the paper "Hybrid Recommender systems: Survey and Experiments" author describes the style of techniques had been proposed for appearing recommendation, including content-based, collaborative, knowledge-based and other techniques and to improve overall performance these methods have sometimes been combined in hybrid recommenders. This paper surveys the landscape of real and possible hybrid recommenders and introduces a unique hybrid, Entrée C, a system that combines knowledge-based recommendation and collaborative filtering to recommend restaurants.

In the year 2015 enhancing the stability of "Recommender systems: A Meta-Algorithmic approach" This paper focuses on the measure of recommendation balance, which displays the consistency of recommender system predictions. Stability is a desired asset of recommendation algorithms and has important implications on users' consider and acceptance of recommendations. Prior studies have suggested that a few popular recommendation algorithms can suffer from an excessive degree of instability.

In "Content-Based Recommendation System Using TrueSkill" authors present a probabilistic approach based on TrueSkill for Content-Based Recommendation Systems. On one hand, this proposal allows us to tackle the "cold start" problem because it relies on a content-based approach. In addition, it is highly scalable because user preferences get richer as items get ranked.

In "knowledge-based system hints causes, Arguments, and in shape" Paper, they look at how the healthy among KBS motives and customers' internal elements affects the popularity of system recommendations. To explain the explanations, they rely on Toulmin's argument classifications. They leverage cognitive fit theory as the theoretical explanation as to why fit is important for user acceptance of the system's evaluation. They describe a two-phased research method wherein they first develop the arguments, examine their relative strength, and validate their fit with key argument types. This is followed with the aid of an outline of a test wherein they examine the processing of motives provided by KBS, focusing on explanations in a credibility assessment task.

IV. PROPOSED WORK

FOLLOWING FIG. 4.1 SHOWS PROPOSED ARCHITECTURE FOR WEIGHTED HYBRID RECOMMENDATION SYSTEM.

The existing recommendation methods use preference about the user to generating a recommendation. In these systems, the prediction of the rating of an item for a user depends upon the ratings of the same item rated by similar users. Algorithms that will be used are as follows:

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

The preferences of active users and previous users are formalized into their corresponding preference keyword sets respectively. An active user refers to a current user needs a recommendation.

As mentioned in fig.1 the system which works on following filtering methods will produce more accurate recommendations to the users.




Fig. 1 Block diagram of weighted hybrid Recommended System Architecture.

A. Recommender System

Recommender systems usually manufacture a listing of recommendations in one amongst 2 ways that - through collaborative or content-based filtering. Collaborative filtering approaches building a model from a user's past behaviour things antecedent purchased or elite and/or numerical ratings given to those things also as similar choices created by alternative users. This model is then accustomed predict things or ratings for things that the user might have AN interest in.

B. Content Based Filtering

Content-based filtering methods are based totally on an outline of the object and a profile of the user's preference. In a content-based recommender device, keywords are used to explain the items and a user profile is built to indicate the type of object this user likes. In different phrases, these algorithms attempt to recommend items that are much like those that a user liked within the past (or is inspecting in the present). Especially, various candidate items are compared with objects formerly rated by way of the consumer and the first-class-matching items are recommended. This method has its roots in information retrieval and information filtering research.

C. Knowledge based Filtering

Knowledge-based recommender systems (know-how primarily based recommenders) are a selected form of a recommender system that is based on specific knowledge about the object collection, user preferences, and recommendation criteria (i.e., which object have to be advocated in which context?). These systems are implemented in situations where alternative tactics inclusive of Collaborative filtering and content-based filtering cannot be applied. The main energy of knowledge-based recommender systems is the non-life of cold-start (ramp-up) problems. A corresponding downside is potential expertise acquisition bottlenecks brought about by the need of defining recommendation knowledge in an explicit fashion.

V. CONCLUSION

The recommender system has to work parallelly to offer the recommendation to the user and to assist one of a kind interfaces. Because of the dynamic nature of the recommender system, the data must be allotted. Large data excels in dealing with unstructured, raw and complicated information with big programming flexibility. A tremendous quantity of latest research has been dedicated to the exploration of various recommendations system. This study analyses the use of big data in recommendation systems qualitatively.

VI. ACKNOWLEDGEMENT

We might want to thank the researchers and in addition publishers for making their assets accessible and instructors for their

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

direction. We are grateful to the powers of the contributors for developing and maintaining such type of material and concern individuals for their consistent rules and support. We are likewise appreciative to the analyst for their important recommendations furthermore, thank the school powers for giving the needed foundation and help.

REFERENCES

- [1] J. Manyika et al., "Big Data: The Next Frontier for Innovation, Competition, and Productivity," 2011.
- [2] Raghavendra Kune, Pramod Kumar Konugurthi, Arun Agarwal, Raghavendra Rao Chillarige, and Rajkumar Buyya "The Anatomy of Big Data Computing"
- [3] F. Chang, J. Dean, S. Ghemawat, and W.C. Hsieh, "Bigtable: A Distributed Storage System for Structured Data," ACM Trans. Computer Systems, vol. 26, no. 2, article 4, 2008.
- [4] W. Dou, X. Zhang, J. Liu, and J. Chen, "HireSome-II: Towards Privacy-Aware Cross-Cloud Service Composition for Big Data Applications," IEEE Trans. Parallel and Distributed Systems, 2013.
- [5] Akshita, Smita "Recommender System: Review" International Journal of Computer Applications (0975 – 8887) Volume 71– No.24, June 2013 38
- [6] Shanshan Cao "A Hybrid Collaborative Filtering Recommendation Algorithm for Web-based Learning Systems" 2015 International Conference on Behavioral, Economic, and Socio-Cultural Computing (BESC 2015).
- [7] Khushboo R. Shrote, Prof. A.V.Deorankar "Review Based Service Recommendation for Big Data" International Conference on Advances in Electrical, Electronics, Information, Communication and Bio-Informatics (AEEICB16)
- [8] Soanpet .Sree Lakshmi et al, / (IJCSIT) "Recommendation Systems: Issues and challenges" International Journal of Computer Science and Information Technologies, Vol. 5 (4), 2014, 5771-5772
- [9] G. Linden, B. Smith, and J. York, "Amazon.com Recommendations: Item-to-Item Collaborative Filtering," IEEE Internet Computing, vol. 7, no. 1, pp. 76-80, Jan. 2003.
- [10] M. Bjelica, "Towards TV Recommender System Experiments with User Modeling," IEEE Trans. Consumer Electronics, vol. 56, no. 3, pp. 1763-1769, Aug. 2010.
- [11] M. Alduan, F. Alvarez, J. Menendez, and O. Baez, "Recommender System for Sport Videos Based on User Audiovisual Consumption," IEEE Trans. Multimedia, vol. 14, no. 6, pp. 1546-1557, Dec. 2012.
- [12] G.Adomavicius and A.Tuzhilin, "Toward the Next Generation of Recommender Systems: A Survey of the State -of-the Art and Possible Extensions"IEEE Trans. Knowledge and Data Eng., vol.17, no.6, pp.734-749, June 2005.
- [13] Khushboo R. Shrote, Prof A.V.Deorankar "A Survey on Sentiment Analysis Based Keyword Aware Service Recommendation for Big Data" International Journal of Innovative Research in Computer and Communication Engineering (An ISO 3297: 2007 Certified Organization) Vol. 3, Issue 10, October 2015.
- [14] Iman Barjasteh, Rana Forsati, Dennis Ross, Abdol-Hossein Esfahanian, Hayder Radha, Fellow, and IEEE "Cold-Start Recommendation with Provable Guarantees: A Decoupled Approach"
- [15] Sitalakshmi Venkatraman, Senior Member, IACSIT and Sadhana J. Kamatkar "Intelligent Information Retrieval and Recommender System Framework" International Journal of Future Computer and Communication, Vol. 2, No. 2, April 2013.
- [16] Mr.Nilesh Sherla1, Prof.Kiran Joshi2, Prof. Sowmiya Raksha3 Department of Computer Engineering, Veermata Jijababi Technological Institute, Mumbai, India1,2,3 "Recommendation System using Keyword Base Approach" International Advanced Research Journal in Science, Engineering and Technology Vol. 2, Issue 3, March 2015 Copyright to IARJSET DOI 10.17148/IARJSET.2015.2314 59
- [17] Dept. of CA, Vasavi College of Engineering, Hyderabad-31, India Dr.T.Adi Lakshmi, Dept. Of CSE, Vasavi College of Engineering, Hyderabad-31, India "Recommendation Systems: Issues and challenges" Soanpet .Sree Lakshmi et al, / (IJCSIT) International Journal of Computer Science and Information Technologies, Vol. 5 (4) , 2014, 5771-5772 Soanpet .Sree Lakshmi.
- [18] T.N. Chiranjeevi and R.H. Vishwanath21 Department of Computer Science and Engineering, Sambhram Institute of Technology, India "PRS: PERSONNEL RECOMMENDATION SYSTEM FOR HUGE DATA ANALYSIS USING PORTER STEMMER" ISSN: 2229-6956 (Online) ICTACT Journal on Soft Computing, April 2016, Volume: 06, Issue: 03 1235
- [19] F.O. Isinkaye a,*, Y.O. Folajimi b, B.A. Ojokoh c "Recommendation systems: Principles, methods and evaluation"
- [20] Profiles Akihito NAKAGAWA and Takayuki ITO "An Implementation of a Knowledge Recommendation System based on Similarity among Users"
- [21] G. Salton, "Automatic Text Processing". Addison-Wesley, 1989.
- [22] A. Chu, R. Kalaba, and K. Spingarn, "A Comparison of two Methods for Determining the Weights of Belonging to Fuzzy Sets," Optimization Theory and Applications, Springer vol. 27, no. 4, pp. 531-538,1979.
- [23] Jonathan L. Herlocker, Joseph A. Konstan, Loren G. Terveen and John T. Riedl, "Evaluating collaborative filtering recommender systems", in Journal ACM Transactions on Information Systems, volume 22 Issue 1, January 2004.
- [24] Jian Wei, Jianhua He, Kai Chen□, Yi Zhou, Zuoyin Tang "Big Data Intelligence and Computing and Cyber Science and Technology Congress Collaborative Filtering and Deep Learning Based Hybrid Recommendation For Cold Start Problem" 2016 IEEE 14th Intl Conf on Dependable, Autonomic and Secure Computing, 14th Intl Conf on Pervasive Intelligence and Computing, 2nd Intl Conf.
- [25] Robin Burke, "Hybrid Recommender Systems: Survey and Experiments", User Modeling and User-Adapted Interaction, November 2002, Volume 12, Issue 4, pp 331-370
- [26] Gediminas Adomavicius, Member, IEEE, and Jingjing Zhang "Improving Stability of Recommender Systems: A Meta-Algorithmic Approach" IEEE Transactions on Knowledge and Data Engineering, Vol. 27, No. 6, June 2015
- [27] Laura Cruz Quispe , José Eduardo Ochoa Luna "A Content-Based Recommendation System Using TrueSkill" Artificial Intelligence (MICAI), 2015 Fourteenth Mexican International Conference on
- [28] Justin Scott Giboney Susan A Brown Jay F. Nunamaker Jr. "User Acceptance of Knowledge-Based System Recommendations Explanations, Arguments, and Fit" 2012 45th Hawaii International Conference on System Sciences



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)