



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5 Issue: VIII Month of publication: August 2017 DOI: http://doi.org/10.22214/ijraset.2017.8079

www.ijraset.com

Call: 🛇 08813907089 🕴 E-mail ID: ijraset@gmail.com



# Parameters Analysis for Pericular Recognition in Unconstraint Biometrics

Mr. Shiv Kumar<sup>1</sup>, Dr. Arvind Kumar Sharma<sup>2</sup>

<sup>1</sup>Research Scholar, <sup>2</sup>Associate Professor Dept. of Computer Science, OPJS University, Rajasthan

Abstract: According to information researchers there will be 200 Trillion Petabites of information up to 2020, which is exceptionally enormous. So security of this information is additionally compulsory. There are a few approaches to keep the information secure however the security in view of biometric is exceptionally famous and secure. As we as a whole realize that the nature gives us a few unmistakable elements. By utilizing these components researchers found security framework which is known as biometric security framework. Biometric security framework is secure and safe security nowadays. There are huge strategies to actualize security. In this paper we will discuss execution of unconstrained biometric security of pericular acknowledgment. Unconstrained means the security framework will work in non helpful condition. There are gigantic unconstrained condition and we will discover the resultant of pericular acknowledgment in posture shrewd way i.e. to acknowledgment periculars i.e. Eye Corners, when a man in at around 30 level of stance point from Left Side and Right Side. Keywords: Biometrics, Eye Corners, HOG, LBP, PCA

## I. INTRODUCTION

Biometrics has been broadly examined and connected adequately in a few applications like some of them are confirmation in profoundly limited range, participation record in office premises, citizenship ID and check, measurable and security. It exist in a few modalities (qualities, for example, confront, iris, unique mark, walk keeping in mind the end goal to give the adaptability to pick one or consolidate more than one modalities for acknowledgment according to the accessibility and plausibility related with targets of use. Because of simple accessibility and reasonable cost of equipment and gadgets, biometrics has been a favoured decision even in individual gadgets like PC, PDA and cell phones over a secret word based validation. Being arranged in two general classifications in light of the circumstances to be utilized as a part of: controlled condition and unconstrained or non-helpful circumstances, biometrics has been progressing towards the later class since last scarcely any years because of a few advantages.

The fundamental obstacles in unconstrained biometrics are decrease in measure of information and consequently data in caught picture non-consistency over the diverse catches of pictures as far as stance. Assessment of acknowledgment calculations in unconstrained condition needs wide decent variety inserted over the specimen pictures from data set as far as stance. In the wake of recognizing the need of database which can copy the unconstrained condition for iris ID, we have considered arrangement of iris pictures caught from different subjects with shifting posture.



Fig 1: Sample Face Images showing variation in pose from UBIPr Dataset

In this paper, we have displayed parameter investigation and enhancement of perioculars data set utilizing different example acknowledgment procedures to test their viability in unconstrained condition. The primary objective of this exploration work to examine the utilization of periculars biometrics in unconstrained circumstance to accomplish non-helpful biometrics.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

## II. RELATED WORK

John Daugman, implemented a working automated iris recognition system. The Daugman system is patented and the rights are now owned by the company Iridian Technologies. Even though the Daugman system is the most successful and most well known, many other systems have been developed. The most notable include the systems of Wildes et al., Boles and Boashash, Lim et al., and Noh et all. The algorithms by Lim et al. are used in the iris recognition system developed by the Evermedia and Senex companies. Also, the Noh et al. algorithm is used in the 'IRIS2000' system, sold by IriTech. These are, apart from the Daugman system, the only other known commercial implementations. The Daugman system has been tested under numerous studies, all reporting a zero failure rate. The Daugman system is claimed to be able to perfectly identify an individual, given millions of possibilities. The prototype system by Wildes et al. also reports flawless performance with 520 iris images, and the Lim et al. system attains a recognition rate of 98.4% with a database of around 6,000 eye images.

Compared with other biometric technologies, such as face, speech and finger recognition, iris recognition can easily be considered as the most reliable form of biometric technology. However, there have been no independent trials of the technology, and source code for systems is not available. Also, there is a lack of publicly available datasets for testing and research, and the test results published have usually been produced using carefully imaged irises under favourable conditions

As per SV Sheela and P A Vijya The physiological characteristics are relatively unique to an individual. An approach to reliable visual recognition of persons is achieved by iris patterns. The other approaches are based on discrete cosine transforms, corner detection and parametric template methods.

Another paper of Arunalatha J S, Rangaswamy Y et all Iris Recognition using Fusion of Dual Tree Complex Wavelet Transform (DTCWT) and Over Lapping Local Binary Pattern (OLBP) Features. An eye was pre-processed to extract the iris part and obtain the Region of Interest (ROI) area from an iris. The complex wavelet features are extracted for region from the Iris DTCWT. OLBP was further applied on ROI to generate features of magnitude coefficients. The resultant features were generated by fusing DTCWT and OLBP using arithmetic addition. The Euclidean Distance (ED) was used to compare test iris with database iris features to identify a person. It was observed that the values of Total Success Rate (TSR) and Equal Error Rate (EER) were better in the case of proposed IRDO compared to the state-of-the art techniques. They proposed IRDO algorithm for comparison

As per paper of Kiran B. Raja R. Raghavendra et all a system was tested using uni-modal and multi-modal approach. An extensive set of experiments were conducted by employing the data acquired from 78 subjects. The obtained EER of 0.68% with dynamic weighted fusion provides the experimental evidence for the applicability of the proposed recognition system on smart phones.

#### III. EXPERMENTAL DISCUSSION AND RESULT

To assess the execution of different example descriptors for unconstrained periculars acknowledgment, a few tests were performed with informational index. The worldwide descriptor as PCA elements and HOG, LBP for nearby element extractor was chosen in this work. In this test Eye Corners are taken as center point and attempt to remember it for comes about. Distinctive postures astute information like from Left side From Right Side and from Center is taken as informational collection and concentrate periculras part from it. Every one of the pictures is under non helpful condition.

In experiment when HOG and LBP Algorithms were implement on periculars informational collection and contrast the improvement and base of PCA. As a matter of first importance the correlation was forced on front stance. Concentrate Left Eye and apply calculations on it. At that point same was forced on Right eye. To accomplish compelling outcomes, irises of the two eyes were taken all the while and contrast after effects of HOG and LBP and PCA. From above action following outcomes were delivered:

Eye Corners of	HOG	LBP	PCA
Right Eye	93.548	83.87	84.731
Left Eye	91.182	87.096	83.010
Both Eyes	95.053	90.107	89.032

Table1: Results of Front Pose for Eye Corners Recognition



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

Consequence of test demonstrates that by forcing HOG Algorithm on Eye Corners Recognition, The investigation deliver better precision from front posture as it were. In the event that this Algorithm prevails to convey comes about then by HOG Technique one can perceive Eye Corners in unconstrained condition, which is fundamental target of this examination.



Fig 2: Results of Front Pose for Eye Corners Recognition

Thus same systems took after on Left Pose. The tests create following outcomes:

Evo Company of	UOC	IDD	DCA
Lye Corners of	100	LDI	ICA
Right Eye	66.666	60.860	56.559
0.			
Left Eve	58 064	53 548	64 086
Left Lye	50.001	55.510	01.000
Doth Evon	72 5 4 9	60.017	60.247
Dom Eyes	75.548	08.817	09.247

Table2: Results of Left Pose for Eye Corners Recognition



Fig3: Results of Left Pose for Eye Corners Recognition



C* 11		· 1 C	D' 1 / D	. 1.1	· · · · ·	
Hinally	i came custeme	took atter or	1 RIGht POCE	too and the test	s create tollowing	outcomee
i inan y	same systems	took and of	I MEnt I USC	too and the test.	s create rono wing	outcomes.
5	2		0		0	

Eye Corners of	HOG	LBP	PCA
Right Eye	61.935	56.774	37.634
Left Eye	62.150	64.086	28.817
Both Eyes	77.849	69.462	47.957

Table3: Results of Right Pose for Eye Corners Recognition



Fig 4: Results of Right Pose for Eye Corners Recognition

Final consequences of Pericular Recognition with every one of the three methods are:

			Left Pose	Right Pose
Techniques	Eye	Front Pose	@ 30 Degree	@ 30 Degree
			Aprox.	Aprox.
	Right	93.548	66.666	61.935
HOG	Left	91.182	58.064	62.150
	Both	95.053	73.548	77.849
LBP	Right	83.871	60.860	56.774
	Left	87.096	53.548	64.086
	Both	90.107	68.817	69.462
PCA	Right	84.731	56.559	37.634
	Left	83.010	64.086	28.817
	Both	89.032	69.247	47.957

Table 4: Pose Wise Recognition Accuracy in percentage for Eye Corners using LBP, HOG and PCA Techniques



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

By discovering normal of each of the three stances in every one of the three systems, the outcomes demonstrate that the HOG Technique is far much superior to other two methods in Unconstrained Pericular Recognition.

Footuro	Number	For	For	For
Descriptor	of	Left	Right	Both
	Classes	Eye	Eye	Eyes
HOG	93	70.46	74.05	82.15
LBP	93	68.24	67.16	76.12
PCA	93	58.63	59.64	68.75

Table 4: Recognition Accuracy in percentage for LBP, HOG and PCA with periocular region i.e. horizontal difference in pixels between two Eye Corners



Fig 5: Recognition Accuracy in percentage for LBP, HOG and PCA with periocular region i.e. horizontal difference in pixels between two Eye Corners

#### IV. CONCLUSION AND FUTURE WORK

In this paper, we have displayed parameter investigation of Eye Center i.e. Pericular Recognition from informational index utilizing different example acknowledgment procedures to test their adequacy in unconstrained condition. The primary objective of this exploration work to examine the utilization of Pericular biometrics in unconstrained circumstance to accomplish non-helpful biometrics. We have enhanced the parameters for various component procedures like HOG, LBP and PCA portrayals. It has been additionally watch that new procedure of deciding the reference point for trimming the periocular test has given unrivaled execution that with iris focus. Facilitate this method can be utilized to choose and perceive periocular district particularly if there should be an occurrence of unconstrained biometrics, where posture, look varieties will undoubtedly happen.

#### REFERENCES

- [1] J. Lyle, P. Miller, S. Pundlik, and D. Woodard. Soft biometric classification using periocular region features. In Biometrics: Theory Applications and Systems (BTAS), 2010 Fourth IEEE International Conference on, pages 1–7, sept. 2010.
- [2] E. Murphy-Chutorian and M. Trivedi. Head pose estimation in computer vision: A survey. Pattern Analysis and Machine Intelligence, IEEE Transactions on, 31(4):607–626, april 2009
- [3] U. Park, R. Jillela, A. Ross, and A. Jain. Periocular biometrics in the visible spectrum. Information Forensics and Security, IEEE Transactions on, 6(1):96–106, march 2011.
- [4] U. Park, A. Ross, and A. Jain. Periocular biometrics in thevisible spectrum: A feasibility study. In Biometrics: Theory, Applications, and Systems, 2009. BTAS '09. IEEE 3rd International Conference on, pages 1–6, sept. 2009.
- [5] L. Simpson, G. Dozier, J. Adams, D. Woodard, P. Miller, K. Bryant, and G. Glenn. Genetic amp; evolutionary type ii feature extraction for periocular-based biometric recognition. In Evolutionary Computation (CEC), 2010 IEEE Congress on, pages 1–4, july 2010.
- [6] D. Woodard, S. Pundlik, P. Miller, R. Jillela, and A. Ross. On the fusion of periocular and iris biometrics in non-ideal imagery. In Pattern Recognition (ICPR), 2010 20th International Conference on, pages 201 –204, aug. 2010.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor:6.887 Volume 5 Issue VIII, August 2017- Available at www.ijraset.com

- [7] Chandrashekhar Padole, Hugo Proença; Periocular Recognition: Analysis of Performance Degradation Factors, Proceedings of the Fifth IAPR/IEEE International Conference on Biometrics ICB 2012, New Delhi, India, in March 30-April 1, 2012.
- [8] M. Savvides, K. R. Jr., D. L. Woodard, and G. Dozier. Unconstrained biometric identification: Emerging technologies. Computer, 43:56–62, 2010.
- [9] L. Hu, W. Liu, B. Li, and W. Xing. Robust motion detection using histogram of oriented gradients for illumination variations. In Industrial Mechatronics and Automation (ICIMA), 2010 2nd International Conference on, volume 2, pages 443–447, May 2010.
- [10] T. Ojala, M. Pietikinen, and D. Harwood. A comparative study of texture measures with classification based on featured distributions. Pattern Recognition, 29(1):51-59, 1996.
- [11] [11] M. Turk and A. Pentland, "Face Recognition Using Eigenfaces," Proc. IEEE Conf. on Computer Vision and Pattern Recognition, 1991, pp. 586-591











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)