



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET7376, entitled
Design and Analysis of Composite Truss Structure for Space Borne
Payloads*

by

Shubham V. Rupani

after review is found suitable and has been published in

Volume 5, Issue VII, July 2017

in

*International Journal for Research in Applied Science &
Engineering Technology*

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISRA Journal Impact
Factor : 4.895



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



TOGETHER WE REACH THE GOAL
IMPACT FACTOR : 6.887



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET7376, entitled
Design and Analysis of Composite Truss Structure for Space Borne
Payloads*

by

Shivang S. Jani

after review is found suitable and has been published in

Volume 5, Issue VII, July 2017

in

*International Journal for Research in Applied Science &
Engineering Technology*

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISRA Journal Impact
Factor : 4.895



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



TOGETHER WE REACH THE GOAL
IMPACT FACTOR : 6.887



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET7376, entitled
Design and Analysis of Composite Truss Structure for Space Borne
Payloads
by
Rahul Dev*

*after review is found suitable and has been published in
Volume 5, Issue VII, July 2017
in*

*International Journal for Research in Applied Science &
Engineering Technology*

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISRA Journal Impact
Factor : 4.895



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



TOGETHER WE REACH THE GOAL
IMPACT FACTOR : 6.887



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET7376, entitled
Design and Analysis of Composite Truss Structure for Space Borne
Payloads*

by

Dr. G.D. Acharya

after review is found suitable and has been published in

Volume 5, Issue VII, July 2017

in

*International Journal for Research in Applied Science &
Engineering Technology*

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISRA Journal Impact
Factor : 4.895



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



TOGETHER WE REACH THE GOAL
IMPACT FACTOR : 6.887



ISSN No. : 2321-9653

IJRASET

**International Journal for Research in Applied
Science & Engineering Technology**

IJRASET is indexed with Crossref for DOI-DOI : 10.22214

Website : www.ijraset.com, E-mail : ijraset@gmail.com

Certificate

*It is here by certified that the paper ID : IJRASET7376, entitled
Design and Analysis of Composite Truss Structure for Space Borne
Payloads
by
Neeraj Mathur*

*after review is found suitable and has been published in
Volume 5, Issue VII, July 2017
in*

*International Journal for Research in Applied Science &
Engineering Technology*

Good luck for your future endeavors

By [Signature]

Editor in Chief, IJRASET



ISRA Journal Impact
Factor : 4.895



45.98
INDEX COPERNICUS



THOMSON REUTERS
Researcher ID: N-9681-2016



TOGETHER WE REACH THE GOAL
IMPACT FACTOR : 6.887