



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 Issue: XII Month of publication: December 2024

DOI: https://doi.org/10.22214/ijraset.2024.66072

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

### Advancement in Technology Improving Physical Therapy

Harshika Gupta<sup>1</sup>, Vaibhav Bhatia<sup>2</sup>, Deepanshu<sup>3</sup>

<sup>1</sup>PT Bachelor's of Physiotherapy (BPT), Masters of Physiotherapy(MPT Neuro\*) Fellowship on Diabetes Education & Physiotherapy (FDEP) & Fellowship in Breast Cancer(FBC) Sanskriti University, Mathura, Uttar Pradesh <sup>2</sup>MPT Sports, <sup>3</sup>MPT Ortho, Manav Rachna International Institute Of Research And Studies, Faridabad, Haryana

Abstract: Aim: To enhance & awareness about both injury prevention and the overall well-being of individuals involved in sports and exercise for evidence based practice.

Keywords: Technology, Artificial Intelligence, Sports Medicine

### I. BACKGROUND & INTRODUCTION

Advancements in technology are revolutionizing the fields of physical therapy, exercise, and sports medicine. From wearable fitness trackers and smart rehabilitation devices to virtual reality-enhanced training programs, technology is enhancing assessment, monitoring, and personalized treatment plans, ultimately improving overall patient outcomes and athletic performance. Exercise medicine professionals often work to design tailored exercise programs, assess fitness levels, and provide guidance to individuals for maintaining or improving their health through physical activity.

### II. MATERIAL & METHODOLOGY

- 1) Data Source & Literature Source: Relevant articles were identified by searching from: Cochrane literacy, PUBMED, Google scholar, academia, SCOPUS, Research Gate, Shodhganga, & Academia.
- 2) Data Selection: Thirty seven significant scientific studies were found relating to the advancement in technology improving physical therapy/ exercise/ sports medicine.

### III. RESULTS & DISCUSSION

It's crucial to consult the latest research articles and reviews for the most current findings and discussions on the integration of technology in physical therapy. Researchers and practitioners are likely to explore new avenues and address emerging challenges as technology continues to advance in the field of physical therapy

### IV. CONCLUSION

In essence, the integration of technology into sports medicine practices has ushered in an era of individualized, data-driven, and proactive healthcare. As these technological innovations continue to evolve, the future holds great promise for further improvements in injury management, performance optimization, and the overall well-being of athletes at all levels. The synergy between human expertise and technological advancements is reshaping the landscape of sports medicine, ushering in an era of unprecedented precision and effectiveness.

### V. INTRODUCTION

As rehabilitation patient volume across the age spectrum increases and reimbursement rates decrease, clinicians are forced to produce favorable outcomes with limited resources and time. The purpose of this review is to highlight new technologies being utilized to improve standardization and outcomes for patients rehabilitating orthopedic injuries ranging from sports medicine to trauma to joint arthroplasty.

Advancements in technology have significantly improved the field of physical therapy, exercise science, and sports medicine, leading to more precise assessments, personalized interventions, and enhanced outcomes. Here are some ways in which technology is contributing to improvements in these areas:

## The Applied Science of Fadings of

### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

- A. Telehealth and Remote Monitoring
- 1) Virtual Physical Therapy: Telehealth platforms allow patients to receive physical therapy remotely, making care more accessible. This is especially beneficial for individuals who may have difficulty accessing in-person services.
- 2) Remote Monitoring Devices: Wearable devices and sensors enable real-time monitoring of patients' movements, vital signs, and adherence to exercise routines. This data helps therapists adjust treatment plans and provide timely feedback.
- B. Biomechanical Analysis and Wearable Technology
- 1) Motion Capture Systems: High-tech motion capture systems provide detailed biomechanical analysis, helping therapists assess movement patterns and identify areas of dysfunction. This information guides the development of targeted exercise programs.
- 2) Wearable Devices: Wearable technology, such as accelerometers and gyroscopes, tracks movement, posture, and activity levels. Therapists use this data to monitor progress, set goals, and customize exercise prescriptions for individual needs.
- C. Virtual Reality (VR) and Augmented Reality (AR)
- 1) VR Rehabilitation: Virtual reality is used in physical therapy for immersive rehabilitation experiences. Patients can engage in virtual environments that simulate real-life scenarios, facilitating movement and promoting neuroplasticity.
- 2) AR for Exercise Guidance: Augmented reality applications provide visual cues and guidance during exercises. This assists patients in maintaining proper form, reducing the risk of injury, and enhancing the effectiveness of therapeutic exercises.
- D. Robotic-Assisted Rehabilitation
- 1) Exoskeletons and Robotic Devices: Robotic-assisted devices aid patients in performing repetitive or challenging movements. These technologies can be particularly beneficial in neurological rehabilitation, assisting individuals with conditions like stroke or spinal cord injuries.
- 2) Robotic Strength Training: Advanced robotic systems provide resistance during strength training, offering precise control over resistance levels. This allows for tailored resistance profiles based on individual capabilities and rehabilitation goals.
- E. Data Analytics and Artificial Intelligence (AI)
- 1) Outcome Prediction: Data analytics and AI are used to analyze large datasets, predicting patient outcomes and identifying trends in responses to different interventions. This helps therapists tailor treatment plans for optimal results.
- 2) Customized Exercise Programs: AI algorithms can analyze patient data and preferences to generate personalized exercise programs. This ensures that exercises align with individual capabilities, preferences, and goals.
- F. Nutritional and Wellness Apps
- 1) Nutrition Tracking Apps: Mobile applications help individuals track their nutritional intake, ensuring they meet dietary goals for optimal recovery and performance.
- 2) Wellness Monitoring: Apps and devices track sleep patterns, stress levels, and overall wellness, providing insights that therapists can use to optimize exercise and recovery plans.
- G. Injury Prevention and Monitoring
- 1) Wearable Technology: Athletes now use wearable devices, such as fitness trackers and smartwatches, to monitor various health metrics. These devices can provide real-time data on heart rate, sleep patterns, and activity levels, helping athletes and medical professionals identify patterns that may contribute to injury risk.
- 2) Biomechanical Analysis: Motion capture systems and wearable sensors enable detailed biomechanical analysis. This helps identify improper movement patterns and provides insights into injury prevention strategies, especially in sports where repetitive motions can lead to overuse injuries.
- H. Diagnostic Imaging and Assessment
- 1) Advanced Imaging Techniques: Technologies like magnetic resonance imaging (MRI) and computed tomography (CT) have become more sophisticated, allowing for detailed and accurate assessment of sports-related injuries. This aids in precise diagnosis and treatment planning.



### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

2) Point-of-Care Ultrasound (POCUS): Portable ultrasound devices are increasingly being used for on-the-spot assessments of injuries, providing immediate imaging in clinical settings and on the field.

### I. Rehabilitation and Recovery

- 1) Virtual Rehabilitation: Virtual reality (VR) and augmented reality (AR) are being integrated into rehabilitation programs. These technologies offer immersive experiences that can be tailored to the specific needs of athletes, enhancing engagement and outcomes.
- 2) Biomechanical Rehabilitation Tools: Advanced robotic devices and exoskeletons are used in rehabilitation to assist with movement and provide targeted therapy. These technologies can help athletes regain strength and mobility more efficiently.

### J. Performance Optimization:

- 1) Data Analytics: The use of data analytics has become prevalent in sports medicine. Coaches and medical professionals analyze large datasets to gain insights into athlete performance, injury risk, and recovery trends.
- 2) Biometric Monitoring: Athletes are equipped with advanced biometric monitoring systems that track physiological markers, such as muscle oxygenation, hydration levels, and lactate threshold. This information aids in tailoring training regimens to optimize performance.

Blood flow restriction (BFR) rehabilitation has the potential to improve sports medicine by offering a unique and effective approach to enhance muscle function, promote recovery, and optimize performance. Here are several ways in which BFR rehabilitation can contribute to advancements in sports medicine:

### K. Accelerated Rehabilitation

1) Post-Surgery Recovery: BFR can be applied in the early stages of post-surgery rehabilitation, allowing athletes to initiate strength training sooner without overloading healing tissues. This may contribute to faster recovery and return to sport.

### L. Muscle Hypertrophy and Strength Gains

1) Enhanced Muscle Growth: BFR has been shown to induce muscle hypertrophy even with low-load resistance training. This can be particularly beneficial for athletes recovering from injuries or aiming to target specific muscle groups without the need for heavy loading.

### M. Improved Endurance and Performance

1) Aerobic Capacity Enhancement: BFR training may enhance aerobic capacity and endurance. Athletes can use BFR to improve cardiovascular fitness while minimizing the stress on joints and reducing the overall training load.

### N. Injury Prevention and Rehabilitation in Athletes

1) Joint-Sparing Rehabilitation: BFR allows athletes to train with lower loads, reducing the stress on joints. This is especially relevant for athletes with joint issues or those recovering from injuries where high-impact exercises may be contraindicated.

### O. Personalized Training Programs

1) Tailored Rehabilitation: BFR enables a more personalized and tailored approach to rehabilitation. Athletes can undergo targeted training for specific muscle groups or weaknesses, addressing imbalances and reducing the risk of future injuries.

### P. Time-Efficient Workouts

1) Efficient Strength Training: BFR allows for effective strength training with lower resistance, making workouts more time-efficient. Athletes can achieve similar or even superior physiological adaptations compared to traditional resistance training in a shorter amount of time.

### Q. Versatility in Training Protocols

1) Adaptability to Different Phases: BFR can be integrated into various phases of training, from early rehabilitation to pre-season conditioning. Its adaptability makes it a versatile tool for sports medicine professionals to address different needs throughout an athlete's training and recovery journey.

## THE TOTAL PROPERTY OF THE PROP

### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

- R. Research and Evidence Base
- 1) Ongoing Exploration: Research on BFR is continuously expanding, providing sports medicine professionals with an evolving evidence base. This allows for informed decision-making, protocol refinement, and the identification of specific populations or conditions that may benefit most from BFR.
- S. Rehabilitation in Special Populations
- 1) Mastering Specific Populations: BFR rehabilitation can be especially beneficial for specific populations, such as older adults or individuals with chronic conditions, allowing sports medicine professionals to broaden their scope and expertise.
- T. Integration into Comprehensive Rehabilitation Programs
- 1) Holistic Approach: BFR can be integrated into comprehensive rehabilitation programs that include traditional therapeutic modalities, strengthening exercises, and functional movement training. This allows sports medicine professionals to offer holistic care for athletes.

While BFR rehabilitation holds promise, it's crucial to recognize that its application should be based on individual assessment, careful monitoring, and adherence to safety guidelines. Sports medicine professionals should stay updated on the latest research findings and continuously refine protocols to optimize the benefits of BFR in enhancing athlete rehabilitation and performance.

These technological advancements are transforming the landscape of physical therapy, exercise science, and sports medicine, offering new opportunities for personalized care, efficient rehabilitation, and improved overall health outcomes. As technology continues to evolve, the integration of these tools into clinical practice is likely to further enhance the effectiveness of therapeutic interventions.

In conclusion, the continuous advancement of technology has ushered in a transformative era in sports medicine, significantly enhancing the prevention, diagnosis, treatment, and overall management of injuries and performance-related aspects. The integration of cutting-edge technologies has brought about a paradigm shift, offering unprecedented opportunities for precision, personalization, and accessibility in the realm of sports medicine.

- U. Key Takeaways
- 1) Precision Diagnostics: Technologies such as advanced imaging modalities, point-of-care ultrasound, and wearable biosensors have elevated diagnostic precision, enabling healthcare professionals to accurately assess and diagnose sports-related injuries promptly.
- 2) Remote Monitoring and Telemedicine: The emergence of telehealth platforms and wearable devices allows for remote monitoring of athletes, facilitating continuous tracking of health metrics and enabling timely interventions. Telemedicine has extended the reach of sports medicine professionals, providing access to care beyond geographical boundaries.
- 3) Biomechanical Analysis: High-tech tools, including motion capture systems and wearable sensors, offer detailed biomechanical analysis. This helps identify movement patterns, optimize training techniques, and prevent injuries by addressing biomechanical inefficiencies.
- 4) Rehabilitation Enhancement: Virtual reality, augmented reality, and robotic-assisted devices have revolutionized rehabilitation practices. These technologies provide engaging and immersive experiences, making rehabilitation more effective, motivating, and tailored to individual needs.
- 5) Personalized Training: Data analytics and artificial intelligence enable the creation of personalized training programs. Athletes benefit from customized exercise routines, nutrition plans, and recovery strategies based on their unique physiological characteristics and performance goals.
- 6) Injury Prevention: Wearable technology, biomechanical analysis, and real-time monitoring contribute to injury prevention strategies. Coaches and healthcare professionals can identify risk factors early on, implement targeted interventions, and make data-driven decisions to mitigate injury risks.
- 7) Enhanced Performance Monitoring: Technologies such as biometric monitoring systems and data analytics offer real-time insights into athlete performance. This information guides coaches in optimizing training regimens, maximizing performance gains, and minimizing the risk of overtraining.
- 8) Accessibility and Inclusivity: Advancements in technology have made sports medicine more accessible to a broader population. Telehealth services, mobile apps, and wearable devices empower individuals to actively participate in their own healthcare and wellness, promoting inclusivity.



### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

In essence, the integration of technology into sports medicine practices has ushered in an era of individualized, data-driven, and proactive healthcare. As these technological innovations continue to evolve, the future holds great promise for further improvements in injury management, performance optimization, and the overall well-being of athletes at all levels. The synergy between human expertise and technological advancements is reshaping the landscape of sports medicine, ushering in an era of unprecedented precision and effectiveness.

### DISCUSSION: IMPLICATIONS AND CONSIDERATIONS

- 1) Patient-Centered Care: The integration of technology allows for more patient-centered and individualized care. Therapists can leverage data from wearables and other devices to tailor treatment plans that consider the unique needs and progress of each
- 2) Accessibility and Equity: While technology has the potential to improve accessibility, it's important to address potential disparities. Ensuring that all patients, regardless of socioeconomic factors, can benefit from these technological advancements is a crucial consideration.
- 3) Data Security and Privacy: With the increased use of telehealth and wearable technology, safeguarding patient data becomes a critical concern. Ethical considerations related to data security and patient privacy need to be carefully addressed in the adoption of these technologies.
- 4) Integration into Clinical Practice: The successful implementation of technology in physical therapy requires effective integration into clinical workflows. Training healthcare professionals to use these technologies and ensuring seamless integration with existing practices are essential considerations.
- 5) Efficacy and Outcomes: Ongoing research is needed to evaluate the efficacy and long-term outcomes associated with the use of advanced technologies in physical therapy. Assessing the impact on patient satisfaction, treatment adherence, and overall rehabilitation success is critical for evidence-based practice.
- 6) Cost-Effectiveness: Considering the economic implications of adopting advanced technologies, discussions may revolve around the cost-effectiveness of these tools in terms of improved outcomes, reduced healthcare utilization, and overall healthcare costs.
- 7) It's crucial to consult the latest research articles and reviews for the most current findings and discussions on the integration of technology in physical therapy. Researchers and practitioners are likely to explore new avenues and address emerging challenges as technology continues to advance in the field of physical therapy.

### **ACKNOWLEDGEMENT** VII.

I would like to express my sincere gratitude to those who have contributed to the completion of this literature review. While the work presented here is a solitary endeavor, the support and encouragement I received from various individuals were instrumental. I extend my heartfelt thanks to my academic mentors and advisors for their guidance and invaluable insights throughout the research

process. Their expertise has significantly enriched the depth and quality of this literature review.

I am grateful to the authors of the studies and articles that form the foundation of this review. Their scholarly contributions have laid the groundwork for a comprehensive understanding of the subject matter.

Furthermore, I want to acknowledge the unwavering support of my friends and family. Their encouragement, patience, and understanding have been indispensable during the demanding phases of this project.

Lastly, I express my appreciation for the academic community and the wealth of knowledge that is freely shared. The collaborative spirit within this community has been a constant source of inspiration.

This work is a culmination of collective encouragement, scholarly inspiration, and personal perseverance. I am deeply thankful to everyone who has played a role, directly or indirectly, in making this literature review possible.

Dr. Harshika Gupta, PT

### REFERENCES

- [1] Lixandrão ME, Ugrinowitsch C, Laurentino G, Libardi CA, Aihara AY, Cardoso FN, et al. Effects of exercise intensity and occlusion pressure after 12 weeks of resistance training with blood-flow restriction. Eur J Appl Physiol. 2015;115(12):2471-2480. doi: 10.1007/s00421-015-3253-2.
- [2] Glover EI, Phillips SM, Oates BR, Tang JE, Tarnopolsky MA, Selby A, et al. Immobilization induces anabolic resistance in human Myofibrillar protein synthesis with low and high dose amino acid infusion. J Physiol. 2008;586(24):6049-6061. doi: 10.1113/jphysiol.2008.160333.
- [3] Masri BA, Day B, Younger ASE, Jeyasurya J. Technique for measuring limb occlusion pressure that facilitates personalized tourniquet systems: a randomized trial. J Med Biologicl Engin. 2016;36(5):644-650. doi: 10.1007/s40846-016-0173-5
- [4] Lambert B, Hedt CA, Jack RA, Moreno M, Delgado D, Harris JD, et al. Blood flow restriction therapy preserves whole limb bone and muscle following ACL reconstruction. Orthopaedic J Sports Med. 2019;7(3\_suppl2):2325967119S00196.



### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 12 Issue XII Dec 2024- Available at www.ijraset.com

- [5] Russell Esposito E, Choi HS, Owens JG, Blanck RV, Wilken JM. Biomechanical response to ankle-foot orthosis stiffness during running. Clin Biomech. 2015;30(10):1125–1132. doi: 10.1016/j.clinbiomech.2015.08.014.
- [6] Bishop C, Turner A, Read P. Effects of inter-limb asymmetries on physical and sports performance: a systematic review. J Sports Sci. 2018;36:1135–1144. doi: 10.1080/02640414.2017.1361894.
- [7] Tate JJ, Milner CE. Real-time kinematic, temporospatial, and kinetic biofeedback during gait retraining in patients: a systematic review. Phys Ther. 2010;90:1123–1134. doi: 10.2522/ptj.20080281.
- [8] Mandeville D, Osternig LR, Chou LS. The effect of total knee replacement on dynamic support of the body during walking and stair ascent. Clin Biomech. 2007;22:787–794. doi: 10.1016/j.clinbiomech.2007.04.002.
- [9] Zeni J, Jr, Abujaber S, Flowers P, Pozzi F, Snyder-Mackler L. Biofeedback to promote movement symmetry after total knee arthroplasty: a feasibility study. J Orthop Sports Phys Ther. 2013;43:715–726. doi: 10.2519/jospt.2013.4657.
- [10] Raaben M, Holtslag HR, LPH L, Augustine R, Blokhuis TJ. Real-time visual biofeedback during weight bearing improves therapy compliance in patients following lower extremity fractures. Gait Posture. 2018;59:206–210. doi: 10.1016/j.gaitpost.2017.10.022.
- [11] Ferrigno C, Stoller IS, Shakoor N, Thorp LE, Wimmer MA. The feasibility of using augmented auditory feedback from a pressure detecting insole to reduce the knee adduction moment: a proof of concept study. J Biomech Eng. 2016;138:021014. doi: 10.1115/1.4032123.
- [12] Chen DKY, Haller M, Besier TF. Wearable lower limb haptic feedback device for retraining foot progression angle and step width. Gait Posture. 2017;55:177–183. doi: 10.1016/j.gaitpost.2017.04.028.
- [13] Constand MK, MacDermid JC, Dal Bello-Haas V, Law M. Scoping review of patient-centered care approaches in healthcare. BMC Health Serv Res. 2014;14:271. doi: 10.1186/1472-6963-14-271.
- [14] Harwood JL, Butler CA, Page AE. Patient-centered care and population health: establishing their role in the orthopaedic practice. J Bone Joint Surg Am. 2016;98(10):e40. doi: 10.2106/JBJS.15.00752.
- [15] Lang CE, Barth J, Holleran CL, Konrad JD, Bland MD. Implementation of wearable sensing technology for movement: pushing forward into the routine physical rehabilitation care field. Sensors (Basel). 2020;20(20):5744.
- [16] Mudge S, Stott NS, Walt SE. Criterion validity of the StepWatch Activity Monitor as a measure of walking activity in patients after stroke. Arch Phys Med Rehabil. 2007;88(12):1710-5.
- [17] Singh AK, Farmer C, Van Den Berg ML, Killington M, Barr CJ. Accuracy of the FitBit at walking speeds and cadences relevant to clinical rehabilitation populations. Disabil Health J. 2016;9(2):320–3.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



### INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)