



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 13    **Issue:** III    **Month of publication:** March 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.67572>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# A Comprehensive Review of Reinforced Earth Wall Construction for Road Overbridges

Vikash Kumar<sup>1</sup>, Akash Panwar<sup>2</sup>

Department of structural engineering, Poornima university, India

**Abstract:** Reinforced earth walls have emerged as a cost-effective and efficient solution for road overbridge construction, offering significant advantages over traditional retaining structures in terms of flexibility, durability, and ease of construction. This paper provides a comprehensive review of the state-of-the-art in reinforced earth wall technology, focusing on materials, design methodologies, construction techniques, and performance evaluation. The review highlights the evolution of reinforcement materials, from conventional metallic strips to advanced geosynthetics, and examines the role of innovative facing elements in enhancing structural integrity and aesthetics. Key design principles, including stability analysis and load-bearing capacity, are discussed alongside advancements in numerical modeling and simulation tools. The paper also addresses challenges in construction, such as site-specific constraints and quality control, and explores the long-term performance of reinforced earth walls under varying environmental conditions.

**Keywords:** Reinforced earth walls; structural study; material properties

## I. INTRODUCTION

The rapid expansion of transportation infrastructure, particularly road overbridges, has necessitated the development of innovative and cost-effective retaining structures to support embankments, approach roads, and bridge abutments. Reinforced earth walls, a groundbreaking advancement in geotechnical engineering, have gained widespread acceptance due to their versatility, economic viability, and superior performance compared to conventional retaining walls [1-6]. These structures utilize a combination of backfill soil and reinforcement materials, such as geosynthetics or metallic strips, to create a stable and durable system capable of withstanding significant loads and environmental stresses.

The concept of reinforced earth was first introduced by Henri Vidal in the 1960s, and since then, it has evolved into a sophisticated technology with applications spanning highways, railways, and urban infrastructure. Road overbridges, in particular, benefit from the use of reinforced earth walls due to their ability to accommodate differential settlements, reduce construction time, and minimize land acquisition requirements [7-12]. Despite these advantages, the design and construction of reinforced earth walls involve complex considerations, including material selection, stability analysis, and long-term performance under varying environmental conditions.

This review paper aims to provide a comprehensive overview of reinforced earth wall construction for road overbridges, focusing on recent advancements, challenges, and future directions. The paper begins with an overview of the fundamental principles and historical development of reinforced earth technology, followed by a detailed discussion of materials, design methodologies, and construction techniques. The performance and durability of reinforced earth walls are critically evaluated, with emphasis on their behavior under seismic loads, weathering, and other environmental factors. By synthesizing findings from recent studies and case studies, this review identifies key research gaps and proposes innovative solutions to enhance the sustainability and resilience of reinforced earth walls.

The significance of this review lies in its potential to guide engineers, researchers, and policymakers in optimizing the use of reinforced earth walls for road overbridge applications. As transportation networks continue to expand, the need for efficient and sustainable retaining structures becomes increasingly critical. This paper seeks to contribute to the growing body of knowledge on reinforced earth technology, fostering its adoption in future infrastructure projects and ensuring the development of safer, more reliable transportation systems.

## II. OVERVIEW OF REINFORCED EARTH WALLS

Reinforced earth walls, also known as mechanically stabilized earth (MSE) walls, are innovative geotechnical structures that combine soil and reinforcement materials to create a stable and durable retaining system.

These walls have become a cornerstone of modern civil engineering, particularly in the construction of road overbridges, highway embankments, railway platforms, and waterfront structures. The fundamental principle behind reinforced earth walls lies in the interaction between soil and reinforcement materials, which work together to resist lateral earth pressures and provide structural stability. By integrating tensile elements into the soil mass, these walls can support significant vertical and horizontal loads, making them a reliable alternative to traditional retaining walls.

The concept of reinforced earth was first introduced by French engineer Henri Vidal in the 1960s. Vidal's groundbreaking idea of using metallic strips to reinforce soil marked a turning point in geotechnical engineering, demonstrating how tensile elements could enhance the load-bearing capacity and stability of soil structures. Over the decades, reinforced earth technology has evolved significantly, with the introduction of advanced materials such as geosynthetics (e.g., geogrids and geotextiles) and hybrid systems that combine metallic and polymeric reinforcements. Today, reinforced earth walls are widely recognized for their adaptability, cost-effectiveness, and ease of construction, making them a preferred choice for infrastructure projects worldwide.

A reinforced earth wall typically consists of three primary components: backfill soil, reinforcement materials, and facing elements. The backfill soil is usually granular and free-draining, ensuring adequate compaction and stability. The properties of the soil, such as grain size distribution and shear strength, play a critical role in the overall performance of the structure. Reinforcement materials, which provide tensile strength to the soil, can include geosynthetics like geogrids and geotextiles, metallic strips, or hybrid systems that combine both. These materials are strategically placed within the soil mass to resist lateral pressures and prevent deformation. The facing elements, which serve both structural and aesthetic purposes, can be made of precast concrete panels, modular blocks, gabions, or welded wire mesh. These facings prevent soil erosion and give the structure a finished appearance.

The stability of reinforced earth walls is achieved through the interaction between the soil and reinforcement materials. When the soil is subjected to lateral pressures, the reinforcement mobilizes its tensile strength to resist deformation, creating a cohesive mass that behaves as a monolithic structure. This mechanism allows reinforced earth walls to support heavy loads while accommodating differential settlements and seismic forces. The design of these walls involves careful consideration of factors such as reinforcement spacing, length, and orientation to ensure optimal performance under various loading conditions.

### III. MATERIALS AND COMPONENTS

The performance and durability of reinforced earth walls are heavily influenced by the materials and components used in their construction. These walls are composite structures that rely on the synergistic interaction between soil, reinforcement materials, and facing elements to achieve stability and load-bearing capacity [13-16]. Each component plays a critical role in ensuring the overall integrity and functionality of the structure, making material selection and design a key aspect of reinforced earth wall construction. The backfill soil shown in Figure 1 is the primary component of reinforced earth walls, providing the bulk of the structure's mass and strength. Ideally, the backfill material should be granular, free-draining, and easy to compact. Commonly used soils include well-graded sand, gravel, and crushed stone, which offer high shear strength and low compressibility. The grain size distribution, permeability, and compaction characteristics of the soil are carefully considered during design to ensure optimal performance. In some cases, locally available soils may be used to reduce costs, but their properties must meet specific engineering requirements to prevent issues such as excessive settlement or poor drainage.






Figure 1. Schematic representation of backfill soil [17]

Reinforcement materials are the backbone of reinforced earth walls, providing the tensile strength needed to resist lateral earth pressures and stabilize the soil mass. These materials are embedded within the soil at regular intervals and extend horizontally into the backfill. Over the years, a variety of reinforcement materials have been developed, each with its own advantages and limitations. Traditional metallic reinforcements, such as steel strips or bars, offer high tensile strength and durability but require protective coatings to prevent corrosion. In contrast, geosynthetic reinforcements, including geogrids and geotextiles, are lightweight, corrosion-resistant, and easy to install. Geogrids, made from polymers such as polyester or polypropylene, are particularly popular due to their high strength-to-weight ratio and ability to interlock with the soil. Hybrid systems, which combine metallic and geosynthetic reinforcements, are also gaining traction as they leverage the benefits of both materials. The choice of reinforcement material depends on factors such as project requirements, environmental conditions, and cost considerations.

Facing elements are the visible components of reinforced earth walls, serving both structural and aesthetic purposes. They prevent soil erosion, provide a finished appearance, and help distribute loads evenly across the structure. A wide range of facing materials is available, allowing engineers to tailor the design to meet specific project needs. Precast concrete panels are a common choice due to their durability, strength, and ease of installation. These panels can be textured or colored to enhance the visual appeal of the wall. Modular blocks, made from concrete or other materials, are another popular option, offering flexibility in design and construction. Gabions, which are wire mesh baskets filled with stone, provide a more natural appearance and are often used in environmentally sensitive areas. Welded wire mesh and vegetated facings are also used in certain applications, particularly where aesthetics or environmental integration are a priority. The selection of facing elements depends on factors such as load requirements, site conditions, and project aesthetics.

In addition to these primary components, other materials and accessories may be used to enhance the performance of reinforced earth walls. For example, drainage systems are often incorporated to prevent water buildup behind the wall, which could lead to increased lateral pressures or soil instability. Filter fabrics may be used to separate the backfill soil from the drainage system, preventing soil migration while allowing water to pass through. Anchors and connectors are used to secure the facing elements to the reinforcement layers, ensuring a robust and integrated structure.

The choice of materials and components for reinforced earth walls is influenced by a variety of factors, including project requirements, site conditions, and budget constraints. Advances in material science and engineering have led to the development of innovative solutions, such as eco-friendly geosynthetics and recycled materials, which align with the growing emphasis on sustainability in construction. By carefully selecting and designing these components, engineers can create reinforced earth walls that are not only structurally sound but also cost-effective, durable, and visually appealing. This makes them an ideal choice for a wide range of applications, including road overbridges, where performance and reliability are paramount.

#### IV. DESIGN AND ANALYSIS METHODS

The design and analysis of reinforced earth walls are critical to ensuring their stability, durability, and performance under various loading and environmental conditions. These structures must withstand not only the lateral earth pressures exerted by the retained soil but also additional loads from surcharges, traffic, and seismic activity. The design process involves a combination of theoretical principles, empirical methods, and advanced computational tools to create a safe and efficient structure. Over the years, significant advancements have been made in design methodologies, enabling engineers to optimize reinforced earth walls for a wide range of applications, including road overbridges.

The design of reinforced earth walls begins with a thorough understanding of the site conditions, including soil properties, groundwater levels, and potential loading scenarios. The stability analysis is a fundamental aspect of the design process, focusing on both internal and external stability. Internal stability refers to the ability of the reinforcement layers to resist tensile forces and prevent failure within the soil mass. This involves calculating the tensile forces in the reinforcement at different depths and ensuring that the reinforcement spacing, length, and strength are adequate to withstand these forces. External stability, on the other hand, evaluates the overall stability of the wall against sliding, overturning, and bearing capacity failure. This analysis considers the interaction between the reinforced soil mass and the underlying foundation, ensuring that the wall remains stable under all anticipated loading conditions.

One of the most widely used methods for stability analysis is the limit equilibrium method, which evaluates the forces acting on potential failure surfaces within the soil mass. This method assumes that the soil behaves as a rigid-plastic material and calculates

the factor of safety against failure. For reinforced earth walls, the limit equilibrium method is often applied to determine the required reinforcement length and spacing, as well as the overall stability of the structure.

While this method is relatively simple and widely accepted, it has limitations in capturing the complex stress-strain behavior of reinforced soil, particularly under dynamic or seismic loading.

To address these limitations, numerical modeling techniques such as finite element analysis (FEA) and finite difference methods (FDM) have become increasingly popular in the design and analysis of reinforced earth walls. These advanced computational tools allow engineers to simulate the behavior of the soil-reinforcement system under various loading conditions, providing a more accurate representation of stress distribution, deformation, and failure mechanisms. FEA, for example, can model the interaction between the soil, reinforcement, and facing elements, enabling a detailed analysis of the wall's performance under static, dynamic, and seismic loads. These methods are particularly useful for complex geometries or unconventional loading scenarios, where traditional analytical methods may fall short.

In addition to stability analysis, the design of reinforced earth walls must consider settlement and deformation characteristics. Excessive settlement or deformation can compromise the functionality and aesthetics of the wall, particularly in road overbridge applications where differential settlement can affect the alignment of the bridge deck. Engineers use settlement analysis to predict the vertical and horizontal displacements of the wall and ensure that they remain within acceptable limits. This analysis often involves evaluating the compressibility of the backfill soil and the underlying foundation, as well as the interaction between the wall and adjacent structures.

Seismic design is another critical aspect of reinforced earth wall analysis, especially in regions prone to earthquakes. The dynamic behavior of reinforced earth walls under seismic loading is complex, involving the interaction between the soil, reinforcement, and facing elements. Seismic design methods typically involve pseudo-static analysis, where seismic forces are represented as equivalent static loads, or more advanced dynamic analysis using numerical modeling techniques. These methods aim to ensure that the wall can withstand seismic forces without experiencing excessive deformation or failure.

The design process also incorporates standards and guidelines established by organizations such as the American Association of State Highway and Transportation Officials (AASHTO), the International Building Code (IBC), and the British Standards Institution (BSI). These standards provide detailed recommendations for material selection, design parameters, and construction practices, ensuring that reinforced earth walls meet safety and performance requirements. For example, AASHTO's LRFD (Load and Resistance Factor Design) specifications are widely used in the design of reinforced earth walls for transportation infrastructure, including road overbridges.

## V. CONSTRUCTION TECHNIQUES

The construction of reinforced earth walls is a meticulously planned and executed process that ensures the stability, durability, and performance of these structures, particularly in applications such as road overbridges. The process begins with site preparation, where the area is cleared, leveled, and tested to verify the suitability of the foundation soil. Once the site is ready, a foundation layer of compacted granular material is laid to provide a stable base. The construction then proceeds with the installation of the first reinforcement layer, which is placed horizontally on top of the foundation. Reinforcement materials, such as geogrids or metallic strips, are carefully positioned and anchored to the facing elements to ensure proper alignment and tension. Following this, backfill soil is placed in layers, typically 200–300 mm thick, and compacted to achieve the desired density and strength. This sequence is repeated for each subsequent reinforcement layer, with the facing elements—such as precast concrete panels, modular blocks, or gabions—being installed simultaneously to form the wall's exterior. The facing elements are securely connected to the reinforcement layers using anchors or connectors, ensuring a robust and integrated structure. Finally, the top layer of the wall is completed, and any necessary drainage systems or finishing touches are added to enhance functionality and aesthetics.

Quality control is a critical aspect of reinforced earth wall construction, as even minor deviations from design specifications can compromise the structure's performance. Material testing is conducted to verify the properties of the backfill soil, reinforcement materials, and facing elements. The compaction of the backfill soil is closely monitored to ensure it meets the required density and moisture content, as inadequate compaction can lead to settlement or instability. The alignment and tension of the reinforcement layers are also checked to ensure they are properly installed and capable of resisting lateral pressures. Additionally, the connections between the reinforcement and facing elements are inspected to confirm they are secure and capable of transferring loads effectively. Regular inspections and testing are carried out throughout the construction process to identify and address any issues

promptly. These measures not only ensure the durability and performance of the wall but also help prevent costly repairs or failures in the future.

Despite their many advantages, the construction of reinforced earth walls is not without challenges. Site conditions, such as poor soil quality, high groundwater levels, or steep slopes, can complicate the construction process.

In such cases, additional measures like soil stabilization, dewatering, or slope reinforcement may be required. Material availability can also pose challenges, particularly in remote or resource-constrained areas. Engineers may need to adapt the design to use locally available materials or source alternatives that meet the required specifications. Weather conditions, such as excessive rainfall or temperature fluctuations, can affect the compaction of the backfill soil and the performance of the reinforcement materials. To address these challenges, construction teams must carefully plan and adapt their methods to suit the specific conditions of the site. Proper communication and coordination between designers, contractors, and quality control personnel are essential to ensure the project is completed successfully.

Several notable projects around the world demonstrate the successful application of reinforced earth walls in road overbridge construction. For example, the Mumbai-Pune Expressway in India features extensive use of reinforced earth walls for approach embankments and bridge abutments. These walls were designed to withstand heavy traffic loads and challenging terrain, providing a stable and durable solution for the expressway. Another example is the Millau Viaduct in France, where reinforced earth walls were used to support the approach roads and bridge foundations. The project required careful consideration of seismic loads and environmental factors, highlighting the versatility and adaptability of reinforced earth technology. In the United States, the I-15 Corridor Expansion Project in Utah utilized reinforced earth walls to construct retaining structures and bridge abutments, significantly reducing construction time and costs compared to traditional methods. These case studies illustrate the effectiveness of reinforced earth walls in addressing the unique challenges of road overbridge construction and their potential for widespread application in modern infrastructure projects.

## VI. DESIGN AND ANALYSIS METHODS

The design and analysis of reinforced earth walls are critical to ensuring their stability, durability, and performance under various loading and environmental conditions. These structures must withstand not only the lateral earth pressures exerted by the retained soil but also additional loads from surcharges, traffic, and seismic activity. The design process involves a combination of theoretical principles, empirical methods, and advanced computational tools to create a safe and efficient structure. Over the years, significant advancements have been made in design methodologies, enabling engineers to optimize reinforced earth walls for a wide range of applications, including road overbridges.

The design of reinforced earth walls begins with a thorough understanding of the site conditions, including soil properties, groundwater levels, and potential loading scenarios. The stability analysis is a fundamental aspect of the design process, focusing on both internal and external stability. Internal stability refers to the ability of the reinforcement layers to resist tensile forces and prevent failure within the soil mass. This involves calculating the tensile forces in the reinforcement at different depths and ensuring that the reinforcement spacing, length, and strength are adequate to withstand these forces. External stability, on the other hand, evaluates the overall stability of the wall against sliding, overturning, and bearing capacity failure. This analysis considers the interaction between the reinforced soil mass and the underlying foundation, ensuring that the wall remains stable under all anticipated loading conditions.

One of the most widely used methods for stability analysis is the limit equilibrium method, which evaluates the forces acting on potential failure surfaces within the soil mass. This method assumes that the soil behaves as a rigid-plastic material and calculates the factor of safety against failure. For reinforced earth walls, the limit equilibrium method is often applied to determine the required reinforcement length and spacing, as well as the overall stability of the structure. While this method is relatively simple and widely accepted, it has limitations in capturing the complex stress-strain behavior of reinforced soil, particularly under dynamic or seismic loading.

To address these limitations, numerical modeling techniques such as finite element analysis (FEA) and finite difference methods (FDM) have become increasingly popular in the design and analysis of reinforced earth walls. These advanced computational tools allow engineers to simulate the behavior of the soil-reinforcement system under various loading conditions, providing a more accurate representation of stress distribution, deformation, and failure mechanisms. FEA, for example, can model the interaction between the soil, reinforcement, and facing elements, enabling a detailed analysis of the wall's performance under static, dynamic,

and seismic loads. These methods are particularly useful for complex geometries or unconventional loading scenarios, where traditional analytical methods may fall short.

In addition to stability analysis, the design of reinforced earth walls must consider settlement and deformation characteristics. Excessive settlement or deformation can compromise the functionality and aesthetics of the wall, particularly in road overbridge applications where differential settlement can affect the alignment of the bridge deck. Engineers use settlement analysis to predict the vertical and horizontal displacements of the wall and ensure that they remain within acceptable limits.

This analysis often involves evaluating the compressibility of the backfill soil and the underlying foundation, as well as the interaction between the wall and adjacent structures.

Seismic design is another critical aspect of reinforced earth wall analysis, especially in regions prone to earthquakes. The dynamic behavior of reinforced earth walls under seismic loading is complex, involving the interaction between the soil, reinforcement, and facing elements. Seismic design methods typically involve pseudo-static analysis, where seismic forces are represented as equivalent static loads, or more advanced dynamic analysis using numerical modeling techniques. These methods aim to ensure that the wall can withstand seismic forces without experiencing excessive deformation or failure.

The design process also incorporates standards and guidelines established by organizations such as the American Association of State Highway and Transportation Officials (AASHTO), the International Building Code (IBC), and the British Standards Institution (BSI). These standards provide detailed recommendations for material selection, design parameters, and construction practices, ensuring that reinforced earth walls meet safety and performance requirements. For example, AASHTO's LRFD (Load and Resistance Factor Design) specifications are widely used in the design of reinforced earth walls for transportation infrastructure, including road overbridges.

## VII. CONCLUSION

Reinforced earth walls have emerged as a versatile, cost-effective, and reliable solution for road overbridge construction, offering significant advantages over traditional retaining structures. Their ability to accommodate differential settlements, withstand heavy loads, and adapt to challenging site conditions makes them an ideal choice for modern transportation infrastructure. This review paper has provided a comprehensive overview of reinforced earth wall technology, covering its historical development, materials and components, design and analysis methods, construction techniques, and performance evaluation. By synthesizing findings from recent studies and case studies, the paper highlights the critical role of reinforced earth walls in addressing the unique challenges of road overbridge projects, such as stability under seismic loads, durability in harsh environments, and cost efficiency.

The advancements in materials, such as geosynthetics and hybrid reinforcement systems, have further enhanced the performance and sustainability of reinforced earth walls. Similarly, the integration of advanced design tools, including finite element analysis and seismic design methodologies, has enabled engineers to optimize these structures for a wide range of applications. However, challenges such as site-specific constraints, material availability, and construction quality control remain areas that require continued attention. Addressing these challenges through innovative solutions and rigorous quality assurance measures will be essential to ensuring the long-term performance and reliability of reinforced earth walls.

Looking ahead, the future of reinforced earth wall technology lies in the development of sustainable materials, smart construction techniques, and resilient designs that can withstand the growing demands of modern infrastructure. As transportation networks expand and environmental considerations become increasingly important, reinforced earth walls are poised to play a pivotal role in shaping the future of civil engineering.

## REFERENCES

- [1] Lee, K.L., Adams, B.D. and Vagneron, J.M.J., 1973. Reinforced earth retaining walls. *Journal of the Soil Mechanics and Foundations Division*, 99(10), pp.745-764.
- [2] Gebeyehu, A.L. and Manna, B., 2024. Recent design practice of reinforced earth walls for high-speed rail transportation: a state-of-the-art and way forward. *Engineering Science and Technology, an International Journal*, 55, p.101747.
- [3] Cho, D.S. and Kim, J., 2024. Stability of the front wall and the horizontal behavior of composite reinforced-earth retaining walls. *Acta Geotechnica*, 19(12), pp.8165-8176.
- [4] Dasaka, S.M. and Raghuram, A.S.S., 2024. Forensic Analysis of a Distressed Reinforced Earth Wall: Key Lessons for the Future. *Indian Geotechnical Journal*, 54(1), pp.185-195.
- [5] Huali, P., Akbar, M., Arshid, M.U., Mazhar, Z.B., Guoqiang, O., Alshammari, T.O. and Yosri, A.M., 2025, January. Seismic resilience of geogrid reinforced concrete earth-retaining wall of various incremental panels based on physical and numerical modelling. In *Structures* (Vol. 71, p. 107901). Elsevier.
- [6] Saliba, J., Kouta, N. and Saiyouri, N., 2024. Effect of wetting/drying cycles on the durability of flax fibers reinforced earth concrete. *Construction and Building Materials*, 445, p.137924.



- [7] Sen, B., Chanda, D. and Saha, R., 2024. Mechanical strength characterization and seismic performance of rammed earthen walls built on eco-friendly lateritic soil and sustainable stabilizing materials. *Sādhanā*, 49(1), p.37.
- [8] Min, Q., Gao, D., Ma, Q. and Xu, S., 2024. Research on the Effectiveness of Tetraethoxysilane-Reinforced Earthen Site: Influence of Soil Water Content and Curing Humidity. *International Journal of Architectural Heritage*, pp.1-13.
- [9] Okafor, C., 2024. Full Scale Testing and Three-Dimensional Numerical Simulation of a Mechanically Reinforced-Earth System.
- [10] Yazdandoust, M. and Daftari, F., 2024. Behavior of back-to-back mechanically stabilized earth walls as railway embankments. *Geosynthetics International*, 31(5), pp.785-805.
- [11] Zhang, L., Zhou, T., Hu, K., Tan, W. and Liang, Z., 2024, July. Seismic performance of rammed earth walls with embedded steel wire mesh or bamboo reinforcement mesh. In *Structures* (Vol. 65, p. 106667). Elsevier.
- [12] Haiyang, Z., Fan, Y., Chen, P. and Yingyao, C., 2024. Seismic performances of the wrapped retaining wall backfilled with polypropylene fiber reinforced rubber-sand mixture. *Geotextiles and Geomembranes*, 52(4), pp.542-553.
- [13] Moncada, A., Damians, I.P., Olivella, S. and Bathurst, R.J., 2024. Study of environmental impact from geosynthetic reinforced soil walls. In *E3S Web of Conferences* (Vol. 569, p. 13001). EDP Sciences.
- [14] Zhu, Y., Zhang, F. and Jia, S., 2022. Embodied energy and carbon emissions analysis of geosynthetic reinforced soil structures. *Journal of Cleaner Production*, 370, p.133510
- [15] Esen, A.F., Woodward, P.K., Laghrouche, O., Čebašek, T.M., Brennan, A.J., Robinson, S. and Connolly, D.P., 2021. Full-scale laboratory testing of a geosynthetically reinforced soil railway structure. *Transportation Geotechnics*, 28, p.100526.
- [16] Panah, A.K. and Eftekhari, Z., 2021. Shaking table tests on polymeric-strip reinforced-soil walls adjacent to a rock slope. *Geotextiles and Geomembranes*, 49(3), pp.737-756.
- [17] Zhang, J., Hu, H., Fu, W. et al. Method for efficient calculating earth pressure of retaining wall considering plant transpiration. *Sci Rep* 13, 15366 (2023). <https://doi.org/10.1038/s41598-023-42411-8>





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)