



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: III Month of publication: March 2025 DOI: https://doi.org/10.22214/ijraset.2025.67368

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



## A Review of Image-Based Monument Identification Using Deep Learning Techniques.

Praveen N<sup>1</sup>, Vidya A<sup>2</sup>

<sup>1</sup>Research Scholar, Vivekananda Institute of Technology, Visvesvaraya Technological University, Belagavi, Karnataka
<sup>2</sup>Department of Computer Science & Engineering, Vivekananda Institute of Technology, Bengaluru, Karnataka India
<sup>1, 2</sup>Visvesvaraya Technological University, Belagavi 590018, Karnataka, India

Abstract: Image-based monument identification is very much demanding task due to the variability of lighting conditions, viewpoints, and occlusions. Deep learning-based methods have significantly improved in classifying and recognizing images, and they are now more frequently employed to identify monuments. The current development in deep learning-based monument recognition is given in this literature study paper. The many methods for feature extraction, categorization, and model fine-tuning are described. We also discuss the field's limitations and potential developments, including the need for larger, more diversified datasets and the investigation of more sophisticated deep learning methods. Overall, this work offers a thorough summary of the state-of-the-art for deep learning-based image-based monument recognition and provide sustainable growth towards identifying and understanding about ancient historical monument identification. Keywords: Monument Identification, Deep Learning, Feature Extraction.

#### I. INTRODUCTION

Utilizing photos to identify monuments Deep learning has received a lot of attention recently. The use of deep learning algorithms, which are becoming more and more common, to precisely identify monuments from pictures has been studied in a variety of ways. In a number of industries, including tourism, history, and cultural heritage, monument identification is crucial. However, identifying monuments manually is a time-consuming task that requires human expertise. Therefore, developing an automated system to identify monuments from images can significantly aid in reducing manual efforts and improving accuracy.

Convolution neural networks (CNNs) have demonstrated outstanding performance in a range of picture recognition tasks, including the recognition of monuments. These deep learning algorithms can identify the aspects of monuments because they can extract fine information from images. Models can also adjust to changing image conditions including lighting, occlusion, and viewpoint adjustments. In this literature survey, we will discuss the various approaches proposed in recent years to identify monuments using deep learning techniques. We will also explore the challenges and limitations of the existing methods and discuss future research directions.

Authors	Technique/	Findings	Remarks
	Algorithm employed		
	Feature extraction:	29.75% improvement in METEOR	Emphasizes the need for human-like
Varsha	CNNs (Xception)	score.	image captioning and enhanced caption
Singh	Object Detection (SSD on		coherence.
<i>et.al.</i> ,[1]	MS COCO)		
	Classifiers/Models:		
	• LSTM		
	• Encoder Decoder with		
	attention		
Preeti S	• Encoder-decoder architecture,	The model is trained on the Flickr8k	The model uses VGG16 for image analysis
et.al.,[2]	VGG16 (CNN) for encoding,	Captions dataset and evaluated using	and LSTM for natural language processing
	LSTM (RNN) for decoding.	the BLEU score.	to generate captions
	Classifiers: VGG16, LSTM		

#### II. LITERATURE SURVEY



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue III Mar 2025- Available at www.ijraset.com

Arunkumo	•Multilayer CNN for image analysis	Used the BLEU metric for	Emphasized challenges in accessing non-
r Gopu	and LSTM for sentence	evaluation on the Flickr 8k dataset.	visible data in images and the importance
<i>et.al.</i> ,[3]	construction.	evaluation on the Plicklock dataset.	of semantic understanding.
<i>ei.ui.</i> ,[5]	•Classifiers: VGG16, XceptionV3		or semantic understanding.
	Classifying the 8 heritage	The best detection accuracy recorded	Further used over the hybrid model to
Yukta	monuments, the whole dataset is	over this multiclassification of	achieve better detection accuracy. In
Nagpal	divided into 8 classes and	heritage monuments is 97.97%. The	future, this study can be extended to
<i>et.al.</i> ,[4]	successfully developed a CNN	macro average recorded while	develop a mobile app and embed this
	algorithm for the multiclassification	performing this experiment was	CNN model into it.
	of these heritage monuments.	89.59%.	
	The system leverages the ResNet-50	The ResNet-50 model provides a	Empirical results unequivocally
Satish	model, a deep convo-lutional neural	high-level representation of the	demonstrate that model surpasses existing
	network (CNN), for image feature	image.	methods in terms of caption quality and
	extraction.	C	semantic coherence.
et.al.,[5]	ResNet-50		
Chandrade	The architecture of image caption	Used the BLEU-1, BLEU-2, BLEU-	Future research in this field should focus
ep Bhatt,	generators includes two parts: an	3, BLEU-4, and	on creating models which will be capable
<i>et.al.</i> ,[6]	encoder and a decoder, The encoder		of generating various diverse and relevan
011011,[0]	is a CNN which draws out the		captions.
	characteristics from the image,		
	while the decoder is an LSTM that		
	generates the textual description of		
	the image.		
Himanshu	Investigate on Multimodal decoders,	Deep learning based bottom-up	Forthcoming methods may combine
et.al.,[7]	and Deep sequential modeling	decoders outperforms, machine-	transfer learning techniques with large
011011,[7]	architectures, such as	learning based top-down decoders.	datasets and cutting edge deep learning
	RNN,LSTM,GRU.		algorithms to produce better models.
Anoopa S	Analysis of faster RCNN and	Evaluated based on FPS, mAP,	Provides insights into the effectiveness of
et.al.,[8]	YOLO V3 for anomaly localization.	Precision, Recall, and F1 Score.	Faster RCNN vs. YOLO V3 for video
011011,[0]		riconstant, recent, and rif Score.	anomaly detection
Fatma Nur	Utilized Mask RCNN and Faster	Developed software successfully	Demonstrates Mask RCNN and Faster
Ortatas	RCNN for lane detection and	tested in a simulation environment	RCNN's efficacy in real-time image
et.al.,[9]	tracking in a Gazebo environment.	for lane detection and tracking.	analysis, hinting at their utility for
<i>ci.ui.</i> ,[ <i>J</i> ]	tracking in a Gazebo environment.	for faile detection and tracking.	dynamic captioning.
	GLCM and morphological operators	To evaluate the proposed method,	Limited scope of the dataset used for
Padmashre	SECIM and morphological operators	the authors conduct experiments on	evaluation
e Desai		their dataset, measuring the	evaluation
<i>et.al.</i> ,[10]		classification	
<i>ei.ui.</i> ,[10]		accuracy for each art form.	
		Carried out on the manually acquired	Comprises of low dataset and also to
		dataset that is composed of images	include more variations on terms of
Aradhua	State of the art Deer CNN	of different monuments where each	structure and illumination.
Aradhya Saini	State-of-the-art Deep CNN		
		monument has images from	
<i>et.al.</i> ,[11]		different angular	
Siddhanth	Inception V3 Architecture	views. User can train model without the	Size of data-set to be increased by adding
Gada	classification. CNN, ReLU is an	requirement of Graphic Processing	monuments and structure from all over the
<i>et.al.</i> ,[12]	activation	Unit(GPU)	Globe.
e1.u1.,[12]	function	Omi(Or O)	01000.
	Tuncuon		



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue III Mar 2025- Available at www.ijraset.com

	Used k-means clustering.	Scope of this is to reduce the semantic	Still improvements are required, to reduce
Jaimala	esea k means erastering.	gap of features vectors	gap and also to use Deep Learning in-
Jha		Sup of fouries (eccord	place of machine learning techniques.
et.al.,[13]			prace of machine rearing teeningaes.
enani,[re]	Semantic hierarchy preserving	Semantic embeddings with different	Efficiency to be increased in order to
RonakGup	retrieval scheme	convolutional neural network	identify the exact images and also further
ta		architectures and compare its	improvement is to be done by increasing
<i>et.al.</i> ,[14]		performance with pre-trained CNN	the
		architecture	size of dataset.
	VGG16 and ResNet50 represent	Proposed the difference in monument	Future work is to extend the experiment to
Shahd	deep learning and the KNN	identification using DL and ML.	cover more than three classes of
Hesham	deep rearring and the rit (r)		monuments.
et.al.,[15]			inonumento.
		Mobile app based monument	Interface and functionalities could
V. Palma	CNN algorithm is based on the	recognition.	enhance the interaction with 3D digital
<i>et.al.</i> ,[16]	MobileNet model		models by implementing Augmented
e			Reality (AR) functions.
Ravi	CBIR system which is used to	Used morphological operator along	Morphological methods can be applied on
Devesh	retrieve the images of the monuments	with invariant moment in extracting	image with distinct structuring element.
<i>et.al.</i> ,[17]	based on low level features.	shape, features.	Such operations are Erosion, Dilation,
		The second s	Open, and Close
	This study has used InceptionV3,	Accuracy evaluation in all five	To improve the performance further
М.	MobileNet, ResNet50, VGG16 and	different algorithms	suitable preprocessing techniques can be
Trivedia	AlexNet Deep Learning architectures		applied to the dataset,
<i>et.al.</i> ,[18]	for classification		
Sowjanya	Convoluted neural network(CN N).	Heritage identification of monuments	
Jindam	Along with some preprocessor	is an important task in the field of	enhanced accuracy, greater resolution
et.al.,[19]	techniques	cultural heritage preservation.	satellite imagery.
Neha	Convolutional Neural Network	Convolutional Neural Networks to	Increase the dataset and improve the scope
Himesh	(CNN) Architecture	detect and classify different types of	of the model
et.al.,[20]	using a GPU unit.	monuments	
Malay	GCMs as input to GP system. Other	Preprocessing, Genetic programming	
S.Bhatt	1 1 1	evolution and Classification.	international and national monuments.
et.al.,[21]	Harris, HoG, SIFT, Local Binary		
	Pattern (LBP)		
Tanvi Sahay	kNN, logistic regression, support	Descriptor-wise image classification	More discriminative features is required to
et.al.,[22]	vector machines and random forests	performs much better than the	increase efficiency.
		image-wise classification,	
Pushkar	Framework that relies on Deep	Framework on four attributes Class,	Little more efficiency is required to identify
Shukla	Convolutional NeuralNetwor ks	Architecture, era, Purpose.	the architectural style.
et.al.,[23]	(DCNN)		

#### III. CHARACTERISTICS OF DEEP LEARNING

A kind of machine learning called deep learning teaches artificial neural networks how to understand and extrapolate information from complicated data structures. It is different from conventional machine learning techniques in a few ways, such as:

1) Representation Learning: Hierarchical data representations may be automatically found and extracted using deep learning algorithms. Instead of relying on manually constructed features, deep learning models may be able to learn abstract and high-level characteristics directly from the raw input data.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue III Mar 2025- Available at www.ijraset.com

- 2) Neural Networks: Neural networks, which consist of numerous layers of interconnected nodes (neurons), are the foundation for most of the models. These networks can process and analyze complex patterns and relationships in the data because they are built to resemble the structure and operation of the human brain.
- *3)* End-to-End Learning: Models are capable of learning end-to-end mappings from input to output, without the need of explicit feature engineering or intermediate representations. This allows models to automate complex tasks and handle raw, unprocessed data directly.
- 4) Non-Linear Transformations: Models can capture complex non-linear relationships between input and output data. This is achieved through the use of non-linear activation functions within the neural network layers, enabling the model to learn intricate patterns and dependencies.
- 5) Scalability: Models can scale to handle large and complex datasets. With advancements in hardware and parallel processing techniques, deep learning models can be trained on powerful computing systems, leveraging distributed computing or specialized hardware (such as GPUs or TPUs) to speed up training and inference processes.
- 6) Transfer Learning: Deep learning models can leverage pre-trained models on large benchmark datasets and transfer the learned knowledge to new, related tasks or datasets. Transfer learning enables faster training, better generalization, and improved performance on limited data.
- 7) Interpretability Challenges: Deep learning models often exhibit a black-box nature, making it challenging to interpret their decisions and understand the underlying reasoning behind their predictions. This has led to ongoing research on interpretability and explainability methods for deep learning models.

#### IV. APPLICATIONS

It has many uses in many different fields as shown in Fig 1, because of its capacity to automatically discover and extract intricate patterns and representations from data. Deep learning has some prominent uses, like:

- 1) Computer Vision: Computer vision tasks like picture categorization, object recognition, segmentation, and image production have been transformed by deep learning. It has made advancements possible in fields including surveillance systems, facial recognition, driverless vehicles, and medical image analysis.
- 2) Natural Language Processing (NLP): It has made significant advancements in NLP tasks, with sentiment analysis, language translation, text generation, speech recognition, and question answering systems. It has improved machine translation, chatbots, voice assistants, and automated text summarization.
- 3) Speech and Audio Processing: These methods have been used for speaker identification, voice synthesis, emotion recognition from speech, and speech recognition. Real-time speech translation, automatic speech recognition, and voice-controlled technology have all been made possible.




Fig 1. Examples of Deep learning Applications

- 4) Recommender Systems: It has enhanced recommender systems, enabling more accurate and personalized recommendations in areas like e-commerce, streaming services, and content platforms. It can learn user preferences and make predictions based on their historical data and behaviors.
- 5) Healthcare: It has been used for illness diagnosis, medication development, and personalized medicine as well as medical picture analysis. It has improved the accuracy and efficiency of medical imaging interpretation, early detection of diseases, and prediction of treatment outcomes.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue III Mar 2025- Available at www.ijraset.com

- 6) Finance and Trading: Deep learning has been utilized for financial forecasting, fraud detection, algorithmic trading, and risk assessment. It can analyze complex financial data, identify patterns, and make predictions for investment decisions and risk management.
- 7) Autonomous Systems: Deep learning is crucial in the development of autonomous systems, including self-driving cars, drones, and robotics. It enables perception, decision-making, and control based on real-time sensory data, allowing these systems to navigate and interact with their environment.
- 8) Gaming and Simulation: It has advanced gaming and simulation by creating intelligent agents that can learn and improve their performance in complex virtual environments. It's been used to train agents in games like chess, Go, and Dota 2, and in simulated environments for training autonomous systems.
- *9)* Manufacturing and Quality Control: Deep learning has been applied to manufacturing processes, quality control, and anomaly detection. It can analyze sensor data, monitor production lines, and detect defects or deviations from normal operation.
- 10) Environmental Monitoring: Deep learning is used in analyzing satellite imagery, weather forecasting, climate modeling, and environmental monitoring. It aids in monitoring deforestation, natural disaster prediction, land cover classification, and pollution detection.

These are just a few applications that deep learning can be used for. New applications and scientific advances are anticipated in fields including robotics, genetics, energy, cybersecurity, and others as the discipline develops.

#### V. AVAILABLE TECHNOLOGIES IN DEEP LEARNING

- TensorFlow: TensorFlow, an open-source deep learning framework, was developed by Google. It provides a full environment for the creation and function of machine learning models, including deep neural networks. TensorFlow provides a high-level API (Keras) that supports distributed computation.
- 2) PyTorch: PyTorch is an open-source deep learning library developed by Facebook's AI Research Lab. It is widely used for research and development in deep learning due to its dynamic computation graph, which enables flexible and efficient model building. PyTorch also has a rich set of tools and utilities for training and deploying models.
- *3)* Keras: TensorFlow, CNTK, or Theano can all be combined with Keras, a high-level deep learning API. It provides a simple and user-friendly interface for building and improving deep learning models. With Keras, which also supports convolutional and recurrent neural networks, rapid prototyping is feasible.
- 4) Caffe: Caffe is a framework developed by Berkeley AI Research (BAIR). It is known for its efficiency and speed, especially for convolutional neural networks. Caffe offers a command-line interface and a Python API for model training and deployment.
- 5) MXNet: Apache created the open-source deep learning framework MXNet. It offers a high-level API for simple model construction and allows flexible programming approaches. Python, R, and Scala are just a few of the programming languages supported by MXNet, which is renowned for its effective distributed training capabilities.
- 6) Theano: Theano is a library that enables effective evaluation and optimization of mathematical expressions. It supports GPU acceleration, frequently used for creating and training deep neural networks. Theano is renowned for its symbolic computation capabilities and tight NumPy integration.
- 7) ONNX: It is deep learning model can be represented in an open format called ONNX (Open Neural Network Exchange). It makes it possible for models developed in one deep learning framework to be applied to another, enabling interoperability between several deep learning frameworks. A standard interface for model sharing and deployment is offered by ONNX.

Deep Learning Frameworks for Particular Domains: These frameworks created expressly for domains, such as DeepChem for cheminformatics and drug discovery, TensorFlow.js for web-based applications, and OpenCV for computer vision tasks.

These are but a handful of the many deep learning-related technologies that are now available. Because each technology has a distinct set of capabilities, features, and community support, developers and researchers may choose the one that best meets their needs and expectations.

#### VI. ISSUES IN DEEP LEARNING

Deep learning has made significant advancements in various domains, but it is not without its challenges and limitations. Some of the key issues in deep learning include:

- 1) Data requirements: In order to perform well, models need a lot of labelled training data. Such datasets may not always be accessible for some fields and can be difficult to find and annotate.
- 2) Computational resources: Training a model is often requires substantial computational resources, including powerful GPUs or specialized hardware like TPUs. This can be a limitation for individuals or organizations with limited access to such resources.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue III Mar 2025- Available at www.ijraset.com

- 3) Overfitting: These algorithms are susceptible to overfitting, which occurs when they memorize the training data rather than understanding the underlying patterns. This problem can be reduced by regularization methods like dropout and weight decay, but careful model construction and hyperparameter optimization are required.
- 4) Interpretability: Deep learning models are often considered as black boxes, making it challenging to interpret and understand their decisions. Explaining why a model made a particular prediction can be difficult, limiting their use in domains where interpretability is crucial, such as healthcare or legal systems.
- 5) Lack of transparency: Understanding and debugging deep learning models is difficult due to their complexity. It might be challenging to comprehend how decisions are made within the model and see any biases or mistakes, which undermines confidence and responsibility.
- 6) Adversarial attacks: Deep learning models are susceptible to adversarial attacks, where intentionally crafted inputs can cause the model to misclassify or make incorrect predictions. This poses security concerns in applications like autonomous vehicles or cybersecurity.
- 7) Transferability: Deep learning models may not generalize successfully to new or diverse datasets if they were trained on a single dataset or domain. Transfer learning approaches can help to some extent, but for best results, domain adaptation and fine-tuning may still be needed.
- 8) Ethical considerations: Deep learning raises ethical concerns regarding privacy, bias, and fairness. Biased training data or biased decision-making algorithms can perpetuate societal biases and discrimination.
- 9) Researchers and practitioners are actively working on addressing these issues through advancements in model architectures, regularization techniques, explainability methods, and ethical frameworks to ensure the responsible and effective use of deep learning technology.

#### VII. PERFORMANCE EVALUATION

Performance evaluation in monument identification typically involves measuring the efficiency of the model in correctly recognizing and classifying monuments in images. Here are some common evaluation metrics used:

- 1) Accuracy: It measures the overall correctness of the model's predictions by comparing the predicted labels with the ground truth labels. It is described as the proportion of accurately categorized samples to all samples.
- 2) Precision, Recall, and F1-score: These measures are often used in multi-class classification problems. Precision is the proportion of correctly predicted positive samples out of all samples that are expected to be positive. Recall measures the percentage of genuine positive samples among all true positive samples that were accurately anticipated. Recall and precision are combined to create the F1-score, a single statistic that strikes a balance between the two.
- 3) Confusion Matrix: It provides a detailed breakdown of the model's predictions, showing the number of samples classified correctly and incorrectly for each class. It helps identify specific classes where the model may have higher confusion or misclassification.
- 4) ROC curve and AUC: These metrics are used in most of binary classification issues. The area under the curve (AUC) demonstrates how well the model performs overall at discriminating between positive and negative data. The genuine positive rate is displayed against the false positive rate on the Receiver Operating Characteristic (ROC) curve.

Si.No	Name	Description	
1	Google Landmarks Dataset	Consists of over one million images of famous	
		landmarks from around the world.	
2	UNESCO World Heritage	Which comprise both natural and man-made features,	
	Sites Dataset:	are included in this dataset	
3	Flickr Landmark Dataset	Consists of images from various landmarks	
		worldwide, collected from the Flickr platform	
4	Aachen Day-Night Dataset	Contains images of landmarks in Aachen, Germany,	
		captured during the day and at night	
5	Rome16K Dataset	Contains h i g h -resolution i m a g e s of landmarks in Rome, Italy	
6	Tokyo 24/7 Dataset	Consists of images of landmarks in Tokyo, Japan,	
		captured at different times of the day and night	
7	Landmarks in Context (LinC)	contains images of landmarks with their surrounding	
	Dataset	context	

#### VIII. AVAILABLE DATASETS IN MONUMENT IDENTIFICATION

Table 1: Available datasets



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue III Mar 2025- Available at www.ijraset.com

Several publicly accessible databases are used to identify monuments from images. In this field, some of the frequently used datasets are as follows:

#### IX. CONCLUSION

In conclusion, the survey paper on monument identification from an image using deep learning presents a comprehensive overview of the advancements, methodologies, and challenges in this field. Through an extensive review of relevant literature, several key findings and insights have emerged. Despite the significant progress, there are still challenges and limitations in monument identification from images using deep learning. Overall, the survey article shows the potential of deep learning for identifying monuments from photos and lays the groundwork for more investigation and advancement in this fascinating area. For scholars, practitioners, and stakeholders interested in using deep learning techniques for automated monument recognition and categorization, it is an invaluable resource.

#### REFERENCES

- [1] Varsha Singh, Km Khushaboo, Vipul Kumar Singh, and Tiwary, U.S., 2023, September. Describing images using CNN and object features with attention. In 2023 International Conference on Information Technologies (InfoTech) (pp. 1-6). IEEE.
- [2] Preeti Voditel, Aparna Gurjar, Aakansha Pandey, Akrati Jain, Nandita Dubey, "Image Captioning- A Deep Learning Approach using CNN and LSTM Network", 3rd IEEE Conference on Pervasie Computing and Social Networking(ICPCSN), 2023.
- [3] Arunkumar Gopu, Pratyush Nishchal, Vishesh Mittal, Kuna Srinidhi, "Image Captioning using Deep Learning Techniques", IEEE International Conference on Contemporary Computinh and Communications(InC4), 2023.
- [4] Yukta Nagpal, Varun Jindal, Vinay Kukreja, Satvik Vats, Rishabh Sharma, "Deep Learning Multiclassification Model: Recognizing Monuments". Second International Conference on Augmented Intelligence and Sustainable Systems (ICAISS 2023) IEEE Xplore Part Number : CFP23CB2-ART; ISBN : 979-8-3503-2579-9, 2023.
- [5] Satish Kumar Satti, Goluguri N V Rajareddy, Prasad Maddula, N V Vishnumurthy Ravipati, "Image Caption Generation using ResNET-50 and LSTM", IEEE Silchar Subsection Conference, 2023.
- [6] Chandradeep Bhatt, Sumit Rai, Rahul Chauhan, Deepika Dua, Mukesh Kumar, Sanjay Sharma, "Deep Fusion: A CNN-LSTM Image Caption Generator for Enhanced Visual Understanding", 3rd International Conference on Innovative Sustainable Computational Technologies. 2023.
- [7] Himanshu Sharma, Devanand Padha, "From Templates to Transformers: A Survey of Multimodal Image Captioning Decoders", IEEE International Conference on Sustainable Energy and Future Electric Transportation, 2022.
- [8] Anoopa S, Salim A, "Comparison of Faster RCNN and YOLO V3 for Video Anomaly Localization", IEEE International Conference on Power, Instrumentation, control and computing,2023.
- [9] Fatma Nur ORTATAS, Emrah CETIN, "Lane Tracking with Deep Learning: Mask RCNN and Faster RCNN", IEEE International Conference on Contemporary Computing and Communications, 2022.
- [10] Padmashree Desai, Jagadeesh Pujari, N.H.Ayachit. Classification of Archaeological Monuments for Different Art forms with an Application to CBIR, IEEE International Conference on Advances in Computing, communications and Informatics (ICACCI), IEEE, pp. no. 1108-1112, 2013.
- [11] Aradhya Saini, Tanu Gupta, Rajat Kumar, Akshay Kumar Gupta, Monika Panwar, Ankush Mittal. Image based Indian Monument Recognition using Convoluted Neural Networks, IEEE International Conference on Big Data, IoT and Data Science (BID) Vishwakarma Institute of Technology, Pune, pp.no. 138-142, Dec 20-22, 2017. https://doi.org/10.1109/BID.2017.8336587.
- [12] Siddhant Gada, Viraj Mehta, Karan Kanchan, Chahat Jain, Purva Raut. Monument Recognition using Deep Neural Networks. IEEE International Conference on Computational Intelligence and Computing Research 2017.
- [13] Jaimala Jha, Sarita Singh Bhaduaria. A Novel approach for Retrieval of Historical Monuments Images using Visual Contents and Unsupervised Machine Learning. International Journal of Advanced Trends in Computer Science and Engineering Volume 9, No.3, May - June 2020.
- [14] Ronak Gupta, Prerana Mukherjee, Brejesh Lall, Varshul Gupta. Semantics Preserving Hierarchy based Retrieval of Indian heritage monuments. SUMAC'20, October 12, 2020, Seattle, WA, USA © 2020 Association for Computing Machinery.
- [15] Shahd Hesham, Rawan Khaled, Dalia Yasser, Samira Refaat, Nada Shorim, Fatma Helmy Ismail. Monuments Recognition using Deep Learning VS Machine Learning. IEEE 11th Annual Computing and Communication Workshop and Conference (CCWC) | 978-1-6654-1490- 6/21/\$31.00 ©2021 IEEE | DOI: 10.1109/CCWC51732.2021.9376029.
- [16] V. Palma. Towards Deep Learning For Architecture: A Monument Recognition Mobile App. The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Volume XLII-2/W9, 2019.
- [17] Ravi Devesh and Jaimala Jha. An Efficient Approach for Monuments Image Retrieval Using Multi-visual Descriptors. Proceeding of the Second International Conference on Microelectronics, Computing & Communication Systems Springer Nature Singapore Pte Ltd. 2019.
- [18] M. Trivedia, S. Agrawala, A. Kumara, S. K. Thakura, and N. Gautama. Indian Monument Recognition using Deep Learning, Article in ECS Transactions -April 2022 DOI: 10.1149/10701.15563ecst.
- [19] Sowjanya Jindam, Jaimini Keerthan Mannem, Meena Nenavath, Vineela Munigala. Heritage Identification of Monuments using Deep Learning Techniques. Indian Journal of Image Processing and Recognition (IJIPR) ISSN: 2582-8037 (Online), Volume-3 Issue-4, June 2023.
- [20] Neha Himesh, Shriya R, Gowthami PN, Benish Roshan. Indian Monument Recognition using CNN Algorithm. Journal of Emerging Technologies and Innovative Research (JETIR), 2019 JETIR May 2019, Volume 6, Issue 5.
- [21] Malay S.Bhatt, Tejas P. Patalia. Genetic Programming Evolved Spatial Descriptor for Indian Monuments Classification. IEEE International Conference on Computer Graphics, Vision and Information Security (CGVIS) 2015.
- [22] Tanvi Sahay, Ankita Mehta. Architecture Classification for Indian Monuments. publication at: https://www.researchgate.net/publication/334045053, 2019.











45.98



IMPACT FACTOR: 7.129







# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24\*7 Support on Whatsapp)