



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 9      Issue: XI      Month of publication: November 2021**

**DOI: <https://doi.org/10.22214/ijraset.2021.39117>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Aspect Based Sentiment Analysis for E-Commerce Shopping Website

Neha V. Thakare<sup>1</sup>, Dr. Rashmi P. Sonar<sup>2</sup>

<sup>1, 2</sup>Computer Engineering, Prof. Ram Meghe College Of Engineering and Management, Badnera

**Abstract:** *Sentiment Analysis is that the most ordinarily used approach to research knowledge that is within the form of text and to identify sentiment content from the text. Opinion Mining is another name for sentiment analysis. a good vary of text data is getting generated within the form of suggestions, feedback, tweets, and comments. E-Commerce portals area unit generating tons of data. Every day within the form of customer reviews. Analyzing E-Commerce data can facilitate on-line retailers to grasp customer expectations, offer an improved searching expertise, and to extend sales. Sentiment Analysis can be used to identify positive, negative, and neutral information from the customer reviews. Researchers have developed a lot of techniques in Sentiment Analysis.*

**Keywords:** *Sentiment analysis, Sentiment classification, Feature selection, Emotion detection, Customer Reviews;*

## I. INTRODUCTION

Sentiment Analysis is used to analyze data which is stored in text format. Text data can be in the form of customer reviews, complaints, feedback, discussions, tweets in social media, etc. There is a lot of data that is being generated every day with the increase in human interaction in social media. Sentiment Analysis is additionally applicable to news articles, blogs, stock markets, political debates, movie reviews, etc. People these days tend to purchase products online, book hotels, tickets, cabs online which are generating data in the form of customer reviews. Sentiment Analysis is used to find whether the reviews are Negative, Neutral, or Positive. Analyzing this kind of data can help businesses in understanding customer perspectives towards brand strategies. Sentiment Analysis comes under Natural Language Processing that uses Machine Learning algorithms, Lexicon based algorithms, and Hybrid algorithms to classify data. Analyzing customer reviews plays a important role in maintaining product quality and to meet customer expectations. This helps the organization to increase sales. Researchers introduced a lot of techniques, algorithms on sentiment analysis. Even though there is a lot of enhancement done in Sentiment analysis algorithms, there are areas that need improvement like performance, data extraction, etc. Sentiment analysis can be done not only on customer review data but can be done on marketing, social media data, etc. Some reviews may be irrelevant to the product that is, the reviews may be regarding customer services, delivering the product, etc., which needs to be taken care of. Sentiment analysis is nothing but the classification of feedbacks into negative, neutral, and positive feedbacks and catching the emotion of people.

## II. RELATED WORK

To allow for a proper level of depth, Kim Schouten and Flavius Frasinca[3] focus the survey on a particular sub-field of sentiment analysis. Sentiment can be classified either on the document level, the sentence level, or the entity or aspect level. They focus on the first level and assumes that the whole document expresses sentiment about single topic. Obviously, this is not the case in many situations. At both the document level and the sentence level, the computed sentiment values are not associated with the topics.

Feature extraction for entities is a very important task for opinion mining. Lizhen Liu, Zhixin Lv, Hanshi Wang [4] proposed a new method to deal with this problem. The new technique uses the corresponding opinion words extracting the options, and per mutual support and confidence to filter the noise. It additionally identifies the implicit options and clusters the options supported the information of the background that strengthen cluster results. Empirical evaluation show the proposed method outperforms. However, this method has some shortcomings. Small scale corpus cans not perform well. And the structure of the vague opinions dictionary and part-of-speech dictionary increases the cost of the method. Next, we will study the establishment of two dictionaries by automatically and improve the precision and recall for the small scale corpus.

Hsiang Hui Lek and Danny C.C. Poo [5] present an approach to perform aspect-based sentiment classification for Twitter. Their aspect-based sentiment classifier makes use of a POS tagger, a sentiment lexicon, and a couple of lexicon lists to provide results of the shape [aspect, sentiment words, polarity. they also describe a method to mine sentiment expressions and show that these sentiment expressions can further improve the classification performance. they experimented various ways to incorporate the results from the aspect-based classifier into conventional tweet-level classifier.

The experimental results recommend that a superimposed classification approach that uses the aspect-based classifier because the 1st layer classification and therefore the tweet-level classifier because the second layer classification is more practical than a classifier trained exploitation target-dependent options. This approach is ready to systematically improve the performance of existing sentiment classifiers.

The proposed of C.S.Kanimozhi Selvi [6] system extracts aspects in product customer reviews. The nouns and noun phrases are extracted from each review sentence. Minimum support threshold is used to find all frequent aspects for the given review sentences. Naïve Bayesian algorithm using supervised term counting based approach is used to identify whether sentence is positive or negative opinion and also identifies the number of positive and negative opinion of each extracted aspect. The number of positive and negative opinions in review sentences is estimated. Sentiment orientation gives a good accuracy. In future, it is proposed to summarize the aspects based on the relative importance of the extracted aspect. By using this, it is possible to analyze the customers interesting aspects on products.

Zohreh Madhoushi, Abdul Razak Hamdan, Suhaila Zainudin[7]found that the field of opinion mining is new, diverse methods are available to provide a way to do different tasks at different levels, with associate degree outcome of multitudinous doable applications in governance, homeland security and others. In this work they categorized some recent articles presented in SA field according to their techniques. they found machine learning-based techniques including supervised learning, unsupervised learning and semi-supervised learning techniques, Lexicon-based techniques and hybrid techniques are the most frequent techniques used. Work does not focus on any specific level or task in SA, it is a good source for beginners who have no background in this field. There should be a way to compare these techniques in different tasks at different levels. Since the nature of data set used varies in different work, existing evaluation metrics of different methods does not normally clarify the effectiveness of each method compare to others. In general successful techniques are likely to be a good integration of hybrid approaches and natural language processing techniques. he open issues area unit that recent techniques area unit still unable to figure well in numerous domains; sentiment classification supported lean tagged information continues to be a difficult problem; there is lack of SA research in languages other than English; and existing techniques are still unable to deal with complex sentences that requires more than sentiment words and simple parsing.

Toqir Ahmad Rana, Yu-N Cheah [8] found that Sentiment analysis in customer reviews is a challenging task in academia as well as in the industry and has attracted many researchers in the last decade. Many techniques have been proposed to extract aspects and grouping them in similar classes. Most Most of those approaches square measure restricted to express aspects or mostly rely upon lexicons. They proposed a hybrid rule-based approach to solve the problem. their approach is the combination of different techniques as the task is divided into multiple subtasks. To the best of their knowledge, the approach they proposed certain degree of novelty, especially in using knowledge from the WWW to find the implicit aspects and to group synonyms.

Subjectivity deals with extraction of subjective sentence and it is one of the important tasks in sentiment analysis which increases the system performance both in terms of efficiency and accuracy. Purtata Bhoir and Shilpa Kolte [9] have presented system which implements two different methods to find subjectivity of sentences. Among these two methods, Naïve Bayes classifier gives more accurate result than SentiWordNet. As there is need to find different aspects of movie and its respective opinion, they implemented rule based system which allows user to easily check different aspect of movie liked or disliked by other user. In their future work they will implement system that would analyze reviews which are in language other than English.

Manju Venugopalan, Deepa Gupta[10] found that the hybrid tweet sentiment classification model incorporating domain-oriented lexicons, unigrams, and tweet-specific options mistreatment machine learning techniques has been developed and also the classification accuracies are found to boost by a mean of around two points across completely different domains. The effectiveness of incorporating ideas of domain specificity within the polarity lexicon and also the capacities of specific tweet feature to extract sentiment has been valid. Pruning the unigrams supported their important presence during a category has simplified the model to an oversized extent. Tweet-specific options that embody emoticons, punctuations, hashtags, etc. have verified to act as complementary sources to extract Twitter sentiment. The work are often extended by aggregating sentiment mistreatment the classification model, analyze whether or not the sentiment extracted from every complete reflects actual market statistics, and thus style a prediction model to forecast the complete affinity for the approaching year. Tweets conjointly do contain earth science info. associate degree analysis of however complete affinity varies across regions can even be performed.

Aspect based mostly Sentiment Analysis focuses to travel on the far side a mere word level analysis of text and supply a additional linguistics analysis of text through the employment of internet on sources or linguistics networks. This empowers novel approaches to sentiment analysis. In aspect-based sentiment analysis (ABSA)[11] the aim is to identify the aspects of entities and the sentiment expressed for each aspect. The ultimate goal is to be able to generate summaries listing all the aspects and their overall polarity.

The natural language processing tools can be used to facilitate the SA process. It gives better understanding and thus can help to produce more accurate results of SA. The other major contribution of this study is the classification methodology. For the aspect category extraction, usage of SVM binary classification with selected lexical and semantic features is proposed and it is identified as an optimal feature of the machine learning technique. A mixture of lexical features such as unigrams, bigrams, POS, and head words with domain specific word clusters will be using for the performance evaluation. Sentiment polarity detection task is formulated as a multi-class classification problem. On top of features generated from, domain specific sentiment lexicons and general purpose sentiment lexicon, this research focus SVM and logistic regression algorithm to be analyzed the performance of the system.

Opinion mining is a combination of data mining and natural language processing. Using opinion mining, a document can be analyzed and its overall idea can be extracted. Previous studies have used document level, and sentence level opinion mining to resolve this issue. However, in the research of I. K. C. U. Perera and H.A. Caldera[12], the author has discussed about aspect based opinion mining. To extract the information from the document, POS tagging, dependency parser and SentiWordNet have been used. In their future work, the way of finding the opinion word related to the aspect can be improved. In the proposed method, smiles, emoticons have been removed in the pre-processing stage. But they also represent strong opinions in decision making process. However, a proper sense of human opinion can be extracted, if those can be processed in the input file. SentiWordNet is not a domain specific dictionary. Furthermore, if domain specific SentiWordNet files can be generated, more corrected opinions can be identified well than the proposed system. The proposed work has been designed only for the English language. This can be improved for other languages as well.

In the research of Vamsee Krishna Kiran M, Vinodhini R E, Archanaa R, Vimalkumar K[14] has presented a novel work on rating the product based on its technical specifications using opinion mining and natural language processing techniques. The purpose is to help the users in purchasing the desired product and also help the manufacturers to identify the buying experience of their products. As a future enhancement, it is possible to extract expert reviews from different E-Commerce website and blogs that specifically talks about electronic gadgets and provide a weightage for these reviews because it can play a crucial role in determining the product rate.

### III.SYSTEM IMPLEMENTATION

Sentiment Analysis is a Natural Language Processing technique because it analyses text content. It extracts the emotions out of the text, whether it is a negative, neutral or positive emotion. Since the work deals with text data there is a lot of pre-processing of data need to be done before the actual classification. he preprocessing includes Parts-of-Speech tagging every word in each sentence, extracting oft used words, removing stopping or unwanted words, and adjective extraction from the sentences.

1) *Customer Reviews:* The Customer Reviews of products are given to the system as a input. When a customer buys any product from online shopping portals, they give feedback of the product in the form of Customer Reviews. The reviews may be Positive or Negative or combination of both. Parts-of-Speech tagging: Customer reviews are in the form of text. Parts-of-Speech tagging is used to assign category of parts of speech to each word of a sentence. This is used to find which part-of-speech the word belongs to. This includes Noun, Pronoun, Verb, Adverb, Adjective, Prepositions etc. For sentiment analysis we use mostly Adjectives and nouns as they tell the emotion of the subject.




Fig. 1 Architecture of Proposed system

- 2) *Feature Extraction*: Supported the noun phrases and nouns, adjectives obtained from Parts-of-Speech tagging, features that square measure necessary to spot emotions from client customer have to be compelled to be extracted.. This is done using Apriori algorithm. Apriori algorithm is a data mining algorithm. It is used to extract frequently used aspects from the dataset. It is based on association rules which are used to determine relations among aspects in databases. While applying Apriori algorithm, two main assumptions has to be taken into account, one is that all the subsets of a frequent itemset should be frequent and the other is for any infrequent itemset its supersets should be frequent. Apriori algorithm is easy to understand and implement. It can also be used for large itemsets.

#### IV. CONCLUSION

Sentiment analysis is the process of identifying the feeling expressed in the text or document. We proposed a methodology for mining the product reviews based on weight age. t this time, an enormous capability of data is obtainable over social communities. Opinions or Comments is also contained in varied contents, as well as information or knowledge. Moreover, opinions or comments from other peoples are very useful in our own decision making. Therefore, the automated technique which can analyse opinions or comments will be the valuable tool to assist users, customers, consumers and providers.

This saves time of the users searching for the best product. The reviews for number of products from various different sites were fetched out and through Lexicon- based approach and they were analysed. A bag of positive and negative words like “good”, “bad” etc. were used to rate the reviews based on word score comparison. Review that has the highest score was ranked at first position and so on. Thus an ordered list is prepared and given as output to the user.

#### V. ACKNOWLEDGMENT

It is our proud privilege to release the feelings of our gratitude to every person who helped us directly or indirectly to conduct this research work. we express our heart full indebtness and owe a deep sense of gratitude to Dr. S. Deshpande for their sincere guidance and inspiration for completing this paper.

#### REFERENCES

- [1] M. Sadegh, R Ibrahim, ZA Othman, “Opinion Mining and sentiment analysis”, International Journal of Computers and Technology, vol.2, 2012.
- [2] Kajal Sarawgi, Vandana Pathak, “Opinion Mining: Aspect Level Sentiment Analysis using SentiWordNet and Amazon Web Services”, International Journal of Computer Applications, pp.31- 36, 2015.
- [3] Kim Schouten and Flavius Frasinca, “Survey on Aspect-Level Sentiment Analysis”, IEEE Transactions on Knowledge and Data Engineering, 2015.
- [4] Lizhen Liu, Zhixian Lv, Hanshi Wang, “Opinion Mining Based on Feature-Level” 2012 5th International Congress on Image and Signal Processing, pp.1596-1600, 2012.
- [5] Hsiang Hui Lek and Danny C.C. Poo, “Aspect-based Twitter Sentiment Classification”, 2013 IEEE 25th International Conference on Tools and Artificial Intelligence, pp.366-373, 2013.
- [6] A.Jeyapriya, C.S.Kanimozhi Selvi, “Extracting Aspects and Mining Opinions in Product Reviews using Supervised Learning Algorithm” 2015 2nd International Conference on Electronics and Communication (ICECS), pp.548-552, 2015.
- [7] Zohreh Madhoushi, Abdul Razak Hamdan, Suhaila Zainudin, “Sentiment analysis techniques in recent works”, 2015 Science and Information Conference, pp.288-291, 2015.
- [8] Toqir Ahmad Rana, Yu-N Cheah, “Hybrid rule-based approach for aspect extraction and categorization from customer reviews”, 2015 9th International Conference on IT in Asia (CITA), pp.1-5, 2015.
- [9] Purtata Bhoir, Shilpa Kolte, “Sentiment analysis of movie reviews using lexicon approach”, 2015 IEEE International Conference on Computational Intelligence and Computing Research (ICCIC), pp.1-6, 2015.
- [10] Manju Venugopalan, Deepa Gupta, “Exploring sentiment analysis on twitter data”, 2015 Eighth International Conference on Contemporary Computing (IC3), pp.241-247, 2015.
- [11] Nipuna Upeka Pannala, Chamira Priyamanthi Nawarathna, J.T.K.Jayakody, Lakmal Rupasinghe, Kesavan Krishnadeva, “Supervised Learning Based Approach to Aspect Based Sentiment Analysis”, 2016 IEEE International Conference on Computer and Information Technology (CIT), pp.662-666, 2016.
- [12] I.K.C.U.Perera, H.A.Caldera, “Aspect based opinion mining on restaurant reviews”, 2017 2nd IEEE International Conference on Computational Intelligence and Applications (ICCIA), pp.542-546, 2017.
- [13] Jasmine Bhaskar, Sruthi k, Prema Nedungadi, “Enhanced sentiment analysis of informal textual communication in social media by considering objective word and intensifiers”, International Conference on Recent Advances and Innovations in Engineering (ICRAIE-2014), pp.1-6, 2014.
- [14] M. Vamsee Krishna Kiran, R. E. Vinodhini, R. Archanaa, K. VimalKumar, “User specific product recommendation and rating system by performing sentiment analysis on product reviews”, 207 4th International Conference on Advanced Computing and Communication Systems (ICACCS), pp.1-5, 2017.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)