



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** VI **Month of publication:** June 2023

DOI: <https://doi.org/10.22214/ijraset.2023.54016>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Formulation and Evaluation of Herbal Facewash Preventing Dermatological Problem

Koushik Das¹, SK Mahbub Alam², Soumalya Das³, Tathagata Chowdhury⁴, Mr. Somenath Bhattacharya⁵, Mr. Soumallya Chakraborty⁶, Dr. Amitava Roy⁷, Dr. Arin Bhattacharjee⁸

^{1, 2, 3, 4} Student, Department of Pharmaceutical Technology, Global College of Pharmaceutical Technology, Nadia, West Bengal, India

^{5, 6} Assistant Professor, Department of Pharmaceutical Chemistry, Global College of Pharmaceutical Technology, Nadia, West Bengal, India

⁷ Professor, Department of Pharmaceutical Chemistry, Global College of Pharmaceutical Technology, Nadia, West Bengal, India

⁸ Principal, Department of Pharmaceutical Technology, Global College of Pharmaceutical Technology, Nadia, West Bengal, India

Abstract: Facewash is one type of cosmeceuticals as well as semisolid dosage forms used for external purposes. It is applied on the skin surface to protect the skin from various microbial attacks. This type of cosmeceutical is also used to clean different types of skin problems like skin acne, skin pimples, skin rashes, dark circles, black spot, oily skin, skin discolored, etc. In this study, we have formulated one herbal face wash containing different extraction of herbal materials like fresh aloe vera gel, leaves of neem, turmeric, lemon juice, Fresh leaves of Tulsi, fresh pudina leaves, Chandan, liquorice, Honey, Coffee, Multani mati, rose water as well as various types of excipients like sodium CMC, sodium lauryl sulphate, sodium benzoate, glycerol and distilled water. After formulation study we focused the evaluation cum validation of the formulated new herbal facewash like testing of pH, Spreadability test, foam forming test, etc.


Keywords: Face Wash, Acne, Pimples, Rashes, Cosmetics






I. INTRODUCTION

Natural products are having their own importance as they contain various kinds of actives cum rich pharmaceutical ingredients like Alkaloids, Glycosides, Tannins, Fibers, Resins, Flavonoids etc. Natural ingredients are showing important chemical properties like Antimicrobial, Antifungal, Antibacterial as well as other properties. Those ingredients are used for different types of solid as well as liquid dosage forms like Gel, Ointment, Paste, Tablets, Capsule, Syrup, Tincture, Suspension, Emulsion, Suppository etc. Different types of problems of skin as well as full system are faced by human. Sometimes microbes can attack the human body. The body needs more immunity to heal it. Some medications improve the immunity along with other issues. Skin is one of the most important and sensible parts of the human body. Semisolid preparations like Gels are used to protect the skin from harmful UV rays. Different types of skin problems like acne, pimples, rashes are occurring nowadays due to abnormal lifestyle. Different semisolid dosage forms improve these situations^[1,2,3].

A. Different Types of Skin Problem

TABLE- 1: TYPES OF SKIN PROBLEM

| Sl. no | Types of skin problems | Image |
|--------|--|---|
| 1. | Acne:- Acne vulgaris is a skin condition where oil and the dead skin cells clog hair follicles. This is one of the most common skin problems in adults. Acne is mainly observed in the face. The main cause of this problem is uncontrolled sebum production from sebaceous glands. Another reason is clogging of hair follicles by oil and dead skin cells also some bacterial infection and inflammation cause acne ^[4] . |  |

| | | |
|----|---|---|
| 2. | <p>Wrinkles :- Sun-exposed skin such as face ,neck and hands are the most effected by the wrinkles . With out sun exposure pollutants and smoking are also cause wrinkles. Broad-spectrum sunscreen is help by blocking UVA and UVB^[5].</p> |  |
| 3. | <p>Skin rashes:- Rashes are often itchy , painful and irritated skin on the body. Some variety of causes of skin rashes are bites , chicken pox, drug allergies etc. There are some important type of skin rashes like fleabites, fifth disease, rosacea, impetigo etc^[6].</p> |  |
| 4. | <p>Dark circles :- Possible causes of dark circles under the eye are little sleep , aging, allergies; Fatigue are the well known cause^[7].</p> |  |
| 5. | <p>Black spot:- Hyperpigmentation is a skin condition occurred by producing more melanin as usual. There is no need any treatment but people choose treatment for cosmetic reasons^[8].</p> |  |
| 6. | <p>Oily skin: - Producing too much oily substance known as sebum by sebaceous glands in your skin makes the skin oily . Fluctuating hormones are the health problems of oily skin , environmental factors are humidity^[9].</p> |  |

B. Gel

Gel is very important colloidal preparation, When a liquid medium has become viscous enough to behave more or less as solid. Gel formation process is called gelation. Gel is a solid and semi-solid state of colloidal solution. some examples are jelly, curd, silica.

Types of gel

- 1) *Elastic Gel*: Gel with elasticity property are known as elastic gel. In words they will return their previous state, by adding water. Elastic gels may be prepared by various substances like starch, gelatine etc.
- 2) *Non elastic Gel*: These like silica gel and prepared by proper chemical process. These are also reversible like elastic gel^[10].

II. MATERIAL AND METHODOLOGY:






A. Collection of Herbal Components








Neem , aloe vera ,Tulsi, pudina leaf were collected from the local place , and the other components like turmeric , lemon , Chandan , liquorice , honey , coffee , Multanimati ,Rose water were collected from local market .





B. Collection of Chemical Components

Sodium CMC, Glycerol, Sodium benzoate, Sodium lauryl sulphate were collected from chemical market .


TABLE- 2: HERBAL AND CHEMICAL COMPONENT DETAILS

| Sl. No. | Plant Name | Chemical Constituent | Activity | Plant parts with extractive |
|---------|--|---|---|---|
| 1. | Neem (<i>Azadirachta indica</i>) Family:Meliaceae Plant part :- leaf | Ninbin, azadirachtin ($C_{35}H_{44}O_{16}$) | Antibacterial property , treats acne, and protects the skin from external aggregates ^[11] . |  |
| 2. | Turmeric (<i>Curcuma longa</i>) Family :-Ginger Plant part :- Root and rhizomes | Curcumin($C_{21}H_{20}O_6$), Zingiberene ($C_{15}H_{24}$) | Anti-inflammatory agent ,reduce scarring, lightning anti wrinkle , wound Heald ^[12] . |  |
| 3. | Aloevera (<i>Aloe barbadensis Miller</i>) Family :- Asphodelaceae Plant part :-leaf | Aloin($C_{21}H_{22}O_9$) , aloe emodin | Antibacterial and anti-inflammatory properties, cooling effect on rashes and sunburns ^[13] . |  |
| 4. | Lemon (<i>Citrus limon</i>) Family :-Rutaceae Plant part :- juice | Limonene($C_{10}H_{16}$) ,linalool($C_{10}H_{18}O$) | Containing vitamin C an antioxidant, reduce skin damage and premature aging for high PH level can reduce oil from the skin ^[14] . |  |
| 5. | Tulsi (<i>Ocimumteuiflorum</i>) Family :- Lamiaceae Plant part :- leaf | Eugenol($C_{10}H_{12}O_2$),Estragole($C_{10}H_{12}O$) | Antifungal, anti-inflammatory, anti bacterial properties facilitates to purify blood and remove toxins, prevents appearance of acne and pimples ^[15] . |  |

| | | | | |
|-----|--|--|---|---|
| 6. | Pudina (<i>Mentha</i>) Family :- Menthaceae Plant part :- leaf | Menthol(C ₁₀ H ₂₀ O), Eucalyptol (C ₁₀ H ₁₈ O) | Gives soothing effect, hydrates the skin, treats acne, prevent wrinkles and fine lines ^[16] . |  |
| 7. | Chandan (<i>Santalum album</i>) Family :-Santalaceae Plant part :- Wood powder | Alpha- santalol, beta- santalol | Helps to nourish the skin , improve the elasticity of skin cells, reduce scars, anti- tanning and anti-aging property, pimple and acne treatment ^[17] . |  |
| 8. | Liquorice (<i>Glycyrrhiza glabra</i>) Family :- Leguomes Plant part :- Root and rhizomes | Glycyrrhizin, Liquiritin | Have a soothing effect,and ease inflammation ^[18] . |  |
| 9. | Honey (<i>Apis mellifera</i>) Family :-Apidae | Glucose(C ₆ H ₁₂ O ₆), Fructose(C ₆ H ₁₂ O ₆) | Containing anti-bacterial, anti-inflammatory and humectant properties, prevent acne and inflammation ^[19] . |  |
| 10. | Coffee (<i>Coffea</i>) Family :- Rubiaceae Plant part :- Seed powder | Caffeine(C ₈ H ₁₀ N ₄ O ₂), Chlorogenic acid(C ₁₆ H ₁₈ O ₉) | Clear away dead skin cells, unclog the pores, chologenic acid reduce inflammation, anti-aging benefits, acne treatment and dark circle ^[20] . |  |
| 11. | Multani mati (<i>Bentonite clay</i>) | Hydrated aluminium silicates , Magnesium chloride | It is a natural cleanser, acne- fighter , sebum controller and skin rejuvenating agent ^[21] . |  |
| 12. | Rose water (<i>Rosa damascena mill L</i>) | Geraniol(C ₁₀ H ₁₈ O), Citronellol (C ₁₀ H ₂₀ O) | Removes excess oil and impurities, reduce black heads , acne scars and black spots ^[22] . |  |

| | | | | |
|-----|--------------------------------|-------|------------------|--|
| 13. | Sodium carboxymethyl cellulose | ----- | As gelling agent |  |
| 14. | Sodium benzoate | ----- | As preservative |  |
| 15. | Glycerol | ----- | As humectants |  |
| 16. | Sodium lauryl sulphate | ----- | As foaming agent |  |






C. Extraction of Different Herbal Drugs or Components



D. Screening of Plant Extract

TABLE NO. 3:- LIST OF SCREENING OF EXTRACTED COMPONENTS

| Sr.no. | Ingredients | Reactions | Observation | Image |
|--------|-------------|--|--|-------|
| 1. | Neem | 0.5g of the extract was added in HCL. After dissolving it was filtered using filter paper and 2 ml of the filtrate was treated with dragendroff's reagent (a solution of potassium bismuth iodide) | Red precipitate was formed and indicated the presence of alkaloid. A= Plant extract B= reagent C= Observed result | |
| 2. | Turmeric | 1 or 2 ml of extract was added with wagner's reagent (dissolving 2 gm of iodine and 6 gm of potassium iodide in 100 ml of distilled water). | Reddish brown precipitate shows the presence of alkaloids. A= Plant extract B= reagent C= Observed result | |
| 3. | Aloe vera | 2 ml of acetic anhydride + 2 ml of H ₂ SO ₄ were added to 5 ml of extract | The colour was changed from blue to violet and indicated the presence of steroids. A= Plant extract B= reagent C= Observed result | |
| 4. | Lemon | 5 ml of lemon juice was dissolved in distilled water at 100°C and add 6% of ferric chloride solution . | A green precipitate was observed and shows the presence of tannins. A= Plant extract B= reagent C= Observed result | |

| | | | | |
|----|-----------|---|--|---|
| 5. | Tulsi | 5mg extract added with 0.5 ml of ferric chloride solution | <p>Formation of blackish precipitate shows the presence of tannins.</p> <p>A= Plant extract B= reagent C= Observed result</p> |  |
| 6. | Pudina | 2 ml of chloroform and concentrated H ₂ SO ₄ were added with the extract. | <p>Formation of a red colour shows the directed the presence of steroids.</p> <p>A= Plant extract B= reagent C= Observed result</p> |  |
| 7. | Liquorice | 80% H ₂ SO ₄ treated with powder of the drug. | <p>Orange yellow is observed for transformation of flavoneglycoside liquiritin tochalcone glycoside isoliquiritin.</p> <p>A= Plant extract B= reagent C= Observed result</p> |  |
| 8. | Honey | Few drops of honey put into a solution of vinegar-water. | <p>The mixture is not foaming and shows that the honey is real.</p> <p>A= Plant extract B= reagent C= Observed result</p> |  |
| 9. | Coffee | 1 ml of extract added with 5% of ferric chloride solution. | <p>A bluish black colour directed the presence of phenolics.</p> <p>A= Plant extract B= reagent C= Observed result</p> |  |

E. Formulation Study

We have formulated the face wash gel where the extract of Neem, aloe vera, Tulsi, pudina, turmeric gives anti-bacterial and anti-inflammatory property. Sodium CMC was used as gelling agent. Glycerol was used as humectant. Sodium benzoate was used as preservative and sodium lauryl sulphate was used as foaming agent. Lemon gives antioxidant property for vitamin C. Chandan gives anti-tanning and anti-aging property. For soothing effect liquorice was added, honey also have anti-bacterial and anti-inflammatory property, coffee also give anti-aging property. Multani mati was sebum controller and natural cleanser and rose water was for remove impurities and black heads.

Table NO. 4:- Formulation Table For Herbal Face Wash

| Sr. no. | Name of Ingredients | Quantity for 100 gm. |
|---------|------------------------|----------------------|
| 1. | Neem extract | 10 % |
| 2. | Turmeric extract | 5 % |
| 3. | Aloe vera extract | 10 % |
| 4. | Lemon | 5 % |
| 5. | Tulsi extract | 10 % |
| 6. | Pudina extract | 10 % |
| 7. | Chandan | 1 % |
| 8. | Liquorice extract | 5 % |
| 9. | Honey | 2 % |
| 10. | coffee | 0.1 % |
| 11. | Multani mati | 2 % |
| 12. | Rose water | 30 % |
| 13. | Sodium CMC | 10 % |
| 15. | Glycerol | 5 % |
| 16. | Sodium benzoate | 1 % |
| 17. | Sodium lauryl sulphate | 2% |

III. EVALUTION

- 1) *Appearance*: The appearance of the formulation was examined visually for various parameters.
- 2) *Colour*: Colour was checked out against a white background, pale yellow colour to be observed by visual examination.
- 3) *Odour*: Odour found to be characteristics by smelling it.
- 4) *Consistency*: Consistency was checked by applying on the skin, found to be smooth.
- 5) *Greasiness*: Greasiness was analysed by applying on the skin.
- 6) *pH*: pH of 1% aqueous solution of the formulation was measured by digital pH meter . pH of the formulation was 6.64
- 7) *Washability*: The product was applied to the skin and washed with running water. After few minutes the formulation was washable with water.
- 8) *Homogeneity*: The formulation put into a container. Homogeneity was checked out by visual examination and found that all the particles of each are uniformly distributed.
- 9) *Spreadability*^[23] : The formulation is easily spreadable on face.

$$\text{Spreadability} = m \cdot \frac{l}{t}, \text{ where, } m = \text{weight to the upper slide (10 gm.)}$$

$$l = \text{length of the glass slide (7.5cm.)}$$

$$t = \text{time in sec (7.8 sec.)}$$

$$\text{So, Spreadability} = \frac{10 \times 7.5}{7.8} = 9.5 \text{ gm.cm/sec}$$

- 10) *Skin Irritability Test*: Formulated sample shows no irritation, inflammation, skin redness when applied on skin during study.

11) Stability Study

Table NO. 4:- Stability Study Data

| Sl. No. | Parameter | Observation | | | |
|---------|------------------------|---------------------|---------------------|---------------------|---------------------|
| | | Initial | 10 Days | 20 Days | 30 Days |
| 1. | Colour | Yellow | Yellow | Yellow | Yellow |
| 2. | Odour | Characteristic | Characteristic | Characteristic | Characteristic |
| 3. | Consistency | Semi-solid | Semi-solid | Semi-solid | Semi-solid |
| 4. | pH | 6.64 | 6.6 | 6.56 | 6.5 |
| 5. | Spreadability | Easily spreadable | Easily spreadable | Easily spreadable | Easily spreadable |
| 6. | Wash ability | Good | Good | Good | Good |
| 7. | Grittiness | No gritty particles | No gritty particles | No gritty particles | No gritty particles |
| 8. | Foam ability | Good | Good | Good | Good |
| 9. | Skin Irritability Test | No | No | No | No |

IV. RESULTS AND DISCUSSION

After 1 month study the appearance of the face wash maintained its colour and homogeneity. Any face separation did not observed in the formulated facewash. On the other-hand the pH of the facewash is also stable. The formulated facewash was screening a positive activity on different kinds of human pathogen like E.coli (-ve) and S.aureus (+ve). Subsequently they did not harvest any microbial growth when it was placed in the agar medium, the facewash as free of microorganisms. This is a fully herbal facewash and did not hold alcohol. Aloe vera, Neem, Turmeric and other herbal extracts shows their antifungal, antimicrobial and anti-inflammatory characteristics on the other hand Liquorice(Glycyrrhiza glabra), Honey and pudina shows there soothing and nourishing effect. For various facewash concentrations amount, the agar diffusion method was used to regulate their antibacterial activity. For E. coli (-ve), the zone of inhibition was found to be 8 mm for 50 µl, 11 mm for 100 µl, 18 mm for 150 µl, and 20 mm for 200 µl, respectively. For S. aureus, the zone of inhibition was found to be 5 mm for 50 µl, 10 mm for 100 µl, 13 mm for 150 µl, and 15 mm for 200 µl, respectively. These findings demonstrated the significant antibacterial activity of the herbal facewash.

A. Result of Antibacterial Study

Table no. 5:- amount of sample vs zone of inhibition table

| Organism | Zone of Inhibition (mm) | | | |
|----------------|-------------------------|--------|--------|--------|
| | 50 µl | 100 µl | 150 µl | 200 µl |
| E.coli(-ve) | 6 mm | 10 mm | 15mm | 18 mm |
| S. aureus(+ve) | 5mm | 8 mm | 12 mm | 15mm |




Figure 1: Amount Of Sample Vs Zone Of Inhibition

V. CONCLUSION

In this study, the active components of several extracts were united to create an efficient formulation for herbal facewash. The facewash is fully alcohol free. Aloe vera, Neem, Turmeric, Tulsi and other extracts were used in the present research for their potential anti-bacterial characteristics. The zone of inhibition findings provided additional proof that this herbal facewash is microbes free. It can treat different types of skin disease as well as Lemon works as an antioxidant which is essential for glow of skin and it works as an anti-ageing agent. Multani mati is a natural scrubber. Honey works as a soothing agent and nourish the skin layer. Through the above test it is proved that the product can definitely provide a better and healthy skin. It is absolutely safe and alcohol free. The natural herbs works properly and it is shown that the natural ingredients used in this facewash have individual and specific therapeutic and pharmacological effect on the human skin.

VI. ACKNOWLEDGEMENT

We would like to thank our college Global College of Pharmaceutical Technology for giving us the opportunities to perform this research work. We are also grateful to library department of our college and Mr Sourav saha Sir, Mr. Bhaskar Ghosh sir, Mr. Jaydeb Sarkar sir, and our friends Shampa Pal, Tiyasha Saha for helping us to complete this research paper.

A. Conflict Of Interest

Nil

REFERENCES

- [1] Singh H.P., Samhotra N., Gullaiya S., Kaur I., Anti-acne Synergistic Herbal Face Wash Gel; Formulation, Evolution And Stability Studies, World Journal Of Pharmaceutical Research, 2015;(4)(9);1261-1262
- [2] Nazeer S.A.S., Patil R.P., Patil M.A., Formulation Of Herbal Facewash, International Journal Of Research Publication And Reviews; 2023;(4); 1813-1814
- [3] Chandra S., Sodiya N., Patil S., A Review On Herbal Gel Face Wash With Scrub, International Journal Of Research In Engineering And Science (IJRES), 2022; (10)(6);19-20
- [4] Tan A.U., Schlosser B.J., Paller A.S., A review of diagnosis and treatment of acne in adult female patients, International Journal Of Women's Dermatology, 2018;(4);56-59
- [5] Langton A.K., Sherratt M.J., Griffiths C.E.M., Watson R.E.B., A new wrinkle on old skin:the role of elastic fibres in skin ageing, International Journal Of Cosmetic Science; (32) ; 330-333
- [6] Tabassum N., Hamdani M., Plants used to treat skin diseases, National Library Of Medicine, 2014;(8)(15); 52-55
- [7] Vrcek I., Ozgur O, Nakra T., Infraorbital Dark Circles:A Review of the Pathogenesis,Evaluation and Treatment , Journal Of Cutaneous And Aesthetic Surgery, 2016; (9)(2); 65-72
- [8] Sing S., Patel S.S., Black Spot On Highway And Remedial Measures:A Review , International Journal Of Creative Research Thoughts (IJCRT), 2020; (8)(3); 3110-3112
- [9] Sakuma T.H., Maibach H.I., Oily skin: An Overview , Karger Publishers, 2012; (25)(5); 227-231
- [10] Suchithra A.B., Jeganath S., Jeevitha E., Pharmaceutical Gels And Recent Trends-A Review, Research Journal Of Pharmacy And Technology, 2019; (12)(12); 6183-6184
- [11] Tibebu A., Haile G., Kebede A., Review On Medicinal Value And Other Application Of Neem Tree, ARC Journal Of Immunology And Vaccines, 2017;(2)(2); 16-18
- [12] Jyotirmayee B., Mahalik G., A review on selected pharmacological activities of Curcuma longa L., International Journal Of Food Properties, 2022; (25); 1377-1380
- [13] Pandey A., Singh S., Aloe vera: A Systemic Review of its Industrial And Ethno-Medicinal Efficacy, International Journal Of Pharmaceutical Research And Allied Science, 2016; (5)(1); 21-26
- [14] Dev C., Raj S. R., Nidhi S., Basketful Benefit Of Citrus Limon, International Research Journal Of Pharmacy, 2016; (7)(6); 1-4
- [15] Thakur S., Choudhary S., Walia B., Chadhary G., Tulsi- A Review Based Upon Its Ayurvedic And Modern Therapeutic Uses , International Journal Of Research And Review, 2021; (8)(5); 263-267
- [16] Nayak P., Kumar T., Gupta A.K., Joshi N.U., Peppermint a medicinal herb and treasure of health: A review, journal of pharmacognosy and phytochemistry , 2020; (9)(3); 1519-1524
- [17] Sindhu R.K., Upma, Kumar A., Arora S., Santalum Album Linn: A Review On Morphology Phytochemistry And Pharmacological Aspects, International Journal Of Pharmtech Research, 2010; (2)(1); 914-917
- [18] Zadeh J.B., Kor Z.M., Gofter M. K., Licorice (Glycyrrhiza glabra Linn) As a valuable medicinal plant, International Journal Of Advanced Biological And Biomedical Research, 2013; (1)(10); 1281-1285
- [19] Kumar K.P.S., Bhowmik D., Chiranjib, Biswajit ,Chandira M.R., Medicinal uses and health benefits of Honey: An overview, Journal Of Chemical And Pharmaceutical Research, 2010; (2)(1); 385-390
- [20] Higdon J.V., Frei B., Coffee and Health: A Review of Recent Human Research , Critical Reviews In Food Science And Nutrition, 2006; (46)(2); 106-107
- [21] Ghadge P.K., Mahamuni S.S., Kchare D.S., Formulation and evaluation of Herbal scrub using Tamarind peel , Research Journal of Topical and Cosmetic sciences, 2021; (12)(1)
- [22] Boskabady M.H., Shafei M.N., Saberi Z., Amini S., Pharmacological effects of Rosa Damascena, Iranian journal of basic medical sciences, 2011; (14)(4); 295-298
- [23] Varghese J.V.V., Athira P., Sandra T.S., Jose S., A Research On Formulation And Evaluation Of Polyherbal Anti Acne Face Wash, International Journal Of Creative Research Thoughts(IJCRT), 2022; (10)(4);494



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)