



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** III **Month of publication:** March 2025

DOI: <https://doi.org/10.22214/ijraset.2025.67244>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Free-Space Optical (FSO) Communication: Bridging the Gap in High-Speed Point-to-Point Wireless Networks

Khamni Mohamed Elmbark¹, Omar Mohammed Abubaker Naser², Hamzah Abdullah Faraj³

^{1,2}Institute of Engineering profession, Sebha

³Technical College of Engineering, Sebha

Abstract: Free-Space Optical (FSO) communication has emerged as a promising solution for high-speed point-to-point wireless networks, offering unparalleled data rates, security, and scalability. However, challenges such as atmospheric turbulence, weather dependency, and alignment issues have hindered its widespread adoption. This paper explores the advancements in FSO technology, focusing on its role in bridging the gap in high-speed wireless communication. We discuss key enabling technologies, including adaptive optics, hybrid FSO-RF systems, and machine learning-based optimization, and evaluate their potential to overcome existing limitations. Furthermore, we highlight applications in 5G/6G networks, satellite communication, and last-mile connectivity, providing insights into the future of FSO as a cornerstone of next-generation wireless networks.

Keywords: Free-Space Optical (FSO) Communication, Data Transmission, Point-to-Point Communication, Next-Generation Networks

I. INTRODUCTION

In an era where the demand for high-speed, reliable, and secure communication is growing exponentially, traditional wireless networks are increasingly challenged to meet the requirements of modern applications. Radio frequency (RF)-based systems, while widely adopted, face limitations such as spectrum congestion, interference, and bandwidth constraints. These challenges have spurred the exploration of alternative technologies capable of delivering faster data rates and more efficient connectivity. Among these, “Free-Space Optical (FSO) Communication” has emerged as a promising solution for high-speed point-to-point wireless networks [1].

FSO communication leverages optical signals to transmit data through free space, such as air or vacuum, without the need for physical cables. By utilizing light as the carrier, FSO systems offer several advantages, including “high bandwidth”, “low latency”, “enhanced security”, and “immunity to electromagnetic interference”. These features make FSO particularly suitable for applications requiring robust and high-capacity links, such as “last-mile connectivity”, “backhaul networks”, “disaster recovery”, and “inter-satellite communication”.

Despite its potential, FSO communication is not without challenges. Factors such as atmospheric attenuation, weather conditions (e.g., fog, rain, and turbulence), and alignment sensitivity can impact the reliability and performance of FSO systems. However, advancements in ‘adaptive optics’, ‘error correction techniques’, and ‘hybrid RF-FSO systems’ are addressing these limitations, paving the way for broader adoption [2].

This paper explores the role of FSO communication in bridging the gap in high-speed point-to-point wireless networks. We examine the ‘principles of FSO technology’, its ‘advantages over traditional RF systems’, and the ‘key challenges’ that must be overcome. Additionally, we discuss ‘emerging applications’ and ‘future trends’ that highlight the transformative potential of FSO in shaping the next generation of wireless communication systems.

A. Motivation

The rapid proliferation of data-intensive applications, such as 5G networks, Internet of Things (IoT), cloud computing, and high-definition video streaming, has placed unprecedented demands on wireless communication systems. Traditional RF-based technologies, while effective in many scenarios, are increasingly constrained by limited spectrum availability, interference issues, and bandwidth bottlenecks. These limitations hinder their ability to support the ever-growing need for high-speed, low-latency, and secure data transmission, particularly in point-to-point communication scenarios [3].

In this context, Free-Space Optical (FSO) Communication has emerged as a compelling alternative, offering a unique combination of high bandwidth, license-free operation, and enhanced security. Unlike RF systems, FSO utilizes optical signals to transmit data through free space, enabling data rates that can reach multi-gigabit per second (Gbps) levels. This makes FSO an ideal candidate for bridging the gap in high-speed wireless networks, especially in environments where deploying fiber-optic cables is impractical or cost-prohibitive [4].

The motivation behind this study is to highlight the transformative potential of FSO communication in overcoming the limitations of traditional wireless systems and enabling next-generation networks. By exploring the capabilities, challenges, and applications of FSO, this paper aims to provide a comprehensive understanding of its role in shaping the future of high-speed point-to-point wireless communication.

II. FUNDAMENTALS OF FSO COMMUNICATION

Free-Space Optical (FSO) communication is a wireless technology that uses optical signals to transmit data through free space, such as air or vacuum, without the need for physical cables. It operates on the principles of light propagation and modulation, enabling high-speed data transfer over point-to-point links.

This section provides an overview of the fundamental components, working principles, and key characteristics of FSO communication systems [5].

A. Basic Components of FSO Systems

An FSO communication system typically consists of the following key components:

- **Transmitter:** Converts electrical signals into optical signals using a laser diode or light-emitting diode (LED). The transmitter also includes optics to collimate and direct the light beam toward the receiver.
- **Receiver:** Captures the incoming optical signal using a photodetector (e.g., photodiode) and converts it back into an electrical signal for further processing.
- **Optical Antenna:** Used to focus and direct the light beam, ensuring efficient transmission and reception over long distances.
- **Modulation Techniques:** Methods such as On-Off Keying (OOK), Pulse Position Modulation (PPM), or Quadrature Amplitude Modulation (QAM) are used to encode data onto the optical signal.
- **Alignment Mechanism:** Ensures precise alignment between the transmitter and receiver, which is critical for maintaining a stable link [6].

B. Working Principle

FSO communication relies on the transmission of light waves through free space. The process involves:

- **Data Encoding:** The input data is modulated onto an optical carrier wave using a chosen modulation scheme.
- **Beam Propagation:** The modulated light beam is transmitted through the atmosphere, guided by the optical antenna.
- **Signal Reception:** The receiver detects the incoming light beam, demodulates it, and extracts the original data.
- **Error Correction:** Advanced error correction techniques are often employed to mitigate the effects of signal degradation caused by atmospheric conditions [7].

C. Key Characteristics of FSO Communication

- **High Bandwidth:** FSO systems can achieve data rates in the range of gigabits per second (Gbps), making them suitable for high-capacity applications.
- **License-Free Operation:** Unlike RF systems, FSO operates in the optical spectrum, which is unregulated and does not require licensing.
- **Low Latency:** The speed of light ensures minimal delay in data transmission, making FSO ideal for real-time applications.
- **Enhanced Security:** The narrow beam width and line-of-sight requirement make FSO links difficult to intercept, providing a high level of security.
- **Scalability:** FSO systems can be easily deployed and reconfigured, offering flexibility in network design [8].

D. Challenges in FSO Communication

Despite its advantages, FSO communication faces several challenges:

- **Atmospheric Attenuation:** Factors such as fog, rain, snow, and turbulence can scatter or absorb the optical signal, reducing its strength.
- **Alignment Sensitivity:** Maintaining precise alignment between the transmitter and receiver is critical, especially over long distances.
- **Weather Dependence:** Adverse weather conditions can significantly impact the reliability and performance of FSO links.
- **Range Limitations:** While FSO can achieve high data rates, its effective range is typically limited to a few kilometers due to signal attenuation [9].

E. Mitigation Strategies

To address these challenges, researchers and engineers have developed various mitigation strategies, including:

- **Adaptive Optics:** Techniques to compensate for atmospheric turbulence and improve signal quality.
- **Hybrid FSO-RF Systems:** Combining FSO with RF communication to enhance reliability and performance.
- **Diversity Techniques:** Using multiple transmitters and receivers to reduce the impact of signal fading.
- **Advanced Modulation Schemes:** Employing robust modulation techniques to improve data integrity [10].

III. KEY CHALLENGES IN FSO COMMUNICATION

While Free-Space Optical (FSO) communication offers numerous advantages, such as **high bandwidth**, **low latency**, and **enhanced security**, it is not without its challenges. These challenges stem primarily from the nature of optical signal propagation through the atmosphere and the technical requirements of maintaining a stable and reliable link. This section outlines the key challenges faced by FSO communication systems and their implications for practical deployment [11].

A. Atmospheric Attenuation

- **Description:** The optical signal in FSO systems can be significantly attenuated by atmospheric conditions, such as fog, rain, snow, and dust. Fog, in particular, is a major concern as it can scatter and absorb light, drastically reducing signal strength.
- **Impact:** This attenuation can lead to signal degradation, increased bit error rates (BER), and even complete link failure in severe conditions.
- **Mitigation:** Techniques such as adaptive power control, wavelength diversity (using multiple wavelengths), and hybrid FSO-RF systems can help mitigate the effects of atmospheric attenuation [12].

B. Weather Dependence

- **Description:** FSO communication is highly sensitive to weather conditions. For example, heavy rain or snow can scatter the optical beam, while turbulence caused by temperature variations can cause beam wander and scintillation.
- **Impact:** Weather-related disruptions can lead to intermittent connectivity and reduced reliability, especially in regions with harsh climates.
- **Mitigation:** Deploying redundant systems (e.g., hybrid FSO-RF) and using predictive weather modeling to anticipate and adapt to adverse conditions can improve reliability.

C. Alignment and Pointing Accuracy

- **Description:** FSO systems require precise alignment between the transmitter and receiver due to the narrow beam width of optical signals. Even minor misalignments can result in significant signal loss.
- **Impact:** Maintaining alignment is particularly challenging in dynamic environments, such as moving platforms (e.g., drones, vehicles) or buildings subject to vibrations and sway.
- **Mitigation:** Advanced tracking and alignment systems, such as gimbals and active feedback mechanisms, can help maintain alignment. Additionally, beam divergence can be optimized to balance alignment sensitivity and signal strength [13].

D. Range Limitations

- Description: The effective range of FSO communication is typically limited to a few kilometers due to signal attenuation and divergence over distance.
- Impact: This limits the applicability of FSO in scenarios requiring long-distance communication without intermediate relay nodes.
- Mitigation: Deploying relay stations or mesh networks can extend the range of FSO systems. Additionally, using high-power lasers and sensitive receivers can improve performance over longer distances [14].

E. Scintillation and Turbulence

- Description: Atmospheric turbulence, caused by temperature and pressure variations, can lead to scintillation—rapid fluctuations in signal intensity. This phenomenon is particularly pronounced over long distances or in hot climates.
- Impact: Scintillation can cause signal fading and increased error rates, degrading the quality of the communication link.
- Mitigation: Techniques such as aperture averaging, adaptive optics, and spatial diversity (using multiple transmitters and receivers) can reduce the effects of turbulence [15].

F. Security Vulnerabilities

- Description: While FSO links are inherently more secure than RF systems due to their narrow beam width, they are not immune to security threats. Potential vulnerabilities include eavesdropping (via beam interception) and jamming (by introducing bright light sources).
- Impact: These threats can compromise the confidentiality and integrity of the communication link.
- Mitigation: Implementing encryption protocols, beam steering techniques, and intrusion detection systems can enhance the security of FSO links.

G. Cost and Complexity

- Description: The deployment of FSO systems can be costly and complex, particularly in terms of initial setup, alignment, and maintenance.
- Impact: High costs and technical complexity can limit the widespread adoption of FSO technology, especially in resource-constrained environments.
- Mitigation: Advances in automation, modular design, and mass production are expected to reduce costs and simplify deployment over time.

H. Regulatory and Safety Concerns

- Description: The use of high-power lasers in FSO systems raises concerns about eye safety and compliance with regulatory standards.
- Impact: Failure to address these concerns can result in health risks and legal challenges.
- Mitigation: Adhering to safety standards (e.g., IEC 60825) and using eye-safe wavelengths (e.g., 1550 nm) can mitigate these risks [16].

IV. ENABLING TECHNOLOGIES FOR FSO COMMUNICATION

The successful implementation and advancement of Free-Space Optical (FSO) communication rely on a range of enabling technologies that address its technical challenges and enhance its performance. These technologies span hardware, software, and system-level innovations, enabling FSO systems to achieve high data rates, reliability, and scalability. This section explores the key enabling technologies that are driving the evolution of FSO communication [17].

A. Advanced Laser and Photodetector Technologies

- High-Power Lasers: The use of high-power laser diodes and fiber lasers enables longer transmission distances and improved signal strength, overcoming atmospheric attenuation.
- Wavelength Selection: Operating at eye-safe wavelengths (e.g., 1550 nm) ensures compliance with safety standards while minimizing atmospheric absorption and scattering.
- Sensitive Photodetectors: Advanced photodetectors, such as avalanche photodiodes (APDs) and single-photon detectors, enhance receiver sensitivity, enabling reliable detection of weak optical signals.

B. Adaptive Optics

- Description: Adaptive optics systems use deformable mirrors and wavefront sensors to dynamically correct distortions caused by atmospheric turbulence.
- Benefits: This technology reduces scintillation and beam wander, improving signal stability and link reliability.
- Applications: Adaptive optics is particularly useful in long-range FSO communication and space-based systems.

C. Modulation and Coding Techniques

- Advanced Modulation Schemes: Techniques such as Quadrature Amplitude Modulation (QAM), Orthogonal Frequency-Division Multiplexing (OFDM), and Pulse Position Modulation (PPM) increase spectral efficiency and data rates.
- Forward Error Correction (FEC): FEC algorithms, such as Reed-Solomon and Low-Density Parity-Check (LDPC), mitigate errors caused by signal degradation, enhancing link robustness.

D. Beam Steering and Tracking Systems

- Precision Alignment: Gimbal-mounted mirrors and micro-electromechanical systems (MEMS) enable precise beam steering and alignment, ensuring stable links in dynamic environments.
- Automatic Tracking: Advanced tracking systems use feedback control loops and machine learning algorithms to maintain alignment between transceivers, even in the presence of vibrations or movement.

E. Hybrid FSO-RF Systems

- Description: Hybrid systems combine FSO with radio frequency (RF) communication to create a resilient and high-capacity network.
- Benefits: RF links provide backup during adverse weather conditions, while FSO links offer high bandwidth and low latency during clear conditions.
- Applications: Hybrid systems are ideal for backhaul networks, disaster recovery, and urban connectivity.

F. Diversity Techniques

- Spatial Diversity: Using multiple transmitters and receivers reduces the impact of signal fading and improves link reliability.
- Wavelength Diversity: Transmitting data over multiple wavelengths mitigates the effects of wavelength-specific attenuation, such as fog or rain.
- Time Diversity: Transmitting the same data at different times helps overcome temporary signal disruptions.

G. Artificial Intelligence and Machine Learning

- Channel Prediction: AI algorithms can predict atmospheric conditions and optimize transmission parameters in real time.
- Fault Detection: Machine learning models can identify and diagnose link failures, enabling proactive maintenance and repair.
- Beam Optimization: AI-driven beamforming techniques enhance signal strength and alignment accuracy.

H. Quantum Key Distribution (QKD)

- Description: QKD leverages the principles of quantum mechanics to enable secure key exchange between communication parties.
- Benefits: When integrated with FSO, QKD provides unconditional security, making it ideal for applications requiring high levels of data protection.
- Applications: QKD-FSO systems are used in government communications, financial networks, and critical infrastructure.

I. Energy-Efficient Design

- Low-Power Components: Energy-efficient lasers, photodetectors, and signal processing units reduce the overall power consumption of FSO systems.
- Solar-Powered Systems: Integrating solar panels with FSO transceivers enables sustainable operation in remote or off-grid locations.

J. Network Integration and Protocols

- Software-Defined Networking (SDN): SDN enables dynamic management and optimization of FSO links within larger communication networks.
- 5G Integration: FSO systems are being integrated into 5G networks to provide high-capacity backhaul links and support ultra-low-latency applications [18].

V. APPLICATIONS OF FSO IN HIGH-SPEED POINT-TO-POINT NETWORKS

Free-Space Optical (FSO) communication has emerged as a versatile and high-performance solution for a wide range of applications in high-speed point-to-point networks. Its ability to deliver **gigabit-level data rates**, **low latency**, and **enhanced security** makes it particularly suitable for scenarios where traditional wired or RF-based systems face limitations. A few applications of FSO systems are illustrated in Figure . 1. Some attractive applications of FSO systems are briefly described in the following [19].




Figure 1: A few applications of FSO systems.

A. Last-Mile Connectivity

- Description: FSO is widely used to provide high-speed internet access in urban and remote areas where laying fiber-optic cables is impractical or cost-prohibitive.
- Benefits: FSO systems can be rapidly deployed, offering a cost-effective alternative to fiber for connecting end-users to the core network.
- Use Cases: Connecting homes, businesses, and schools in underserved or hard-to-reach locations [20].

B. Backhaul Networks

- Description: FSO serves as a high-capacity backhaul solution for connecting cellular base stations, small cells, and data centers.
- Benefits: FSO supports the high bandwidth and low latency requirements of 5G networks, enabling seamless data transfer between network nodes.
- Use Cases: Backhaul links for 5G base stations, IoT hubs, and edge computing facilities.

C. Enterprise Connectivity

- Description: FSO is used to establish secure and high-speed links between corporate offices, data centers, and remote facilities.
- Benefits: FSO provides a license-free, scalable, and secure alternative to leased lines or RF-based systems.
- Use Cases: Interconnecting office buildings, campuses, and industrial sites.

D. Disaster Recovery and Emergency Communication

- Description: In disaster scenarios where traditional communication infrastructure is damaged, FSO systems can be rapidly deployed to restore connectivity.
- Benefits: FSO offers quick deployment, high bandwidth, and resilience in emergency situations.
- Use Cases: Temporary communication links for disaster relief operations, emergency response teams, and military deployments [21].

E. Inter-Satellite and Satellite-to-Ground Communication

- Description: FSO is a key enabler of high-speed communication between satellites and between satellites and ground stations.
- Benefits: FSO provides high data rates, low latency, and immunity to electromagnetic interference, making it ideal for space applications.
- Use Cases: Inter-satellite links (ISLs), satellite constellations, and deep-space communication.

F. Military and Defense Applications

- Description: FSO is used in military networks for secure and high-capacity communication in challenging environments.
- Benefits: FSO offers enhanced security, resistance to jamming, and rapid deployment in battlefield scenarios.
- Use Cases: Tactical communication links, unmanned aerial vehicle (UAV) networks, and secure command-and-control systems.

G. Financial Networks

- Description: FSO is employed in high-frequency trading and financial networks to ensure ultra-low-latency communication.
- Benefits: FSO provides minimal delay, high reliability, and secure data transmission, critical for financial transactions.
- Use Cases: Connecting stock exchanges, data centers, and trading hubs.

H. Smart Cities and IoT

- Description: FSO supports the connectivity needs of smart city infrastructure and IoT devices.
- Benefits: FSO enables high-speed data transfer, scalability, and low power consumption, making it suitable for smart city applications.
- Use Cases: Connecting traffic management systems, surveillance cameras, and environmental sensors.

I. Healthcare and Telemedicine

- Description: FSO is used to establish high-speed links for telemedicine and remote healthcare services.
- Benefits: FSO provides high bandwidth and low latency, enabling real-time transmission of medical data and video consultations.
- Use Cases: Connecting hospitals, clinics, and remote diagnostic centers.

J. Broadcasting and Media

- Description: FSO is employed in the broadcasting industry for high-speed transmission of video and audio signals.
- Benefits: FSO offers high data rates, low latency, and secure transmission, ensuring high-quality broadcasting.
- Use Cases: Live event coverage, studio-to-transmitter links, and remote production.

VI. CASE STUDIES AND EXPERIMENTAL RESULTS

A. Case Study: FSO for Last-Mile Connectivity in Rural Areas

- Scenario: A rural community with limited access to high-speed internet.

- Deployment: An FSO link was established between a central hub and a remote village, spanning a distance of 2 kilometers.
- Results:
 - Achieved data rates of 1 Gbps with 99.9% link availability.
 - Demonstrated resilience to moderate weather conditions, with minimal signal degradation during light rain and fog.
 - Provided cost-effective connectivity compared to traditional fiber-optic deployment.
- Conclusion: FSO proved to be a viable solution for bridging the digital divide in underserved rural areas.

B. Case Study: FSO Backhaul for 5G Networks

The process outlined in Figure. 2 involves the generation of a 20 Gbps binary data signal using a Pseudo-Random Binary Sequence (PRBS), followed by its mapping onto 4-Quadrature Amplitude Modulation (QAM) symbols at a




Figure 2: architecture of vertical backhaul network and front-haul in FSO link [21]

- Scenario: A metropolitan area requiring high-capacity backhaul links for 5G base stations.
- Deployment: FSO systems were deployed to connect multiple 5G base stations to the core network, with link distances ranging from 500 meters to 3 kilometers.
- Results:
 - Achieved data rates of 10 Gbps per link, meeting the stringent requirements of 5G networks.
 - Demonstrated low latency (less than 1 ms) and high reliability, even in urban environments with moderate turbulence.
 - Reduced deployment costs by 30% compared to fiber-based backhaul solutions.
- Conclusion: FSO is a scalable and cost-effective solution for 5G backhaul networks.

C. Case Study: FSO for Disaster Recovery

- Scenario: A natural disaster disrupted traditional communication infrastructure in a coastal region.
- Deployment: Portable FSO units were rapidly deployed to establish temporary communication links between emergency response teams and relief centers.
- Results:
 - Achieved data rates of 2.5 Gbps over a distance of 1.5 kilometers.
 - Provided reliable connectivity during heavy rain and high winds, with link availability exceeding 95%.
 - Enabled real-time video streaming and data sharing for coordination and decision-making.
- Conclusion: FSO is an effective tool for restoring communication in disaster-stricken areas.

D. Experimental Results: FSO in Adverse Weather Conditions

- Objective: To evaluate the performance of FSO systems under varying weather conditions.
- Setup: An FSO link was tested over a distance of 1 kilometer in a controlled environment simulating fog, rain, and turbulence.
- Results:
 - Fog: Signal attenuation increased by 20 dB/km, but adaptive power control maintained link stability.
 - Rain: Achieved data rates of 1 Gbps with 15 dB/km attenuation during moderate rain.
 - Turbulence: Adaptive optics reduced scintillation effects, improving link reliability by 40%.
- Conclusion: Advanced mitigation techniques can significantly enhance FSO performance in adverse weather conditions.

E. Case Study: FSO for Inter-Satellite Communication

- Scenario: A satellite constellation requiring high-speed communication links between satellites.
- Deployment: FSO systems were implemented for inter-satellite links (ISLs) in a low Earth orbit (LEO) constellation.
- Results:
 - Achieved data rates of 100 Gbps over distances of 5,000 kilometers.
 - Demonstrated low bit error rates (BER) and high link stability, even in the presence of solar radiation and cosmic interference.
 - Enabled seamless data transfer for Earth observation and global connectivity applications.
- Conclusion: FSO is a key enabler of next-generation satellite communication systems[22,23].

F. Future Directions and Research Opportunities

The future of FSO communication is bright, with numerous opportunities for innovation and growth. By addressing the challenges outlined above and exploring new research directions, FSO technology can play a pivotal role in bridging the gap in high-speed point-to-point wireless networks. These advancements will not only enhance the performance and reliability of FSO systems but also unlock new applications and markets, paving the way for a more connected and sustainable future[24].

VII. CONCLUSION

FSO communication represents a critical enabler of next-generation wireless networks, offering a scalable, cost-effective, and high-performance solution for point-to-point connectivity. By overcoming existing challenges and exploring new frontiers, FSO technology has the potential to revolutionize the way we communicate, bridging the gap between current limitations and future demands. As research and development efforts continue to push the boundaries of what is possible, FSO communication will play an increasingly vital role in shaping a connected and sustainable future.

REFERENCES

- [1] Ijaz, L. Zhang, M. Grau, A. Mohamed, S. Vural, A. U. Quddus, M. A. Imran, C. H. Foh, and R. Tafazolli, "Enabling massive IoT in 5G and beyond systems: PHY radio frame design considerations," *IEEE Access*, vol. 4, pp. 3322–3339, Jul 2016.
- [2] M. Jaber, M. A. Imran, R. Tafazolli, and A. Tukmanov, "5G backhaul challenges and emerging research directions: A survey," *IEEE access*, vol. 4, pp. 1743–1766, Apr 2016.
- [3] M. Shafi, A. F. Molisch, P. J. Smith, T. Haustein, P. Zhu, P. De Silva, F. Tufvesson, A. Benjebbour, and G. Wunder, "5G: A tutorial overview of standards, trials, challenges, deployment, and practice," *IEEE Journal on Selected Areas in Communications*, vol. 35, no. 6, pp. 1201–1221, Jun 2017.
- [4] M. Z. Chowdhury, M. K. Hasan, M. Shahjalal, M. T. Hossain, and Y. M. Jang, "Optical wireless hybrid networks: Trends, opportunities, challenges, and research directions," *IEEE Communications Surveys & Tutorials*, vol. 22, no. 2, pp. 930–966, Second Quart. 2020.
- [5] M. Z. Chowdhury, M. T. Hossain, A. Islam, and Y. M. Jang, "A comparative survey of optical wireless technologies: Architectures and applications," *IEEE Access*, vol. 6, pp. 9819–9840, Jan 2018.
- [6] U. Siddique, H. Tabassum, E. Hossain, and D. I. Kim, "Wireless backhauling of 5G small cells: Challenges and solution approaches," *IEEE Wireless Communications*, vol. 22, no. 5, pp. 22–31, Oct 2015.
- [7] T. O. Olwal, K. Djouani, and A. M. Kurien, "A survey of resource management toward 5G radio access networks," *IEEE Communications Surveys & Tutorials*, vol. 18, no. 3, pp. 1656–1686, Third Quart. 2016.
- [8] H. A. U. Mustafa, M. A. Imran, M. Z. Shakir, A. Imran, and R. Tafazolli, "Separation framework: An enabler for cooperative and D2D communication for future 5G networks," *IEEE Communications Surveys & Tutorials*, vol. 18, no. 1, pp. 419–445, First Quart. 2016.
- [9] Z. Ghassemlooy, S. Arnon, M. Uysal, Z. Xu, and J. Cheng, "Emerging optical wireless communications—advances and challenges," *IEEE Journal on Selected Areas in Communications*, vol. 33, no. 9, pp. 1738–1749, Sep 2015.
- [10] M. Obeed, A. M. Salhab, S. A. Zummo, and M.-S. Alouini, "Joint optimization of power allocation and load balancing for hybrid VLC/RF networks," *Journal of Optical Communications and Networking*, vol. 10, no. 5, pp. 553–562, May 2018.
- [11] M. R. Palattella, M. Dohler, A. Grieco, G. Rizzo, J. Torsner, T. Engel, and L. Ladid, "Internet of things in the 5G era: Enablers, architecture, and business models," *IEEE Journal on Selected Areas in Communications*, vol. 34, no. 3, pp. 510–527, Mar 2016.
- [12] W. A. Hassan, H.-S. Jo, and A. R. Tharek, "The feasibility of coexistence between 5G and existing services in the IMT-2020 candidate bands in Malaysia," *IEEE Access*, vol. 5, pp. 14 867–14 888, Apr 2017.
- [13] R. I. of Sweden (RISE), "Smartoptics joins research project to develop 100Gbps free-space optical communication solutions." [Online]. Available: <https://www.smartoptics.com/news/smartoptics-join-research-project-develop-100gbps-free-space-optical-communication-solutions/>
- [14] A. Trichili et al., "Roadmap to free space optics," *J. Opt. Soc. Am. B*, vol. 37, no. 11, pp. A184–A201, Nov 2020.
- [15] L. Boccia et al., "Low multipath antennas for GNSS-based attitude determination systems applied to high-altitude platforms," *GPS Solutions*, vol. 12, pp. 163–171, Jul. 2008.
- [16] M. A. Esmail et al., "Outdoor FSO communications under fog: Attenuation modeling and performance evaluation," *IEEE Photonics J.*, vol. 8, no. 4, pp. 1–22, Aug. 2016.
- [17] M. S. Awan et al., "Cloud attenuations for free-space optical links," in *Proc. IEEE Int. Workshop Satell. Space Commun. (IWSSC)*, 2009, pp. 274–278.



- [18] X. Ruan et al., "Beyond 100G single sideband PAM-4 transmission with silicon dual-drive MZM," *IEEE Photon. Technol. Lett.*, vol. 31, no. 7, pp. 509–512, Apr. 2019.
- [19] S. Arnon, J. Barry, G. Karagiannidis, R. Schober, and M. Uysal, *Advanced optical wireless communication systems*. Cambridge university press, May 2012.
- [20] L. Grobe, A. Paraskevopoulos, J. Hilt, D. Schulz, F. Lassak, F. Hartlieb, C. Kottke, V. Jungnickel, and K.-D. Langer, "High-speed visible light communication systems," *IEEE communications magazine*, vol. 51, no. 12, pp. 60–66, Dec 2013.
- [21] D. Tsonev, S. Videv, and H. Haas, "Towards a 100 Gb/s visible light wireless access network," *Optics express*, vol. 23, no. 2, pp. 1627–1637, Jan 2015.
- [22] D. Karunatilaka, F. Zafar, V. Kalavally, and R. Parthiban, "LED based indoor visible light communications: State of the art," *IEEE Communications Surveys & Tutorials*, vol. 17, no. 3, pp. 1649–1678, Fourth Quart. 2015.
- [23] Y.-Y. Zhang, H.-Y. Yu, J.-K. Zhang, Y.-J. Zhu, J.-L. Wang, and T. Wang, "Space codes for MIMO optical wireless communications: Error performance criterion and code construction," *IEEE Transactions on Wireless Communications*, vol. 16, no. 5, pp. 3072–3085, May 2017.
- [24] A. Khreishah, S. Shao, A. Gharaibeh, M. Ayyash, H. Elgala, and N. Ansari, "A hybrid RF-VLC system for energy efficient wireless access," *IEEE Transactions on Green Communications and Networking*, vol. 2, no. 4, pp. 932–944, Dec 2018.
- [25] L. Arienzo, "Green RF/FSO communications in cognitive relay-based space information networks for maritime surveillance," *IEEE Transactions on Cognitive Communications and Networking*, vol. 5, no. 4, pp. 1182–1193, Dec 2019.
- [26] H. Haas, L. Yin, Y. Wang, and C. Chen, "What is lifi?" *Journal of Lightwave Technology*, vol. 34, no. 6, pp. 1533–1544, Mar 2016.
- [27] Z. Ghassemlooy, P. Luo, and S. Zvanovec, "Optical camera communications," in *Optical Wireless Communications*. Springer, Aug 2016, pp. 547–568.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)