



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: III Month of publication: March 2025

DOI: https://doi.org/10.22214/ijraset.2025.67917

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue III Mar 2025- Available at www.ijraset.com

### Reducing Cognitive Load in UI Design

Shruti Mishra<sup>1</sup>, Abhishek Guleria<sup>2</sup>, Mrs. Vaibhavi Parikh<sup>3</sup> Computer Science & Engineering, Parul University

Abstract: User interfaces (UI) play a key role in determining user experiences, as too much cognitive load will leave users tired and reduce usability and engagement. This research explains how to avoid cognitive load by simplifying visual information, creating interaction design, and applying psychological principles. Drawing on real-world case studies, it shows how to best balance aesthetics and functionality to design intuitive digital experiences.

Keywords: Cognitive Load, UI Design, User Fatigue, Usability, Simplification, Minimalist Design, Visual Hierarchy, Progressive Disclosure, Whitespace Utilization, Typography in UI.

#### I. INTRODUCTION

The cognitive load theory, originally formulated in the field of educational psychology, has far-reaching implications for user interface (UI) and user experience (UX) design. When users experience high cognitive load due to excessive information and choices, they often feel fatigued, frustrated, and disengaged. Streamlining user interfaces in the interest of reducing cognitive load and, by extension, usability is the subject of this essay. By focusing on intuitiveness and simplicity, we can design products that not only simplify user tasks but also make them more interesting and enjoyable in general.

#### II. UNDERSTANDING COGNITIVE LOAD IN UI DESIGN

Cognitive load refers to the mental effort required to process information and understand concepts. It can be categorized into three distinct types:

- 1) Intrinsic Load: This refers to the complexity of the task itself and can vary based on the nature of information being processed or the proficiency it requires to accomplish the task. For instance, learning a new computer language that may have high intrinsic load since it deals with technical terminologies and concepts.
- 2) Extraneous Load: This occurs when unnecessary cognitive effort is demanded due to poor design or presentation of information. Factors such as cluttered layouts, confusing interfaces, or lack of clear instructions can significantly increase extraneous load, making it harder for users to focus on the essential aspects of their tasks.
- 3) Germane Load: This type of load involves the effort dedicated to building meaningful connections and understanding concepts deeply. It reflects how effectively individuals can integrate new information into their existing knowledge frameworks, enhancing learning and retention.

By focusing on reducing extraneous load, UI designers can create more user-friendly interfaces that enhance efficiency, promote clear navigation, and reduce mental fatigue, ultimately leading to a more productive and satisfying user experience.

#### III.PSYCHOLOGICAL PRINCIPLES IN COGNITIVE LOAD REDUCTION

Hick's Law: This principle posits that the time it takes to make a decision increases with the number and complexity of choices. Essentially, when users are presented with a large variety of options, their cognitive load increases, leading to slower decision-making and potential frustration. To enhance user efficiency, it is beneficial to either reduce the number of choices available or organize them into categories, thus allowing users to make quicker and more informed decisions.

Fitts's Law: This principle emphasizes the importance of usability in interface design. Fitts's Law states that the time required to rapidly move to a target area (like a button or menu item) is a function of the distance to the target and the size of the target. In practical terms, this means that UI elements should be designed to be both easily accessible and adequately sized. Larger buttons that are placed within easy reach of users can significantly improve interaction speed and reduce errors, contributing to a smoother user experience.

Miller's Law: According to Miller's Law, the average number of objects an individual can hold in working memory is about seven (plus or minus two). This principle highlights the limitations of human cognition and underscores the importance of "chunking" information. By breaking down complex information into smaller, manageable pieces or groups, users can better understand and retain data. For instance, instead of displaying a long list of numbers or concepts, organizing them into smaller categories helps improve readability and comprehension.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue III Mar 2025- Available at www.ijraset.com

Gestalt Principles: These principles focus on how humans naturally organize visual elements. Key concepts include similarity, proximity, continuity, and closure. When related elements are grouped together visually, it enhances the user's ability to process information quickly and effectively. For example, using consistent colors or shapes for related items can create a coherent visual hierarchy, making the interface not only more aesthetically pleasing but also easier to navigate. Applying Gestalt principles can lead to improved user learning and retention by making the relationships between different UI elements clearer.

#### IV. UI SIMPLIFICATION STRATEGIES

Minimalist design focuses on removing non-essential elements to highlight the core functionalities of the user interface. By eliminating distractions, users can quickly understand what actions they can take and how to navigate the application.

Consistent navigation plays a crucial role in improving overall usability. When UI elements behave in predictable ways, users can effortlessly find their way around the interface, which enhances their experience and reduces frustration.

Progressive disclosure is a strategy where information is revealed only as it is needed. This approach helps prevent overwhelming users with too much information at once, guiding them through the process step by step and making it easier for them to absorb key details.

Effective utilization of whitespace is essential for creating a clean and organized layout. By using whitespace strategically, you can improve readability and reduce visual clutter, allowing users to focus on the most important elements without distraction.

Lastly, effective typography involves selecting legible fonts and ensuring that there is appropriate contrast between text and background. This is vital for enhancing readability, making it easier for users to engage with the content presented on the interface.

#### V. COGNITIVE LOAD AND MOBILE UI DESIGN

- 1) Simplified Navigation: Consider implementing bottom navigation bars and gesture-based controls. This can significantly streamline user journeys and make information more accessible.
- 2) *Touch-Friendly Elements:* Focus on the spacing between interactive elements. By ensuring adequate space, you can minimize the chances of accidental taps, leading to a smoother user interaction.
- 3) Personalized Content Delivery: Explore the use of AI-driven recommendations. This approach can effectively reduce decision fatigue by presenting users with tailored content, ultimately creating a more engaging experience.

#### VI. CASE STUDY

Google's Material Design: Google introduced its Material Design system to foster a more intuitive and unified user experience across various devices and platforms. This system is grounded in standardized principles that prioritize consistency, depth, and usability. By utilizing a grid-based structure, responsive animations, and familiar user interface patterns, Material Design allows users to navigate interfaces seamlessly. A fundamental approach in Material Design is incorporating clear usability indicators, such as elevation effects and shadows, which help users comprehend the hierarchy of elements. Furthermore, Material Design supports predictable interactions, such as the floating action buttons (FAB) for essential actions, directing users' attention towards primary tasks with minimal distractions. Through the simplification of UI elements and the maintenance of uniformity, Google effectively mitigates extraneous cognitive load, enabling users to engage with applications more proficiently.

Apple's iOS Human Interface Guidelines: Apple's Human Interface Guidelines (HIG) are crafted to provide intuitive and visually appealing digital experiences while ensuring efficiency and usability. Central to Apple's design philosophy are principles of clarity, content prioritization, and layered depth, all of which work in concert to lessen cognitive load and improve user navigation. A hallmark of iOS design is its use of spatial depth and motion to facilitate a natural user flow. By integrating blur effects, dynamic transitions, and subtle animations, Apple helps users concentrate on the most pertinent content at any moment. The combination of minimalistic design, high contrast, and generous whitespace further enhances readability and ease of use. Moreover, Apple promotes consistent gestures and navigation patterns, such as swiping to return or engaging with notifications, which minimizes the learning curve for users. By keeping UI elements functional yet unobtrusive, Apple effectively decreases cognitive strain, resulting in a fluid and enjoyable user experience.

Airbnb's Simplified Booking Experience: Airbnb's platform underwent a major redesign aimed at making the booking process quicker, simpler, and less overwhelming for users. The company pinpointed pain points in its checkout process, including an excess of steps, vague calls to action, and unnecessary form fields, all contributing to user frustration and high abandonment rates. To overcome these challenges, Airbnb developed a streamlined step-by-step booking flow characterized by a clear visual hierarchy.



#### International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue III Mar 2025- Available at www.ijraset.com

Key changes included: - Minimizing the number of required steps and merging form fields when possible. - Enhancing the prominence of important actions, like the "Reserve" button, by utilizing strong contrast and strategic placement. - Offering real-time price breakdowns and availability to prevent users from navigating multiple pages for crucial information. - Implementing contextual hints and progressive disclosure, presenting information only when necessary to avoid overwhelming users. These modifications resulted in a higher conversion rate and less cognitive effort, allowing users to complete bookings with 25% fewer interactions. By simplifying navigation, easing decision fatigue, and ensuring clear usability indicators, Airbnb significantly enhanced the overall user experience.

#### VII. EXPERIMENTAL STUDY

To examine the reduction of cognitive load, a controlled experiment was carried out comparing two e-commerce checkout process designs:

- 1) Version A: A complex, cluttered user interface with several steps.
- 2) Version B: A streamlined user interface featuring fewer steps and clearly defined call-to-action buttons.

The findings revealed a 25% reduction in task completion time and a 40% enhancement in user satisfaction for Version B.

#### VIII. FUTURE TRENDS IN REDUCING COGNITIVE LOAD

- 1) AI and Machine Learning: These technologies will help make user interfaces smarter. By learning how people use apps, AI can automatically change the layout and features to better fit individual needs. This makes navigation easier and reduces the mental effort needed to use various tools.
- 2) Voice Interfaces: Voice control is becoming more advanced, allowing us to use devices without looking at screens. This handsfree approach decreases visual strain and lets us multitask more effectively. For example, we can give commands while cooking or driving, making interactions smoother and more natural.
- 3) Augmented Reality (AR) Interfaces: AR adds digital information to our physical surroundings, helping us navigate better. For instance, it can show directions or additional details overlaid on real-world objects. This makes it easier to understand complex information without overwhelming the user.
- 4) Dark Mode and Adaptive Themes: More apps are offering dark mode and themes that change based on the environment. Dark mode reduces eye strain, especially in low light, and adaptive themes improve readability. These features make screens easier to look at and enhance the overall user experience.

#### IX.ACKNOWLEDGMENT

I would like to express my sincere gratitude to my research supervisor, Mrs. Vaibhavi Parikh, for her continuous guidance, insightful feedback, and invaluable support throughout this study. Her mentorship and encouragement have been instrumental in shaping the direction of this research.

I also extend my appreciation to my co-author, Abhishek Guleria, for his collaborative efforts, valuable insights, and dedication to this research. His contributions have been crucial in refining our ideas and strengthening the study.

Additionally, I am grateful to Parul University for providing the necessary resources and academic environment that facilitated this research.

#### REFERENCES

- [1] J. Sweller, "Cognitive Load During Problem Solving: Effects on Learning," \*Cognitive Science\*, vol. 12, no. 2, pp. 257–285, 1988.
- [2] A. N. Tuch, S. P. Roth, et al., "The Role of Visual Complexity and Prototypicality Regarding First Impression of Websites," \*International Journal of Human-Computer Studies\*, vol. 70, no. 11, pp. 794–811, 2012.
- [3] D. Norman, \*The Design of Everyday Things\*. New York, NY, USA: Basic Books, 2013.
- [4] J. Nielsen, "Usability 101: Introduction to Usability," \*Nielsen Norman Group\*, 2012. [Online]. Available: <a href="https://www.nngroup.com/articles/usability-101-introduction-to-usability/">https://www.nngroup.com/articles/usability-101-introduction-to-usability/</a>. [Accessed: 25-Mar-2025].
- [5] B. Shneiderman and C. Plaisant, \*Designing the User Interface: Strategies for Effective Human-Computer Interaction\*, 5th ed. Boston, MA, USA: Pearson, 2010
- [6] Google, "Material Design Guidelines," 2014. [Online]. Available: https://material.io/design/. [Accessed: 25-Mar-2025].
- [7] Apple, "iOS Human Interface Guidelines," 2020. [Online]. Available: <a href="https://developer.apple.com/design/human-interface-guidelines/">https://developer.apple.com/design/human-interface-guidelines/</a>. [Accessed: 25-Mar-2025].









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)