



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** XII **Month of publication:** December 2024

DOI: <https://doi.org/10.22214/ijraset.2024.66210>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Smart Luggage for Physically Challenged People

Dr. Rashmi R Deshpande¹, Sandeep Udbal², Tarun A³, Rohith A⁴, Syed Sahil Asif⁵

Department of ECE AMC Engineering College, Bangalore, India

Abstract: This paper discusses the improvement of an intelligent luggage gadget designed to assist bodily challenged humans. with the aid of integrating superior technology, this system is dependent around an ESP32 microcontroller and an ESP32-CAM module that permits the luggage to autonomously track and follow a person the use of an ArUco marker held with the aid of them. Such arms-unfastened movement facilitates for mobility, particularly helping folks that may have bodily barriers. The luggage is also outfitted with a load mobile and an HX711 module, via which the luggage's weight is measured exactly, that's then shown in real time for consumer convenience. The system is designed to hold up to five kilograms, making it sensible and sturdy. This clever baggage with included imaginative and prescient-primarily based tracking, unique weight measurement, and ok load capability enhances person independence whilst minimizing physical attempt at some point of journey. This system would display super ability as a pioneering assistive generation that could upgrade the travel enjoy of those with special wishes.

Keywords: Smart luggage, ESP32, ESP32-CAM, ArUco marker, autonomous tracking, assistive technology, physically challenged, load cell, HX711 module, weight measurement, hands-free mobility.

I. INTRODUCTION

Integration of this technology into everyday lifestyles has in reality changed how people technique comfort and accessibility demanding situations. For someone with a physical disability, visiting with bags is hard because it calls for a variety of electricity to deal with the heavy masses. smart luggage structures had been evolved to resource in solving this trouble; these structures are modern designs of automation that help users with effectiveness. This paper introduces a clever baggage machine that is designed specifically to assist physically challenged people by integrating independent monitoring and weight dimension features.

The proposed gadget is built around an ESP32 microcontroller and an ESP32-CAM module. The baggage follows the person autonomously through monitoring an ArUco marker carried by way of them via computer imaginative and prescient techniques. that is a fingers-unfastened operation that removes the need for guide manage, making sure seamless mobility and comfort. The system also includes a load cell with an HX711 module to degree the weight of the luggage appropriately. the weight is displayed on an onboard interface, imparting real-time feedback to the person. Designed to carry as much as five kilograms, the bags is each robust and practical, making it appropriate for numerous travel situations. the incentive behind this undertaking is to decorate the independence and luxury of physically challenged people in the course of travel. The gadget integrates superior yet price-effective technologies to provide an accessible solution that is simple to use and reliable. not like conventional luggage systems, this clever baggage focuses on lowering bodily attempt even as making sure safety and performance. This paper describes a hardware and software program design with the implementation and evaluation of the device, demonstrating it as an effective tool that satisfies user wishes. right here, the proposed clever luggage system combines vision-primarily based monitoring along side specific weight size with assistive technologies which can create new opportunities for revolutionizing journey reports for people with particular physical challenges.

II. LITRATURE REVIEW

There are quite a number of studies into the development of smart luggage structures, especially primarily based on automation and assistive technologies in enhancing person comfort. The segment reviews research papers that make a contribution to an knowledge and development of independent luggage answers.:

- 1) Zineb Marihi, Alae Saih, Imane Fakir, and Yassine Salih-Alj (2024) presents a state-of-the-art solution to improve mobility and safety for visually impaired users. The system integrates Ultra-Wideband (UWB) technology for precise positioning and LiDAR for obstacle detection. It utilizes the SLAM algorithm to combine data, allowing for real-time navigation and mapping. Parameters of interest include positioning accuracy, obstacle detection range, and real-time mapping capabilities. The design improves user safety and independence considerably. Yet the reliance on advanced technology creates a high cost in its implementation and complexity of features. Thrupti Prakash et al. (2022) created a robot that could navigate hospitals autonomously, using sensors, robotic vision, and obstacle detection to get around. It took on tasks like patient monitoring and handling logistics, making life a

- 2) Daryl Peralta, Manuel Ramos Jr., and Nicolette Ann Arriola (2018) presents an autonomous luggage system with a mechanical drive to carry up to 10 kilograms. This autonomous luggage system uses vision-based tracking mechanism with the help of a camera which tracks the color of the user’s shirt for more precise following. The distance control of the suitcase and its direction towards the user are controlled by PID. Key parameters include distance control and speed classification. The system is designed to enhance mobility, integrate smart technology for convenience, but has limitations, such as performance degradation and reduced success rates as load increases. This study offers insights into intelligent luggage systems and their potential for innovation.
- 3) Omar Bin Samin, Hamza Sohail, Maryam Omar, and Hamza Hummam (2020) comes up with an innovative method for autonomous suitcase movement. The system combines the accelerometer and magnetometer sensors of a smartphone to track the direction and speed of the user’s movement. It controls the motors of the suitcase through Bluetooth communication and enables it to follow the user seamlessly. The design is cost-effective, user-friendly, and reliable for indoor and outdoor use. However, the system has its limitations, including the Bluetooth range and issues in crowded environments, which may affect performance in densely populated areas.
- 4) Chun-Sheng Yang, Bo-Han Zhang, and Hsin-Wen Wei (2019) presents a smart suitcase that uses Convolutional Neural Networks (CNN) for image recognition and OpenCV for object tracking. This system allows the suitcase to track the user automatically. With the integration of fuzzy control and machine learning, it adjusts the speed and direction of the suitcase in real-time according to the movement of the user. The system enhances security with Wi-Fi alerting the users if the suitcase goes too far away, thereby preventing its theft or loss. But the continuous processing of images and connectivity will drain the battery of the suitcase fast, thus limiting its working time.
- 5) Lu Yu and Wang Bulai (2019) proposes a case that uses ultrasonic ranging and a microcontroller for automatically following the owner and maintaining a safe distance of 50 cm. The system can operate at a speed of 1.4 m/s, is low cost, and compact, hence reaching a wider number of consumers in the intelligent luggage market. However, it has a certain drawback, such as when the suitcase sometimes responds relatively slowly to ultrasonic signals, which can affect tracking and following the owner when navigating through complex or dense environments.

III. METHODOLOGY

The method for the clever baggage system integrates key hardware and software program components to permit independent consumer-following capability and weight size. The machine tracks the user, measures the baggage weight, and offers actual-time feedback. It consists of the ESP32 microcontroller, ESP32-CAM module, load cellular with HX711 module, and an onboard show.




Fig no: 1 Block Diagram

The block diagram of the smart bags system famous that every one hardware additives are flawlessly included into the device so that it features efficiently. The ESP32 is the relevant controller at the heart of the device, orchestrating the operations of the modules. It communicates with the ESP32-CAM accountable for tracking the ArUco marker carried by way of the person, for this reason permitting the baggage to autonomously follow them. The ability to music the person is made possible via real-time photograph processing of the ESP32-CAM and manage instructions sent thru the ESP32. This luggage has a load mobile linked to an HX711 amplifier to measure the weight of the baggage.

The records measured thru weight are forwarded to the Arduino Uno. The Arduino Uno processes these measurements and shows them at the lcd display, thereby showing the actual-time weight of the baggage to the user. If the weight handed a preset threshold, the gadget should name for an alert to a user. The motor driving force receives motion commands from ESP32 and controls the motor as a consequence to make sure smooth responsiveness in mobility of the bags. The automobiles are precisely controlled based totally on the moves of the consumer to hold a specific distance. A dedicated strength supply is used to electricity all of the additives, therefore making sure strong and reliable operation for the duration of. The flow of information and control between the ESP32, ESP32-CAM, load mobile, Arduino Uno, motor driving force, automobiles, and the display highlights the system's green layout. This integration lets in the clever luggage to function as an intelligent partner for physically challenged individuals, enabling hands-unfastened motion and providing actual-time weight updates, while additionally being able to sporting up to 5kg.




Fig no:2 Flow Chart

This flowchart represents the steps the operation manner requires inside the functioning of clever luggage. first off, on the initialization stage, there's the start-up both of the Arduino module along with the ESP32 after which the ESP32-CAM. The Arduino monitors and techniques the output acquired via the burden cell linked in affiliation with an HX711 amplifier in this type of manner that weight displayed on the liquid crystal display. concurrently, the ESP32-CAM starts video streaming to look for the ArUco marker. whilst the marker is determined, the machine computes the gap between the luggage and the person. relying on this distance, the bags will both begin following the person or not move in any respect. whilst the gap of the marker is within the threshold distance, the automobiles are energized to make certain that the bags follows the consumer. in any other case, the gadget halts the motion.

This iterative procedure maintains, with actual-time responsiveness and capability. The flowchart efficaciously captures the logical float of operations from initialization to self reliant person-following and weight display.

The clever baggage system for bodily challenged human beings uses a scientific technique to make certain easy operation and capability. The method starts with gadget initialization, in which all of the major additives, including Arduino Uno, ESP32, ESP32-CAM, load cellular, HX711 amplifier, motor driver, and lcd show, are powered on and examined for correct connections. This initialization guarantees that the machine is prepared to perform next duties without errors.

As soon as the gadget starts, the bags reads off its weight thru a connected load mobile, surpassed over to the HX711 amplifier for correct studying, that is then received, processed, and given onto the liquid crystal display display screen from Arduino Uno. This indicates an element of how efficiently tracking of the bags masses has been carried out so that you can avoid the burden becoming larger than a predefined restrict, say 5kg. when the load exceeds the restriction, this system is prepared to throw an alert to beautify its usability and safety.

In conjunction with this, the ESP32-CAM module initiates video frame capture of the ArUco marker carried by means of the user. The ESP32 methods such frames to compute the place of the marker and, for that reason, measures the distance of the marker from baggage. this feature of the tracker means bags is confident that it can follow the motion of the consumer accurately.

The ESP32 then sends manage alerts to the motor motive force based totally on the distance measurements. as soon as the consumer is inside the predefined threshold range, it turns on the automobiles to make the bags comply with the person. however, if it fails to discover the marker or the user moves out of variety, the bags stops to prevent mistakes or accidental motion.

The entire manner is completed in a non-stop loop, which lets in for real-time responsiveness. The electricity deliver ensures stable and uninterrupted operation of all additives. with the aid of integrating weight dimension and consumer-monitoring capabilities, this smart baggage gadget provides a dependable and wise solution for individuals with bodily challenges, enhancing their mobility and convenience.




Fig no:3 Circuit Diagram for User Following




Fig no:4 Circuit Diagram for Weight Measurement

IV. RESULTS

Smart baggage for bodily Disabled-personal mission: A excessive-technology solution aimed to create mobility and independence is designed through combining a excessive era gadget. here, with the assist of ESP32 microcontroller with an ESP32 digital camera, this baggage tracks the motion of its consumer who has connected ArUco marker around them in order that luggage accompanies him. The actual-time tracking of the ArUco marker permits the gadget to dynamically modify the placement of the luggage, for this reason maintaining a consistent distance and course relative to the consumer, irrespective of modifications inside the person's path. this option is specifically useful for people with mobility impairments, because it reduces the physical stress of sporting luggage or maneuvering it through crowded or challenging environments.

The machine has a load cellular, which is chargeable for its weight measurement. the burden cell can appropriately measure the weight of bags as much as 5kg. Its excessive precision way that customers can reveal exactly how a great deal weight they may be wearing and feature it truly displayed on an included display screen. the weight-tracking characteristic is vital for people who might need to make certain that they do no longer overload the luggage. The sensible use of the machine is similarly installed by means of its capacity to carry as much as 5kg of weight with out impairing the user-following feature.

The strength control system has been optimized for performance. The ESP32, digital camera, and sensors were designed to operate at minimum electricity, and the checks have proven that the gadget can run for prolonged periods on a full rate. This makes the device appropriate to be used at some point of long journey or each day exercises, providing comfort without the need for common recharging. The implementation of energy-saving strategies ensures the tool can last during the day, presenting reliability for users with physical obstacles.

Other than its practical benefits, the clever luggage system is a breakthrough in assistive era. It empowers physically challenged people by using giving them the capability to transport their bags without having to rely upon external help. preliminary user checking out remarks helps the device's capacity for enhancing regular existence for humans with mobility demanding situations. those later traits of the mission will encompass the following: improvement of a stronger monitoring algorithm for higher robustness and performance, extra than increasing the burden as much as 5kg; including various capabilities, for example, computerized charging, integration into smartphones for smartphone faraway operation.

This project now not simplest enables cope with the space in the provision of assistive technologies to the physically challenged, but additionally demonstrates the opportunity this is available in developing innovation with affordable and on hand technology which can improve existence for many.

V. DISCUSSION

The smart baggage system for bodily challenged humans successfully combines pc imaginative and prescient and embedded structures to give you a practical mobility solution. The ESP32-primarily based gadget tracks the ArUco marker that a person is wearing, allowing the luggage to song the user independently. This, consequently, gives elevated independence to customers, mainly those who have mobility impairments. the burden mobile measures the bags weight appropriately, for this reason allowing customers to track the weight being carried, and the system can bring up to 5kg. The gadget works well, even though there are scopes for similarly improvements. as an example, the implementation is based on an ArUco marker for monitoring the location, which could get hard in low-mild and occluded environments. some alternatives, like device getting to know-based totally human detection, should be seemed into for improving its robustness. testing for various load distributions and enhancing balance inside the course trade might considerably decorate its applicability. a fair more big capability direction of the destiny would be an extended payload of over 5kg. however, those require tremendous modifications to the motor and chassis. The intake of energy is also to be taken into consideration. despite the fact that the device is electricity-effective, greater studies towards making its battery life last longer, would possibly carry in greater usability for long term periods. extra consumer-targeted design improvements can also come approximately to enhance ergonomics, and weight distribution in improving a better consumer experience. In conclusion, the clever baggage device suggests tremendous promise in assisting bodily challenged individuals. similarly enhancements in tracking accuracy, load capability, strength efficiency, and person comfort are necessary to absolutely realise its ability, making it a valuable device for growing independence in regular existence.

VI. CONCLUSION

This clever luggage system for physically challenged individuals integrates superior technology, such as laptop vision, load dimension, and embedded structures, to enhance mobility and independence. using the ESP32 and digital camera to track an ArUco marker, the gadget allows the luggage to autonomously follow the consumer, ensuring ease of movement. The incorporation of a load cellular affords accurate measurements for weight, as a result customers can be able to recognize how a great deal load is being carried with the system that contains up to 5kg. It indicates giant opportunities inside the improvement of everyday life of mobility challenged individuals by way of providing them more manage over their assets. There are areas that would be progressed in addition, like monitoring robustness, load potential, and strength efficiency. nevertheless, this mission will set the degree for the creation of more complex assistive technology. enhancements to be achieved inside the future will goal user enjoy, functionality growth, and extended reliability in widespread, in the long run making the machine a useful and treasured device for the bodily challenged.

REFERENCES

- [1] S. Karthick, J. Joel, S. Balaji, and T. Anish. Smart luggage tracking and alert system using arduino. *International Research Journal of Modernization in Engineering Technology and Science*, 2(05), 2020.
- [2] Z. Marihi, A. Saih, I. Fakir, and Y. Salih-Alj. Smart suitcase for visually challenged individuals in airport environments using uwb and lidar fusion slam: Morocco case study. In *2024 10th International Conference on Mechatronics and Robotics Engineering (ICMRE)*, pages 311–316. IEEE, 2024.
- [3] D. Peralta, M. Ramos, and N. A. Arriola. Person following robotic suitcase. In *2018 IEEE 61st International Midwest Symposium on Circuits and Systems (MWSCAS)*, pages 452–455. IEEE, 2018.



- [4] O. B. Samin, H. Sohail, M. Omar, and H. Hummam. Accelerometer and magnetometer enabled entity following automated suitcase. In 2020 International Conference on Emerging Trends in Smart Technologies (ICETST), pages 1–5. IEEE, 2020.
- [5] C.-S. Yang, B.-H. Zhang, H.-W. Wei, and W.-T. Lee. The design of smart suitcase. In 2019 IEEE International Conference on Consumer Electronics-Taiwan (ICCE-TW), pages 1–2. IEEE, 2019.
- [6] L. Yu and W. Bulai. Intelligent following suitcase based on single chip control. In 2019 International Conference on Intelligent Informatics and Biomedical Sciences (ICIIBMS), pages 267–271. IEEE, 2019.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)