



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 10 Issue: III Month of publication: March 2022 DOI: https://doi.org/10.22214/ijraset.2022.40770

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Special Dio 3-Tuples Involving Square Pyramidal Numbers

Dr. C. Saranya¹, B. Achya²

¹Assistant Professor, ²PG student, PG and Research Department of Mathematics, Cauvery College for Women,(Autonomous) (Affiliated to Bharathidasan University), Trichy-18.

Abstract: In this communication, we accomplish special dio 3-tuples comprising of square pyramidal numbers such that the product of any two members of the set subtracted by their sum and increased by a polynomial with integer coefficients is a perfect square.

Keywords: Special dio 3-tuples, Pyramidal number, perfect square, square pyramidal number.

NOTATION: p_n^4 : square pyramidal number of rank n.

I. INTRODUCTION

In Mathematics, a Diophantine equation is a polynomial equation, ordinarily in at least two questions, to such an extent that solitary the whole number arrangements are looked for or examined (a whole number arrangement is an answer to such an extent that all the questions take whole number values). The word Diophantine alludes to the Hellenistic mathematician of the third century, Diophantus of Alexandria, who made an investigation of such conditions and was one of the principal mathematician to bring imagery into variable based math. The numerical investigation of Diophantine issues that Diophantus started is currently called Diophantine analysis. While singular conditions present a sort of confuse and have been considered from the beginning of time, the definition of general hypotheses of Diophantine conditions (past the hypothesis of quadratic structures) was an accomplishment of the twentieth century.

In [1-5], hypothesis of numbers were talked about. In [6-14], Diophantine triples with the property D(n) for any integer n and furthermore for any straight polynomials were talked about and Dio triples for different numbers are constructed. In this paper, we exhibit special dio 3-tuples (a, b, c) involving square pyramidal number such that the product of any two elements of the set subtracted by their sum and increased by a polynomial with integer coefficients is a perfect square.

II. BASIC DEFINITION

A set of three different polynomials with integer coefficients (a_1, a_2, a_3) is said to be a special dio 3-tuple with property D(n) if $a_i * a_j - (a_i + a_j) + n$ is a perfect square for all $1 \le i < j \le 3$, where n may be non-zero integer or polynomial with integer coefficients.

III. METHOD OF ANALYSIS

A. Section-A

Construction of the special dio-3 tuples involving square pyramidal number of rank n and n - 1: Let $a = 6p_n^4$ and $b = 6p_{n-1}^4$ be square pyramidal numbers of rank n and n - 1 respectively, such that $ab - (a + b) + n^4 + 4n + 1 = a^2$ (1)

Equation (1) is a perfect square, where $\alpha = 2n^3 - n - 1$

Let c be non zero-integer such that,

$$ac - (a + c) + n^4 + 4n + 1 = \beta^2$$
⁽²⁾

$$bc - (b + c) + n^4 + 4n + 1 = \gamma^2$$
(3)



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue III Mar 2022- Available at www.ijraset.com

Solving (2) & (3)
$$\Rightarrow -c(b-a) + (b-a)(n^4 + 4n + 1) = b\beta^2 - ar^2$$
 (4)
(3) $-(2) \Rightarrow \gamma^2 - \beta^2 = c(b-a) - (b-a)$
Therefore (4) becomes,
 $(b-1)\beta^2 - (a-1)\gamma^2 = (b-a)(n^4 + 4n)$
Setting $\beta = x + (a-1)y$ and $\gamma = x + (b-1)y$,
 $\Rightarrow (b-1)(x + (a-1)y)^2 - (a-1)(x + (b-1)y)^2 = (b-a)(n^4 + 4n)$
 $\Rightarrow x^2 = (ab - a - b + 1)y^2 + n^4 + 4n$ (5)
Now put $y = 1$,
 $\Rightarrow x = (2n^3 - n - 1)$
The initial solution of (5) is given by,
 $x_0 = (2n^3 - n - 1)$, $y_0 = 1$
Since, $\beta = x + (a-1)y$ and $\gamma = x + (b-1)y$,
we obtain that, $\beta = 4n^3 + 3n^2 - 2$
Therefore, the equation (2) becomes,
(2) $\Rightarrow ac - (a+c) + n^4 + 4n + 1 = \beta^2$
 $\Rightarrow c(2n^3 + 3n^2 + n - 1) - (2n^3 + 3n^2 + n) + n^4 + 4n + 1 = \beta^2$
So that, $c = 3n^2 - 3$
Hence, $c = 2(a + b) - 4n - 3$
Therefore, the triples
 $\{a, b, (2(a + b - 4n - 3))\} = \{6p_n^4, 6p_{n-1}^4, (2(6p_n^4 + 6p_{n-1}^4 - 4n - 3))\}$ is a
Diophantine triples with the property $D(n^4 + 4n + 1)$.

.

Some numerical examples are given below in the following table.

Table 1

n	Special dio 3-tuples	$D(n^4 + 4n + 1)$
1	(6,0, 5)	6
2	(30,6,61)	25
3	(84,30,213)	94



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue III Mar 2022- Available at www.ijraset.com

B. Section B

Construction of the special dio-3 tuples involving square pyramidal number of rank n and n - 2: Let $a = 6p_n^4$ and $b = 6p_{n-2}^4$ be square pyramidal numbers of rank n and n - 2 respectively, such that $ab - (a + b) + 6n^3 - 9n^2 + 12n - 2 = a^2$ (6)

Equation (6) is a perfect square, where $\alpha = 2n^3 - 3n^2 - 2n + 2$

Let c be non zero-integer such that,

$$ac - (a + c) + 6n^3 - 9n^2 + 12n - 2 = \beta^2$$
⁽⁷⁾

$$bc - (b + c) + 6n^3 - 9n^2 + 12n - 2 = \gamma^2$$
(8)

Solving (7) & (8),

$$\Rightarrow -c(b-a) + (b-a)(6n^{3} - 9n^{2} + 12n - 2) = b\beta^{2} - a\gamma^{2}$$
(9)
(8) - (7)
$$\Rightarrow \gamma^{2} - \beta^{2} = c(b-a) - (b-a)$$

Therefore (9) becomes,

$$(b-1)\beta^{2} - (a-1)\gamma^{2} = (b-a)(6n^{3} - 9n^{2} + 12n - 3)$$

Setting $\beta = x + (a-1)y$ and $\gamma = x + (b-1)y$,
 $\Rightarrow (b-1)(x + (a-1)y)^{2} - (a-1)(x + (b-1)y)^{2} = (b-a)(6n^{3} - 9n^{2} + 12n - 3)$
 $\Rightarrow x^{2} = (ab - a - b + 1)y^{2} + 6n^{3} - 9n^{2} + 12n - 3$ (10)

Now put y = 1,

$$\Rightarrow x = (2n^3 - 3n^2 - 2n + 2)$$

The initial solution of (10) is given by,

 $x_{0} = (2n^{3} - 3n^{2} - 2n + 2), y_{0} = 1$ Since, $\beta = x + (a - 1)y$ and $\gamma = x + (b - 1)y$, we obtain that, $\beta = 4n^{3} - n + 1$ Therefore, the equation (7) becomes, (7) $\Rightarrow ac - (a + c) + 6n^{3} - 9n^{2} + 12n - 2 = \beta^{2}$ So that, $c = 8n^{3} - 12n^{2} + 10n - 3$

Hence,
$$c = 2(a + b) - 18n + 9$$

Therefore, the triples

$$\left\{a, b, \left(2(a+b)\right) - 18n + 9\right)\right\} = \left\{6p_n^4, 6p_{n-2}^4, (2(6p_n^4 + 6p_{n-2}^4) - 18n + 9)\right\} \text{ is a}$$



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 10 Issue III Mar 2022- Available at www.ijraset.com

Diophantine triples with the property $D(6n^3 - 9n^2 + 12n - 2)$.

Some numerical examples are given below in the following table.

Table 2

n	Special dio 3-tuples	$D(6n^3 - 9n^2 + 12n - 2)$
1	(6,0, 3)	7
2	(30,0,33)	34
3	(84,6,135)	115

C. Section C

Construction of the special dio-3 tuples involving square pyramidal number of rank n and n - 3:

Let $a = 6p_n^4$ and $b = 6p_{n-3}^4$ be square pyramidal numbers of rank n and n-3 respectively, such that (11)

 $ab - (a + b) + n^4 + 8n^3 - 42n^2 + 54n + 19 = a^2$

Equation (11) is a perfect square, where $\alpha = 2n^3 - 6n^2 - n + 7$

Let c be non zero-integer such that,

$$ac - (a + c) + n^{4} + 8n^{3} - 42n^{2} + 54n + 19 = \beta^{2}$$

$$bc - (b + c) + n^{4} + 8n^{3} - 42n^{2} + 54n + 19 = \gamma^{2}$$
(12)
(13)

Following the procedure as in Section B, we get

$$c = 8n^3 - 24n^2 + 36n - 17$$

$$\Rightarrow c = 2(a+b) - 40n + 43$$

Therefore, the triples

$$\{a, b, (2(a+b)) - 40n + 43)\} = \{6p_n^4, 6p_{n-3}^4, (2(6p_n^4 + 6p_{n-3}^4) - 40n + 43)\}$$
 is

a special dio 3-tuple with the property $D(n^4 + 8n^3 - 42n^2 + 54n + 19)$.

Some numerical examples are given below in the following table.

Table 3

n	Special dio 3-tuples	$D(n^4 + 8n^3 - 42n^2 + 54 + 19)$
1	(6, -6, 3)	40
2	(30,0,23)	39
3	(84,0,91)	100

IV. CONCLUSION

In this paper, we construct the special dio 3-tuples involving square pyramidal numbers. One may search for other special dio 3tuples for different numbers with suitable properties.

A DOMONIA CONTRACTOR

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 10 Issue III Mar 2022- Available at www.ijraset.com

REFERENCES

- [1] Beardon, A.F. and Deshpande, M.N., "Diophantine triples", The Mathematical Gazette, vol.86. pp. 258-260, 2002.
- [2] Bugeaud, Y.Dujella, A. and Mignotte, M., "On the family of Diophantine triples" $\{K-1, K+1, 16K^3-4K\}$, Glasgow Math. J. vol.49. pp. 333-344, 2007
- [3] Carmichael, R.D. "Theory of numbers and Diophantine triples", Dover Publications.
- [4] Deshpande, M.N. "Families of Diophantine triples", Bulletin of the Marathwada Mathematical Society, vol 4. pp. 19-21, 2003.
- [5] Hua, L.K. "Introduction to the Theory of Numbers", Springer-Verlag, Berlin-New York, 1982.
- [6] Fujita, Y. "The extendability of Diphantine pairs $\{k-1, k+1\}$ ", Journal of Number Theory, 128, 322-353, 2008.
- [7] Gopalan, M.A. and Pandichelvi, V., "On the extendability of the Diophantine triple involving Jacobsthal numbers $(J_{2n-1}, J_{2n+1} 3, 2J_{2n} + J_{2n-1} + J_{2n+1} 3)$ ", International Journal of Mathematics & Applications, 2(1), 1-3, 2009.
- [8] Janaki, G. and Saranya, C., "Construction of the Diophantine Triple involving Pentatope Number", International Journal for Research in Applied Science & Engineering Technology, vol.6. Issue III, March 2018.
- [9] Janaki, G. and Saranya, C. "Special Dio 3-tuples for pentatope number", Journal of Mathematics and Informatics, vol.11, Special issue, 119-123, Dec 2017.
- [10] Janaki, G. and Saranya, C., "Half companion sequences of special dio 3-tuples involving centered square numbers", International Journal for Recent Technology and Engineering, vol.8, issue 3, 3843-3845, September 2019.
- [11] Saranya C., and Janaki G., "Some Non-extendable Diophantine Triples involving centered square numbers", International Journal of Scientific Research in Mathematical and Statistical Sciences, vol 6, Issue 6, 105-107, December 2019.
- [12] Saranya C., and Achya. B., "Special Diophantine triples involving square pyramidal numbers", Indian Journal of Advanced Mathematics, Volume 1, Issue 2, 27-29, October 2021.
- [13] Saranya C., and Mahalakshmi, E., "Dio-Triples involving pentagonal pyramidal numbers", International Journal of Scientific Research in Mathematical and Statistical Sciences, vol 8, Issue 6, 45-48, December 2021.
- [14] Saranya C., and Achya. B., "Diophantine triples involving square pyramidal numbers", Advances and Applications in Mathematical Sciences, Volume 21, Issue 3, 1541-1547, January 2022.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)