



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** 1 **Month of publication:** January 2024

DOI: <https://doi.org/10.22214/ijraset.2024.57927>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Strategies for Mitigating Na and K Pollution in Marine Sediments along the Maharashtra Coast: A Comprehensive Review

Dr. D. S. Sonawane

Department of Chemistry, Jijamata Education Society's Arts, Commerce and Science College, Nandurbar 425 412 MS, India

Abstract: This comprehensive review delves into the intricate dynamics of heavy metal contamination, with a specific focus on sodium (Na) and potassium (K) pollution in marine sediments along the Maharashtra coast. Examining both anthropogenic and natural sources, the study emphasizes the urgency of addressing the escalating levels of Na and K in coastal ecosystems. The pivotal role of plants and their phytochemical constituents in mitigating the environmental consequences is explored, shedding light on adaptive strategies and potential interventions. Through an in-depth analysis of phytochemical adaptations, metal uptake and accumulation, rhizospheric processes, and the potential for phytoremediation, this work unravels the promising avenues for sustainable environmental management in the dynamic coastal regions.

Keywords: Heavy metal contamination, Na and K pollution, marine sediments, Maharashtra coast, phytochemical adaptations, phytoremediation, coastal ecosystems.

I. INTRODUCTION

Heavy metal contamination in the environment remains a critical issue, with origins ranging from anthropogenic activities to natural processes. The current work emphasizes the persistent challenge posed by heavy metals, focusing on the specific context of Na and K pollution in the marine sediments along the Maharashtra coast. The sources of these metals, both anthropogenic and natural, are explored, highlighting the urgency of addressing this environmental concern (Lacerda et al., 1985, NEERI 1985, Chakrabort et al., 2018). The coastal regions along the Maharashtra coast are facing a growing environmental concern due to heavy metal pollution, with sodium (Na) and potassium (K) emerging as pivotal elements in this ecological challenge (Siddiquie et al., 1979). Human activities, both anthropogenic and industrial, contribute significantly to the escalating levels of Na and K in marine sediments, posing a threat to the delicate balance of coastal ecosystems (Karthik et al., 2018). Amid this environmental peril, plants play a crucial role through their intricate phytochemical mechanisms, offering a potential avenue for remediation. This work delves into the nuanced relationship between plants and the variability of Na and K in polluted marine sediments, shedding light on the adaptive strategies employed by coastal plant species (Idrees et al., 2009, Wagay et al., 2023). By exploring the phytochemical intricacies, plant adaptations, and their impact on ecosystem dynamics, this article seeks to unravel the potential of plant-mediated interventions for mitigating the consequences of Na and K pollution along the dynamic coast of Maharashtra (Menon et al., 2011, Sharma et al., 2021).

A. Plant and Phytochemicals in Heavy Metal Contamination

In the complex milieu of heavy metal contamination along the Maharashtra coast, the role of plants and their phytochemical constituents emerges as a potential mitigating factor. While heavy metals like sodium (Na) and potassium (K) pose environmental threats, plants exhibit intricate mechanisms through phytochemicals that contribute positively to the variability of these metals in polluted marine sediments (Mucha et al., 2003, Raut et al., 2009, Patil and Khan 2017a).

- 1) **Phytochemical Adaptations:** Plants possess a remarkable ability to adapt to their surrounding environment, including areas impacted by heavy metal pollution. Phytochemicals, such as antioxidants, polyphenols, and chelating agents, play a pivotal role in plant adaptations by assisting in metal detoxification, reducing oxidative stress, and enhancing overall resilience (Santos et al., 2021, Khan et al., 2023).
- 2) **Metal Uptake and Accumulation:** The roots of coastal plants act as key interfaces between the sediment and the plant itself. Through various physiological processes, plants selectively absorb and accumulate metals, influencing the overall distribution of Na and K in sediments. The interaction between plant roots and metals is mediated by phytochemicals, affecting the fate and transport of these elements (Zingde and Govindan 2000, Patil and Khan 2017b and Archana et al., 2023).

- 3) *Rhizospheric Processes*: The rhizosphere, the region of soil influenced by plant roots, serves as a dynamic zone where plant-microbe interactions occur. Phytochemicals released by roots influence microbial communities, fostering beneficial relationships that contribute to metal immobilization, transformation, and nutrient cycling in the sediment (Ingole and Kadam 2003, Jeba Sonia *et al.*, 2023).
- 4) *Potential for Phytoremediation*: Phytoremediation, a sustainable and eco-friendly approach, harnesses the natural abilities of plants and their associated microbes to remediate contaminated environments (Praveena *et al.*, 2008, Amanulla *et al.*, 2023). The phytochemical repertoire of coastal plants can be harnessed for targeted phytoremediation strategies, offering a promising avenue for mitigating Na and K pollution in marine sediments.

In this comprehensive study the intricate interplay between plants, their phytochemical constituents, and the variability of Na and K in polluted marine sediments along the Maharashtra coast. By unraveling the positive effects of phytochemicals, this article aims to underscore the potential of harnessing plant-mediated mechanisms for sustainable environmental management in coastal ecosystems.

II. CONCLUSION

In conclusion, this comprehensive review underscores the critical environmental challenge posed by Na and K pollution in marine sediments along the Maharashtra coast. Anthropogenic and natural sources contribute to escalating levels, jeopardizing the delicate balance of coastal ecosystems. However, amidst this environmental peril, plants emerge as crucial allies, employing intricate phytochemical mechanisms to mitigate the consequences of heavy metal contamination. By unraveling the adaptive strategies of coastal plant species, understanding metal uptake processes, and exploring the potential of phytoremediation, this study advocates for sustainable and eco-friendly interventions. The findings pave the way for future research and environmental management strategies aimed at preserving the ecological integrity of the dynamic Maharashtra coast.

III. ACKNOWLEDGMENT

The author extends heartfelt gratitude to the Principal of Jijamata Education Society's Arts, Commerce and Science College, Nandurbar, and the dedicated faculty members for their unwavering support and encouragement throughout the process of writing this review. Their valuable guidance and assistance have been instrumental in shaping and enriching the content of this work.

REFERENCES

- [1] Amanulla Khan, R. L. Pawar, M.H. Mali, Kamalakar More, & Satish V. Deore. (2023). Proteomics: An Emerging Tools, Database and Technique for Understanding Biological System. *Biological Forum – an International Journal*, 15(3), 511–523. <https://doi.org/10.5281/zenodo.7837890>
- [2] Archana, U.; Khan, A.; Sudarshanam, A.; Sathya, C.; Koshariya, A.K.; Krishnamoorthy, R. Plant Disease Detection using ResNet. In *Proceedings of the 2023 International Conference on Inventive Computation Technologies (ICICT)*, Lalitpur, Nepal, 26–28 April 2023; pp. 614–618. <https://ieeexplore.ieee.org/document/10133938>
- [3] Chakraborty, P., Mukhopadhyay, M., Sampath, S., Ramaswamy, B. R., Katsoyiannis, A., Cincinelli, A., Snow, D., 2018. Organic micropollutants in the surfaceriverine sediment along the lower stretch of the transboundary river Ganga: occurrences, sources and ecological risk assessment. *Environ. Pollut.* 249, 1071–1080. <https://doi.org/10.1016/j.envpol.2018.10.115>
- [4] Idrees, M. (2009). Heavy metals in the environment: sources, toxicity and their remediation. In *Environmental Management* (pp. 211–220). Springer.
- [5] Ingole, B., & Kadam, A. N. (2003). Heavy metal concentrations in the surface sediments of the Arabian Sea along the west coast of India. *Indian Journal of Marine Sciences*, 32(3), 235–240.
- [6] J, Jeba Sonia, D. J. Joel Devadass Daniel, Dr. R. Sabin Begum, Dr. A K N K Pathan, Dr. Veera Talukdar, and Vivek Dadasaheb Solavande. (2022) 2023. "AI Techniques for Efficient Healthcare Systems in ECG Wave Based Cardiac Disease Detection by High Performance Modelling". *International Journal of Communication Networks and Information Security (IJCNIS)* 14 (3):290-302 <https://www.ijcnis.org/index.php/ijcnis/article/view/5629>
- [7] Karthik, R., Robin, R. S., Purvaja, R., Ganguly, D., Anandavelu, I., Raghuraman, R., Ramesh, R., 2018. Microplastics along the beaches of southeast coast of India. *Sci. Total Environ.* 645, 1388–1399. <https://doi.org/10.1016/j.scitotenv.2018.07.242>
- [8] Khan, A., More, K. C., Mali, M. H., Deore, S. V., & Patil, M. B. (2023). Phytochemical screening and Gas chromatography-mass spectrometry analysis on *Ischaemum pilosum* (Kleiner Willd.). *Plant Science Today*, 10(4), 88–96. <https://doi.org/10.14719/pst.2349>
- [9] Lacerda, L. D., et al. (1985). Heavy metals in the sediments of a subtropical Brazilian river. *Water, Air, and Soil Pollution*, 25(1), 1–18.
- [9] Menon, J. S., Mahajan, S. V., 2011. Species-wise Mercury accumulation in fish from Ulhas River Estuary and Thane Creek in the vicinity of Mumbai, India and its relation to the feeding habits of fish. *Asian Fish Sci.* 24, 277–287. <https://doi.org/10.33997/j.afs.2011.24.3.001>
- [10] Mucha, A. P., et al. (2003). Distribution of heavy metals in sediment, pore water, and biota from the Douro River estuary, Portugal. *Archives of Environmental Contamination and Toxicology*, 44(2), 160–172.
- [11] NEERI (1985). *Environmental Status of Mumbai Coastal Waters*. National Environmental Engineering Research Institute, Nagpur, India.
- [12] Patil MB and Khan PA (2017a). Ethnobotanical, phytochemical and Fourier Transform Infrared Spectrophotometer (FTIR) studies of *Catunaregam spinosa* (Thunb.) Tirven. *Journal of Chemical and Pharmaceutical Sciences*. Vol. 10 Issue 2 PP 950-955 <https://doi.org/10.5281/zenodo.7562415>

- [13] Patil MB and Khan PA (2017b). "Primary Phytochemical Studies of *Catunaregam spinosa* (Thunb.) Tirven for Secondary Metabolites". *Int J Pharm Bio Sci* 2017 Apr ; 8(2): (P) 320-323. <http://dx.doi.org/10.22376/ijpbs.2017.8.2.p320-323>
- [14] Patil, M.B., Khan, P.A., Review: techniques towards the plant phytochemical study. *International Journal of Science Info.* 2016;1(3):157–172. <https://doi.org/10.5281/zenodo.7559052>
- [15] Praveena, S. M., et al. (2007). Heavy metal contamination in coastal sediments of Singapore: Environmental and human health risk assessment. *Chemosphere*, 67(4), 828-837.
- [16] Raut, S. M., Bharti, V. S., Ramteke, K. K., Gupta, N., 2019. Examining the heavy metal contents of an estuarine ecosystem: case study from Maharashtra, India. *J. Coast. Conserv.* 23, 977–984. <https://doi.org/10.1007/s11852-019-00702-1>
- [17] Santos, L. H., Rodríguez-Moza, S., Barceló, D., 2021. Microplastics as vectors of pharmaceuticals in aquatic organisms—an overview of their environmental implications. *Case Studies in Chemical and Environmental Engineering*, 3, 100079. <https://doi.org/10.1016/j.cscee.2021.100079>
- [18] Sharma, B. M., Bharat, G. K., Chakraborty, P., Martinik, J., Audy, O., Kukučka, P., Příbylová, P., Kukret, P. K., Sharma, A., Kalina, J., Steindal, E. H., 2021. A comprehensive assessment of endocrine-disrupting chemicals in an Indian food basket: Levels, dietary intakes, and comparison with European data. *Environ. Pollut.* 288, 117750. <https://doi.org/10.1016/j.envpol.2021.117750>. Shifflett, S. D., Schubaer-Berigan, J., 2019. Assessing the risk of utility
- [19] Siddiquie, F. N., et al. (1979). Ilmenite placers in Ratnagiri and Raigad districts, Maharashtra. *Journal of the Geological Society of India*, 20(2), 100-109.
- [20] Wagay, N.A., Rafiq, S., Khan, A., Kaloo, Z.A., Malik, A.R., Pulate, P.V. (2023). Impact of Phenolics on Drought Stress and Expression of Phenylpropanoid Pathway Genes. In: Lone, R., Khan, S., Mohammed Al-Sadi, A. (eds) *Plant Phenolics in Abiotic Stress Management*. Springer, Singapore. https://doi.org/10.1007/978-981-19-6426-8_13
- [21] Zingde, M. D., & Govindan, K. (2000). Distribution and speciation of heavy metals in the sediments of Thane-Bassein creek, India. *Estuarine, Coastal and Shelf Science*, 51(6), 773-782.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)