



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: V Month of publication: May 2023

DOI: https://doi.org/10.22214/ijraset.2023.52435

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com

Image Classification Using Convolutional Neural Networks

Prof. N.V. Gawali¹, Kanishk Pagare², Shubham Daundkar³, Dipak Wagh⁴ Computer Engineering Department, Pune District Education Association's College of Engineering, Pune

Abstract: Convolutional Neural Networks (CNNs) have emerged as powerful tools for image classification tasks due to their ability to automatically learn hierarchical representations from raw pixel data. This paper provides a comprehensive review of CNN-based image classification methods, covering various aspects such as network architectures, training techniques, and evaluation metrics. Additionally, we discuss recent advancements, challenges, and future directions in CNN-based image classification research. The aim of this paper is to provide researchers and practitioners with a thorough understanding of CNN-based image classification and to guide future research in this field.

I. INTRODUCTION

Image classification is a fundamental task in computer vision that aims to assign predefined labels or categories to images based on their visual content. It plays a crucial role in various real-world applications, such as object recognition, facial recognition, medical image analysis, and autonomous driving. With the exponential growth of digital imagery and the need for automated analysis, developing efficient and accurate image classification algorithms has become an active area of research.

Convolutional Neural Networks (CNNs) have revolutionized the field of image classification by achieving remarkable performance on various benchmark datasets. Unlike traditional machine learning algorithms, CNNs are designed to automatically learn hierarchical representations directly from raw pixel data, mimicking the visual processing mechanism of the human visual cortex. This enables CNNs to capture intricate patterns and discriminative features that are essential for accurate image classification.

This research paper aims to provide a comprehensive review of CNN-based image classification methods. It will cover various aspects, including network architectures, training techniques, preprocessing techniques, evaluation metrics, recent advancements, challenges, and future directions. By analyzing and synthesizing the existing literature, this paper aims to provide researchers and practitioners with a thorough understanding of CNN-based image classification and guide future research in this field.

SR	YEAR	PAPER & Authors	METHODLOGY	ADVANTAGES	DISADVANTAGES
NO					
1	2022	Deep Convolutional	Using KNN, decision tree	Accuracy, precision, recall	Use of multiple algorithms
		Network for Image	classifier, deep learning for	sensitivity, F1 score	
		Recognition Using Gradio	image recognition		
2	2021	Survey on the use of CNN	Working of image	Very High accuracy in image	Overfitting in CNN, Huge size of
		and Deep Learning in	classification using Neural	recognition problems, Automatically	data, need of high performance
		Image Classification"	networks and deep learning	detects the important features without	hardware, CNN lacks multitasking
				any human supervision, Weight sharing	
3	2020	Image Classification	Image classification using	Uses simple python libraries like	Needs constant tweaks in the code for
		using CNN	ML, CNN, AI.	keras, tensorflow, DJango, etc.	increasing size of datasets
4	2020	Automation of Animal	using CNN in this project	The experimental results show that	Huge size of data, need of high
		Classification using	which can automatically	automatic feature extraction in CNN is	performance hardware, CNN lacks
		Deep Learning	extract features, learn and	better compared to other simple feature	multitasking, More Expensive
			classify them. The proposed extraction techniques		
			method can also be used in		
			other areas of image		
			classification and object		
			recognition.		

II. LITERATURE SURVEY



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com

5	2019		Using various	preventing overfitting dropout	The future work lies in trying
		Optimized Multi Class	deep learning optimization	regularization technique were used.	different values of dropout for
		Classification of Images	algorithms	The model developed was executed	overcoming overfitting and getting
		Using Deep Learning		with different optimizers and tested	more data.
				with plenty of unseen images of rock,	
				scissor and paper. The testing	
				accuracy in this case was turned out	
				to be 100%	
6	2020	Deep Belief Network for	using imaging spectral data	It can significantly improve the	Less Accuracy,
		Feature Extraction of	showing the in-depth features	classification accuracy and has a good	Extraction Needed
		Urban Artificial Targets	extracted by the profound	application prospect in hyperspectral	
			belief network algorithm	image information extraction	

III. PROBLEM STATEMENT

This model solves one of the major trending topics which is CNN. To be precise CNN is a convolutional neural network which is a part of Machine Learning and Artificial Intelligence. To begin with, our project consists of a dataset which has the images categorized into three sections: train, test and predict. Then the image processing of the particular dataset needs to be done. All thanks to the great advanced technology, the models set to be designed and trained to give the accurate results with the help of CNN

IV. METHODOLOGY

Training Convolutional Neural Networks (CNNs) involves iteratively adjusting the network's parameters to minimize a chosen loss function by feeding labeled training data into the network. The network learns relevant features through forward and backward propagation, updating weights and biases using optimization algorithms such as stochastic gradient descent. The training process includes splitting data into training and validation sets, monitoring performance, and adjusting hyperparameters for improved training. Dataset preparation is a vital step in training CNNs, involving collecting and preprocessing data to create a well-structured dataset. Tasks include data cleaning, resizing or cropping images, and normalizing pixel values. The dataset is divided into training, validation, and test sets to accurately assess the model's performance. Proper dataset preparation ensures high-quality, diverse, and representative data, enabling the CNN to learn robust and generalized features.

Data augmentation increases the training dataset's size by applying transformations to existing data, mitigating overfitting and improving the model's ability to generalize. Transformations can include rotations, translations, flips, and changes in brightness or contrast. By introducing diversity, data augmentation enhances the network's capacity to learn invariant features and improves overall performance.

Loss functions quantify the discrepancy between predicted outputs and true labels, measuring the model's performance during training. Common loss functions for classification tasks include categorical cross-entropy, binary cross-entropy, and softmax cross-entropy. For regression tasks, mean squared error or mean absolute error are often used, depending on the problem and desired output characteristics.

Optimization algorithms update CNN weights and biases during training, aiming to minimize the loss function. Stochastic gradient descent (SGD) is widely used, but variations like Adam, RMSprop, and Adagrad have also shown effectiveness. These algorithms employ techniques such as momentum, adaptive learning rates, and regularization to accelerate convergence and improve training quality, impacting the model's performance and training speed.

Hyperparameter tuning involves setting configurations not learned by the network, such as learning rate, batch size, number of layers, filter sizes, and regularization strength. This process finds optimal values through systematic experimentation, evaluating performance with different combinations. Techniques like grid search or random search are used to select the configuration yielding the best results for CNN performance.

Model evaluation assesses a trained CNN's performance and generalization capability. Testing on a separate, unseen test set provides common evaluation metrics like accuracy, precision, recall, F1 score for classification tasks, and mean absolute error or root mean squared error for regression tasks. Model evaluation helps compare different models or configurations, guiding the selection of the best-performing one for deployment.

Architectures for Image Classification: LeNet-5 AlexNet VGGNet GoogLeNet (Inception) ResNet DenseNet MobileNeT EfficientNet



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue V May 2023- Available at www.ijraset.com

A. Preprocessing Techniques

1) Image Resizing and Normalization

Image resizing and normalization are common preprocessing techniques used in image analysis tasks. Image resizing involves changing the dimensions of an image while maintaining its aspect ratio. This technique is useful for standardizing the input size of images in a dataset, which is often necessary for training machine learning models. Normalization, on the other hand, involves scaling the pixel values of an image to a specific range, typically between 0 and 1. This process helps to bring consistency and stability to the pixel values across different images. Image resizing and normalization help in reducing computational complexity, improving model performance, and ensuring fair comparison between images.

2) Data Augmentation Methods

Data augmentation is a popular technique used to artificially increase the diversity and size of a training dataset by applying various transformations to the original images. These transformations include rotation, translation, scaling, flipping, and more. By applying data augmentation, the model is exposed to a wider range of variations and helps in reducing overfitting, improving generalization, and making the model more robust to different scenarios. Data augmentation is particularly effective when the available training dataset is limited, as it helps create additional training examples without the need for collecting new data.

3) Feature Extraction Techniques

Feature extraction is a preprocessing technique used to derive meaningful representations or features from raw image data. These extracted features capture the essential characteristics of an image, which can then be used for further analysis or input to a machine learning model. Feature extraction can be done using various methods, such as using handcrafted feature descriptors like Histogram of Oriented Gradients (HOG), Scale-Invariant Feature Transform (SIFT), or through deep learning techniques like Convolutional Neural Networks (CNN) that automatically learn hierarchical features. Feature extraction helps in reducing the dimensionality of the data, removing irrelevant information, and focusing on the most discriminative aspects of the images, leading to more efficient and accurate analysis or classification tasks.



4) Evaluation Metrics

Model	Accuracy	Validation Accuracy	Loss	Validation Loss
Model 1	79.72%	62.14%	0.57	0.6214
Model 2	78.36%	62.73%	0.610	1.2982
Model 3	93.01%	72.93%	0.22	1.1419
Model 4	86.33%	80.17%	0.37	0.8017
Model 5	84.43%	82.30%	0.196	0.452
Model 6	93%	88.09%	0.196	0.4028







International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue V May 2023- Available at www.ijraset.com

V. RESULTS

Epoch //00 1940/1542 [s/step = loss: 1.5402 - a/step = loss: 1.1945 -	Image Classification CIEAD40	
1543/1543 [] - 614 3564	s/step - loss: 1.0611 -	Image Classification CIFAR10	
Room 4/10			
1543/1543 [] - 404 3854	s/stap - loss: 0.9719 -		Image Classification CIFAR10
Epoch 5/10			
1563/1563 (a/atap - loas: 0.8985 -	bird	
200xe20y/ 0.4835 Epoch 6/10			
1543/1543 () - 55a 35m	a/step - loss: 0.0425 -		
Accuracy: 0.7046			
1563/1563 [] - 54s 35ns	s/step - loss: 0.7963 -		ship
100ur20y: 0.7191			
Epoch 8/10 1563/1563 (Alaran - Jossi 5,7582 -		
Acturacy: 0.7327			
Epoch \$/10			
200wr20y: 0.7479			
Rposh 10/10			
1563/1563 () - 53a 34ma	s/step = loss: 0.6015 -	Classity Image	
313/313 - 44 - 1044: 0.8551 - 400448400: 0.7058 - 44/4	annah - lina/atan		Classity image
7441 A00urA0y: 0.7258022049591264			20.00
Model, "sequential"			
Layas (type) Output Shapa	Zanali, F		and the second s
comv2d (Comv2D) (None, 30, 31, 32)	836		
Naw_posling24 (<u>Hastooling22</u> (None, 15, 15, 32))	٥		
conv2d_1 (Conv2D) (None, 13, 13, 64)	18496		
naw_pooling2d_1 (<u>Max2ooling</u> (None, 6, 6, 64) 20)	0		
com+2d_2 (Con+2D) (None, 4, 4, 64)	36928		
		Upload an image	Upload an Image

VI. CONCLUSION

In conclusion, this study explored the application of Convolutional Neural Networks (CNNs) in image recognition tasks. The training process of CNNs involves adjusting network parameters to minimize the chosen loss function through labeled training data. Proper dataset preparation, including data cleaning, resizing, and normalization, is crucial to ensure high-quality and diverse training data. Data augmentation techniques, such as rotations and flips, can enhance the network's ability to generalize and mitigate overfitting. The choice of loss functions and optimization algorithms, such as stochastic gradient descent, significantly impacts the model's performance and training speed. Hyperparameter tuning is essential for finding optimal configurations. Model evaluation using separate test sets provides insights into the model's performance and generalization capabilities. Overall, CNNs have shown promising results in image recognition tasks.

REFERENCES

- [1] G. Padmini1, Pacchipulusu Kiran1, Sri Gadu Srinivasa Rao2 (2022) "Deep Convolutional Network for Image Recognition Using Gradio"
- [2] Siddhant Dani, Prof. P. S. Hanwate, Hrishikesh Panse, Kshitij Chaudhari, Shruti Kotwal (2021) "Survey on the use of CNN and Deep Learning in Image Classification"
- [3] Sakshi Parikh, Kartik Parekh, Hrithik Chauhan, Dhruv Desai (2020) "Image Classification using CNN"
- [4] Mr. Utpal Shrivastava, Dr. Vikas Thada (2019) "Optimized Multi Class Classification of Images Using Deep Learning"
- [5] Ridhima Dhawan (2018) "Classification of Image using Convolutional Neural Network"
- [6] Using Convolutional Neural Networks for Image Classification
- [7] Kavish Sanghvi (2020) "Image Classification Techniques" https://medium.com
- [8] www.github.com











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)