



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5 Issue: XI Month of publication: November 2017

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

QoS based Resource Allocation Plan & Policy in the Cloud

Nihar Ranjan Nayak¹, S.Bhuvaneshwari²

¹ Doctoral Research Scholar, Department of Computer Science, Pondicherry University, Karaikal campus

² Associate Professor, Registrar, Department of Computer Science, Central University Tamilnadu, Thiruvavur

Abstract: Cloud computing is a prominent trend it provides a paramount platform for allocating huge computing resources in the easy and cost-effective way. And it offers the quality of service based on the resource to the public in a pay-as-you-go model, about the function and motive of allocating resources according to the user demand that is peak value utilizing the resource efficiently and minimizing the cost. So here the propose of the paper we come to term on QoS policy based on resource allocation plan is more efficient and at last, we analyzed different resource allotment policies.

Keyword: Resource allocation, Quality of Service, cloud computing, policy, Resource manager

I. INTRODUCTION

Cloud computing is virtualized and a network of server's technology that relies on-demand sharing figuring resources rather than the personal unit to handle the application of the internet on the pay-per-use basic system and provide reliable, customized and QoS (Quality of Service)[1]. Coming to the resource allocation it at time help to allocate the available resource both the consumer as well as providers. Basically, the requirement of QoS is properly described in a negotiation or agreement (SLA) between the service provider and user. If we are planning on allocating resource without knowing of SLA, there is no guarantee for the user about QoS[2]. Basics of cloud computing are described in the Model of cloud computing classified into following manners-Public clouds is accessible to all and services they may use. Private cloud basically for security purpose use in the business platform without the restrictions of the network bandwidth. Hybrid clouds are a combination of the private/public clouds[3]. A community cloud is managed by internally or by the third party. Cloud computing Services are Infrastructure as a Service (IaaS): it distributes the hardware requirement like memory, CPU, processing power etc to the user. Platform as a Service (PaaS): it provides the platform like "software lifecycle process" to the user. And user will develop the services. Software as a Service (SaaS): it provides different software to the customer those who log in with remotely. In virtualization technique simple multiple operating systems run on a single physical machine. For example, if we are using a single machine like windows 10 at a time we operate multiple OS like Vista, XP, Linux etc. Hypervisor contains several types, Native hypervisor we can use for personal purpose. It is nothing but hardware environment. Embedded Hypervisor is for improvement of different services and combined into the processor on a different chip. The hosted hypervisor is most important both in public and private cloud runs as a distinct software rank above both the hardware and the OS.


Nowadays allocating a resource efficiently manners one of the most challenging issues in the cloud Talking details of resource allocation process to increase the flexibility cloud allocates resource according to user requirement, The most significant of Resource Allocation is the user no need to install software and hardware, In Resource Allocation process allocating the available resource to a particular user over the internet to access the application only to develop the application and host the application over the internet. The user request such as computation resources in the form of a lease. The lease is submitted in the form of mode. AR (Advanced Reservation): firstly resources are reserved in advance manner and it allows the resources to the user in peak time or available time. BE (Best Effort): Now Resources are in queue and resource area provision as soon as possible. Immediate: This is possible according to the availability of resources. When the user submits a request, either it should provide immediately or reject. DS (Deadline Sensitive): DS lease are pre-emptible and flexible in time constraints. ALT-RA (Alert Time based Resource allocation): It is based on alert time to assign the available resources to the user[4].

II. RELATED WORK

JankiAkhani, the proposed paper contains the advanced reservation algorithm in haizea and providing the counter offers so it will not support if multiple requests will come at a time. In proposed technique we have mentioned some resource allocation policy in effective manners. so it will help full for implementation in allocation technique[5]. Kamini Bharti and Kamaljeet Kaur proposed survey on resource allocation technique in cloud computing and develop different resource allocation policies. In this proposed

paper we have done different resource allocation plan and in the consumer context, it will solve by the alert time resource allocation[3]. Foster I and M royd has proposed GARA (General-purpose architecture for reservation and allocation) and it all about monitoring and controlling the multiple resources like heterogenous in nature but there is no proper policy and agreement[6]. Horri has proposed resource allocation technique for energy consumption without concentrate of policy.[7] Chiwook Jeong has proposed QoS based on resource allocation for energy consumption with SLA[2].

III. ARCHITECTURE DIAGRAM



QoS based resource allocation Policy& Plan

A. Description

The above architecture diagram it shows that user accesses the resource through the policy term of quality of service based on resource allocation planning show that request of the user is received by CSP and it has sent to the analyser. The analyser is only communicating with the data center and according to the user request, QoS metrics data is added and QoS may be homogenous and hetro genous like reliability, time, cost, computing capacity etc. After that in the schedule, resource allocation plan is added. Through the QoS and resource allocation plan resource is allocated to the user. And according to the user context of view those who are in peak time allowing the available resources to that users.

B. Resource Allocation Plan

The resource allocation based allotment of resources has used different parameters compares with different sector plan. The below diagram (Fig: 2) shows resource application based plan. The parameters are VM contains load, cost, speed, type etc. and utility contains profit, response time, application satisfaction and auction contains market bid, and policy contains security, condition, and GSLA contains response time, throughput, QoS, and the application contains a large scale, database, real-time and gossip contains peer information, resources, and expert knowledge etc.

RESOURCE ALLOCATION BASED PLAN

| | | AGENT POLICY | | NEGOTIATION LOYALTY | | MARKET GSIA | | STATISTICAL |
|--|-------------|--------------|---|---------------------|---|-------------|---|-------------|
| P A R A M E T E R S | VM | v | x | v | x | x | x | x |
| | UTILITY | x | v | v | x | x | x | x |
| | AUCTION | x | x | x | x | v | x | x |
| | POLICY | x | v | x | v | v | x | v |
| | GSIA | x | x | x | x | x | v | x |
| | APPLICATION | x | x | x | v | x | x | v |
| | GOSSIP | v | v | x | v | x | x | x |

Resource Allocation Plan

The below tables all details about the quality of service analysis. The cloud workload contains web server, file server, and transactional database etc. and adding the quality attribute for the workload. These are the example of workload identification[7].
 Websites: it is a social network and any information regarding website are easily available to cloud consumer. Network Bandwidth, Availability, storage etc. are mainly quality attribute for this workload.

Software Testing: It includes the development of web application with rational rose software. Flexibility, testing time, computing capacity and self-service rate etc. are mainly quality attribute for this workload.

Online transaction: In online transaction, there are several insurance policies for the transaction and mostly we using the internet banking. Security, Internet Availability, accessibility etc. are mainly quality attribute for this workload.

E-commerce: It includes all the malls and supermarket. Computing load and customizability etc. are mainly quality attribute for this workload.


Financial Services: It mainly includes the insurance and banking system. Security, Availability, and Integrity etc. are mainly quality attribute for this workload.

After identifying the workload it has been analyzing through the workload pattern and actually, cloud-based patterns contain the type of application that the user wants to execute.


- Web service interface and API
- Cloud deployment
- Storage base system
- Instant service management
- Design for operation

IV. EXPERIMENTAL RESULTS

The below diagram graph 1: shows that implementation of resource allocation plan. And comparing resources allocation plan with parameters and calculating in which parameter resource is allocating according to plan. And here comparing to all policy based resource allocation is using more. So in graph 2: comparing the highest and lowest series in in resources allocation plan. There had many papers regarding resource allocation plan but very rare research concentrated on GSIA based resource allocation technique. And most of the research follows the policy based plan. So policy-based resource allocation technique uses efficiently and most of the cased it uses more.



(Graph: 1)



(Graph: 2)

V. CONCLUSION

Cloud computing technology mostly used in industries and market. It allows on-demand dynamic repository allotment for furnishing GSLA to the customer based on pay-for-use configuration to the public. In this paper, we discuss different resource allocation plan and according to a survey of paper, we find out many researchers concerned on policy-based resource allocation though, there are different resource allotment service based on the Existing system problem is solved, none of these can be prolonged. Depending on surveying in cloud technique, an efficient resource allotment is achieving to consumer appeasement.

REFERENCES

- [1] N. R. Nayak, R. Brintha, and S. Bhuvaneshwari, "Intelligent & Automated VM Green Optimization," vol. 5, no. 6, pp. 289–294, 2015.
- [2] H. Duran-limon, "A QoS and Energy aware Load Balancing and Resource Allocation Framework for IaaS Cloud Providers," pp. 410–415, 2016.
- [3] K. Bharti and K. Kaur, "A Survey of Resource Allocation Techniques in Cloud Computing," no. 2, pp. 31–35, 2014.
- [4] M. Masdari, F. Salehi, M. Jalali, and M. Bidaki, A Survey of PSO-Based Scheduling Algorithms in Cloud Computing, vol. 25. 2016.
- [5] Akhani, J., Chuadhary, S., & Somani, G. (2011, March). Negotiation for resource allocation in IaaS cloud. In Proceedings of the Fourth Annual ACM Bangalore Conference (p. 15). ACM
- [6] E. Scalable and V. Organizations, "The Anatomy of the Grid," 2001.
- [7] S. Singh and I. Chana, "Q-aware : Quality of service based cloud resource provisioning q," Comput. Electr. Eng., vol. 47, pp. 138–160, 2015.



- [8] Horri, A., Mozafari, M. S., & Dastghaibyfar, G. (2014). Novel resource allocation algorithms to performance and energy efficiency in cloud computing. *The Journal of Supercomputing*, 69(3), 1445-1461.
- [9] Nihar Ranjan Nayak*, S. Bhuvaneshwari, "A Survey on Task scheduling Algorithm and Quality of Service for Resource Allocation in cloud environment", in *Indian journal of Engineering*.mar-201
- [10] Villegas, D.; Antoniou, A.; Sadjadi, S.M.; Iosup, A., "An Analysis of Provisioning and Allocation Policies for Infrastructure-as-a-Service Clouds," *Cluster, Cloud and Grid Computing (CCGrid)*, 12th IEEE/ACM International Symposium on, 13-16 May 2012
- [11] S. Clinch, J. Harkes, A. Friday, N. Davies and M. Satyanarayanan, "How close is close enough? Understanding the role of cloudlets in supporting display appropriation by mobile users," in *Proc. IEEE Int. Conf. Pervasive Comput. And Commun*, 2012, pp. 19-23.
- [12] Yanbing Liu, Shasha Yang, Qingguo Lin and "Cloud Computing Vs. Grid Computing", *ARNP Gyoung-Bae Kim "Loyalty-Based Resource Journal of Systems and Software*, May 2012
- [13] Villegas, D.; Antoniou, A.; Sadjadi, S.M.; Iosup, A., "An Analysis of Provisioning and Allocation Policies for Infrastructure-as-a-Service Clouds," *Cluster, Cloud and Grid Computing (CCGrid)*, 12th IEEE/ACM International Symposium on, 13-16 May 2012.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)