



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 5      Issue: XII      Month of publication: December 2017**

**DOI:**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Review Paper on the Effect of Microbiologically induced $\text{CaCO}_3$ Precipitation on Self healing Method of Concrete: Bacterial concrete

D. Hari Krishna Prasad<sup>1</sup>, C.V. Siva Rama Prasad<sup>2</sup>

<sup>1</sup>M.Tech Student, Department of Civil Engineering, Roorkee Institute of Technology, Puhana, Roorkee, Uttarakhand, India.

<sup>2</sup>,Assistant Professor, Department of Civil Engineering, Vignana Bharathi Institute of Technology, Aushapur, Ghatkesar, Hyderabad India.

**Abstract:** Concrete is one of the for the most part utilized development materials, with more than 2.5 billion tons delivered universally in every year [1]. At the point when concrete is presented to temperature vacillation, destructive chemicals and exorbitant anxiety, split are emerge in concrete. Bacterial cement is a most recent innovation lately on utilization of various microorganisms as self-mending agent [2]. an assortment of materials are accessible in showcase for repair like polymers, epoxies and so forth. But these are unsafe to the earth; hence this system being ecological neighbourly can be utilized as their substitution [3]. Solid blends having calcite-actuating microorganisms from the family Bacillus can possibly lessen basic disappointment rates, and ecological effects. At the point when break happened in the solid, that split allow water and carbon dioxide into the material. In bacterial cement, these components would get to microorganisms, which at that point catalyze a response actuating a calcite accelerate, mending the solid, and maintain a strategic distance from additionally harm from happening. In this innovation, concrete keep up its quality without the requirement for visit repairs, which would altogether lessen both monetary and ecological expenses. Consequently, this paper is an endeavour to characterize bacterial solid, sorts ,order of microbes, procedure of settling the splits utilizing these microscopic organisms' . These sources will take into consideration a comprehension and evaluation of such innovation in true auxiliary applications.

**Keywords:** Bacterial concrete, types of bacteria, MICP, self\_ healing, chemical process

## I. INTRODUCTION

Concrete however being used and gotten as an impeccable advancement material in perspective of its straightforward openness, ease, great compressive quality et cetera.; has some drawback furthermore, the critical inconvenience of cement is its low rigidity in light of which littler scale breaks happen when the structure is subjected to oversaw stacking and displayed to intense regular conditions realizes to lessening the life of the structure.

These scaled down scale splits if little in width it can be settled thusly by the expansion of the hydrated cement. In any case, for huge size breaks simply inadequate settling is possible.. For genuine prosperity of structure if it is basic to repair the freshly formed surface cracks as it will stop the passage of water and other powerful chemicals which can harm the support and cement. Therefore some man-made material like epoxy polymers are used as repair material. In any case, they are over the top, decreases compressive quality and likewise moreover hazardous to the environment [4].

As needs be this prompts raise a need of some ordinary self-mending compound which can be used to shield the solid and support from all the harmful effects. Calcium carbonate precipitation is one of the recuperating thing. It is a fascinating strategy in which splits and gaps are settled using microbiologically impelled calcite or calcium carbonate ( $\text{CaCO}_3$ ) precipitation this methodology goes under class of Bio-mineralization.

The specific species, for instance, ureolytic are basically used for this; they are remotely and physically associated on the solid surface, and after that the technique occurs inside or outside the microbial cell or even some partition away inside the solid and result in to the improvement of bio minerals, for instance, calcite ( $\text{CaCO}_3$ ) or apatite. Which are for the most part thick and can impede the parts and keep the section of the water viably.

As a less than dependable rule this common activities of microorganisms trigger change in course of action science which prompts over drenching and mineral hurries. In like manner, this convincing use of metabolic strategy of microorganisms in solid prompts the headway of new thought called Bacterial Concrete.

## II. CLASSIFICATION OF BACTERIA



Figure 1. Classification Based on Shape




Figure 2. Classification Based on Gram Stain




Figure 3. Classification Based on oxygen demand

### A. Various Types Of Bacteria Used In Concrete From literature review:

- 1) Bacillus pasteurii
- 2) Bacillus sphaericus
- 3) Escherichia coli
- 4) Bacillus subtilis
- 5) Bacillus cohnii
- 6) Bacillus halodurans
- 7) Bacillus pseudofirmus etc.,

### B. Advantages and Dis Advantages of Bacterial Concrete

#### 1) Advantages

- a) Microbial concrete in crack remediation.

- b) Compressive quality is expanded in concrete.
- c) Enhanced protection from solidify defrost cycle.
- d) Reduction in permeability of concrete.
- e) Reduction in corrosion of RCC.

## 2) Disadvantages

- a) Microbial concrete Cost is twofold than that of traditional concrete.
- b) Development of microscopic organisms isn't great quality in any environment and media.
- c) Design of concrete mix with microbes is not available in IS codes or some other codes.

## III. MICRO-ORGANISM

Organisms are the most different and bountiful social occasion of living creatures on Earth. Microorganisms have in every practical sense all circumstances where some liquid water is open and the temperature is underneath +140 °C [5]. They are found in sea water, soil, air, animals' gastrointestinal tracts, hot springs and even far beneath the Earth's outside in rocks. Organisms are oftentimes removed as germs, however empower us to do an extent of accommodating things like age of counter agents poisons, nitrogen fixation, live in the guts of animals (including individuals) or elsewhere their bodies, or on the establishments of particular plants. Minute living beings are of remarkable centrality in perspective of their ludicrous flexibility, constrain with respect to quick advancement and age. A littler scale living thing is a living being that is minute (too little to be seen by the stripped human eye). Little scale living creatures are unfathomably different and join organisms, parasites, archaea, and protists, and what's more some moment plants and animals, for instance, infinitesimal fish, and unmistakably alluded to animals, for instance, the planarian and the one-celled critter.

### A. Bacterial concrete and its applications:

Microbial concrete is set up by mixing a bond glue containing microbial cells nearby a calcium-based supplement known as calcium lactate, and nitrogen and phosphorus are added to the components of the solid particularly extent. Beside its other wonderful properties, on account of its huge property of split remediation or self-mending, it is generally called self-healing concrete. This advancement of using microorganisms for calcium carbonate explanation or microbial concrete, called as Microbial incited calcium-carbonate precipitation (MICCP), can be used for disentangling distinctive solidness issues of improvement materials. On account of normal capacity to quicken calcite endlessly bacterial concrete is furthermore called a 'Shrewd BIO MATERIAL'. This special kind of concrete has multiple usage. According to its different usage it can be classified as following

### B. Bacterial concrete as concrete crack remediation/healing.

- a) It performs as a bizarre surface treatment for concrete.
- b) It performs as a antifungal bond mortar and water purifier.

### C. Bacterial concrete for concrete crack remediation:

Normal systems, for instance, weathering, deficiencies, land subsidence, seismic tremors and human activities make parts and splits in solid structures. Weathering instigates extended porosity, assistant weakening of surface layers, monstrous appearance and in the end diminishes the administration life of the structures [6]. Stress over the corruption of cement and the money related impact of the help and repair of solid structures have pulled in the thought in regards to methodology of solid debilitating, and to the procedures to back off or even to take out strong degradation. Without immediate and suitable medicines, splits in solid structures tend to broaden further and over the long haul require excessive repair. In spite of the way that it is possible to decrease the level of part by available present day development, remediation of split in concrete has been the subject of research for quite a while.

### D. Concrete Crack Remediation with Conventional Solutions and their disadvantages:

There are such an expansive number of made specialists which are used to avoid any kind of splits and gaps in the solid structures. These are moreover used as a piece of repair applications, for instance, the holding of cement, showered cement or bond/sand repair mortar to set cement. Holding specialists are general, irritated or made materials used to extend the joining of individual people from a structure without using mechanical clasp. The essential sorts of holding operators used as a piece of the advancement business to remediate splits and to cemented structure are:

- 1) Latex emulsions
- 2) Epoxy holding specialists
- 3) Surface treatments with silanes.

These customary methods for assurance demonstrate various disadvantageous angles, for example:



- 4) weak holding with surface
- 5) distinctive warm extension coefficient of treated layers
- 6) degradation after some time
- 7) Requirement for steady support and expensive as well.
- 8) a few solvents adds to contamination
- 9) Styrene butadiene latex coagulates if subjected to high or solidifying temperatures.

Breaking in solid structures continues over a drawn out extend of time, so these sorts of treatment are required more than once. Additionally, these are not the perpetual arrangement. Thus, in such conditions, a course as self-healing materials should be found seals the cracks naturally.

#### E. Possible biochemical reactions



Bio-mineralization is described as an organically incited precipitation in which a living thing influences a close-by littler scale to condition with conditions that allow perfect extracellular substance precipitation of mineral stages [7].

In customary natural surroundings, synthetic CaCO<sub>3</sub> precipitation (Ca<sup>2+</sup>+ CO<sub>3</sub><sup>2-</sup>→ CaCO<sub>3</sub>↓) is joined by natural strategies, both of which every now and again occur in the meantime or continuously. This microbiologically provoked calcium carbonate precipitation (MICCP) includes a movement of complex biochemical responses [8]. As an element of digestion, *B. pasteurii* produces urea's, which catalyzes urea to make CO<sub>2</sub> and smelling salts, achieving an extension of pH in the surroundings where particles Ca<sup>2+</sup> and CO<sub>3</sub><sup>2-</sup> quicken as CaCO<sub>3</sub>. Possible BIOCHEMICAL REACTIONS in urea-CaCl<sub>2</sub> medium to energize CaCO<sub>3</sub> at the cell surface can be condensed as takes after.



#### F. Chemical process to remediate cracks by bacteria :

Split penetrating water would not simply crumble calcite (CaCO<sub>3</sub>) particles present in mortar cross section, however would in like manner react together with natural carbon dioxide with not totally hydrated lime constituents, for instance, calcium oxide and calcium hydroxide as showed by the going with reactions:



The recently made minerals from the above communicated reactions and from broke down and re-solidified calcite minerals, rushed on the surface of breaks what achieved split fixing and going with diminish Permeability of the mortar. The recovering ability of this structure was particularly related to the measure of non-reacted lime particles inside the set mortar [9].

Calcium carbonate precipitation is a straight forward compound process managed generally by four key components: 1) Calcium centre 2) Concentration of broke up inorganic carbon (DIC) 3) The pH 4) Availability of nucleation locales. The joining of carbonate particles is related to the gathering of DIC and the pH of a given maritime structure. The precipitation of Calcium Carbonate significant stones occurs by heterogeneous nucleation on bacterial cell dividers once super fixation is proficient. The way that hydrolysis of urea is a straight forward microbial method and that a wide display of microorganisms conveys urea's compound and makes it ideally suited for break remediation for building material application. This precipitation shapes an exceedingly impermeable layer which can be used as split remediation for concrete or some other building material. The rushed calcite has a coarse crystalline structure that immediately holds quick to the solid surface as scales. What's more it can reliably create upon itself and it is exceptionally insoluble in water [10].

### IV.MECHANISM OF SELF-HEALING BACTERIA

The microbial creature used for assembling of bacterial cement should have the ability to have whole deal effective solid settling part in the midst of its lifetime serviceability. The rule behind break recuperating framework is that the microorganisms should have the ability to change dissolvable common supplements into insoluble inorganic calcite valuable stones, which seals the splits. For

fruitful break recuperating, the two microorganisms and supplements melded into concrete should not trouble the respectability of bonds and arrange pore-separate crosswise over and should not conversely impact other fundamental new and solidified properties of concrete [11]. In solid laughs out loud to 0.2mm wide are mended autogenously. . Such scaled down scale splits are commendable as these don't direct effect the security and nature of cement. The in-fabricated organisms based self mending process was found to healed makes absolutely up to 0.5mm [12].

As uncovered, bacterial material is a sharp material than standard materials so it can be utilized as a part of various improvement activities to upgrade the execution including self mending of cement.

## V. CONCLUSION

Bacterial solid development has ended up being better than various common progressions in perspective of its eco-friendly nature, self-mending limits and to a great degree accommodating for utilize. This novel and creative solid advancement will soon give the introduce to a choice and bewildering structures that will be keen and naturally sheltered. Regardless, more work is required to upgrade the credibility of this advancement from both an effective and rational points of view.

The utilization of bacterial cement to advancement may in like manner enhance a part of the present improvement shapes and evolutionize the strategies for new improvement frames.

## VI. RECOMMENDATIONS FOR FURTHER STUDIES

As the various analysts found this better and splendid material albeit due than its distinctive limitations, also think about is require to get a more preferred standpoint from this material. Along these lines, point by guide contemplates require toward focus on different sorts of supplements and metabolic things used for creating calcifying microorganisms, as they affect survival, improvement, and bio film and precious stone development.

## REFERENCES

- [1] T.R. Naik. (May 2008). "Sustainability of Concrete". Practice Periodical on Structural Design and Construction. (Online article). Volume 13, issue 2 May 2008.
- [2] H.S. Patil, H. Prashant, D.B. Raijiwala, B. Vijay. (2008, December). "Bacterial Concrete-- A Self Healing Concrete". International Journal of Applied Engineering Research. (Online article). [http://go.galegroup.com/ps/i.do?id=GALE%7CA216041362&v=2.1&u=upitt\\_main&it=r&p=AONE&sw=w&authCount=1](http://go.galegroup.com/ps/i.do?id=GALE%7CA216041362&v=2.1&u=upitt_main&it=r&p=AONE&sw=w&authCount=1)
- [3] Jonkers, H.M. & Schlangen, E. (2007). "Crack repair by concrete-immobilized bacteria". In: Schmets, A.J.M., van der Zwaag, S. (Eds.), Proc. of First International Conference on Self Healing Materials, Noordwijk, The Netherlands.
- [4] Sakina najmuddin saife, Divya maheshbai lad, Jayesh rameshbhai juremalani (march 2015). "Critical appraisal on bacterial concrete" , Journal of mechanical and civil engineering , Volume 1, Issue 3, pp 10- 14 , March 2015.
- [5] Beena kumara (jan 2015) , "Microbial concrete: a amulti purpose building material", International Journal of Advances in Engineering and Technology, Volume 7, Issue 6, pp.1608-1619 , Jan2015.
- [6] Hewlett, P.C., (1990), "Methods of protecting concrete – coatings and linings". In: Dhir RK, Green JW, editors. Proceedings of international conference: Protection of concrete. Scotland: Dundee; p. 105–34.
- [7] Hamilton, W.A.(2003), "Microbially influenced corrosion as a model system for the study of metal microbe interactions: a unifying electron transfer hypothesis", Biofouling, Vol.19, 65-76.
- [8] Stocks-Fischer S., Galinat JK., Bang SS., (1999), "Microbiological precipitation of CaCO<sub>3</sub>". Soil Biol Biochem 1999;31(11):1563–71.
- [9] Jonkers, H. (2007). "Self healing concrete: a biological approach. In: van der Zwaag, S. (Ed.), Self Healing Materials: An alternative Approach to 20 Centuries of Materials Science", Springer, Netherlands, pp. 195–204.
- [10] S.Soundhrya, Dr.K.nirmal kumar (july 2014), "Study on the effect of calcite- precipitating bacteria on self healing mechanism of concrete", International Journal of Engineering Research & Management Technology, Volume 1, Issue 4, ,pp 202-27, July 2014.
- [11] Seshagiri Rao.M.V, Srinivasa Reddy.V, Hafsa.M, Veena.P and Anusha.P, "Bioengineered Concrete – A Sustainable Self- Healing Construction Material", Research Journal of Engineering Sciences, Vol 2, No.6, Page 45-51, 2013.
- [12] C.V.Siva Rama Prasad, Dr.T.V.S.Vara lakshmi, "Emerging Way to Enhance the Durability of Concrete Structures through Bacterial addition: Bacterial concrete", ICATEMS-17, GVIC, Madanapalle.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)