



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5 Issue: XII Month of publication: December 2017

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

An Investigation on Cicadellidae (Insecta, Hemiptera) Fauna of Boğazköy-Alacahöyük National Park and its Surrounding, Turkey

Onur Dede¹, Murat Karavin², Elif Çalışkan³

^{1,2,3}Biology Department, Institute of Science, Amasya University Suluova Vocational School, Amasya University

Abstract: In the current study, it was aimed to determine the Cicadellidae (Insecta, Hemiptera) fauna of Boğazköy-Alacahöyük National Park and its surroundings. Field study was carried out periodically at April-September 2015, and materials were collected by insect net in the daytime. These specimens were prepared according to standard methods in the laboratory and identified by comparing with literature and museum specimens. Fourteen species belonging to the Cicadellidae family were determined. These species were *Anaceratagallia ribauti* (Ossiannilsson, 1938), *Anaceratagallia laevis* Ribaut, 1931, *Austroagallia sinuata* (Mulsant & Rey 1855), *Eupelix cuspidata* (Fabricius, 1775), *Goniagnathus brevis* (Herrich-Schaffer, 1835), *Doratura homophyla* (Flor, 1861), *Doratura stylata* (Boheman, 1847), *Phlepsius ornatus* (Perris, 1857), *Hardya anatolica* Zachvatkin, 1946, *Mocydiopsis parvicauda* Ribaut, 1939, *Euscelis lineolatus* Brullé 1832, *Artianus manderstjernii* (Kirschbaum, 1868), *Psammotettix striatus* (Linnaeus, 1758), *Diplocolenus bekiri* Kalkandelen, 1972. Number of examined specimens and distributions of species in Turkey and globally have been given. Excluding the species *P. striatus*, all of the determined species were new record for the study area and Çorum province.

Keywords: Cicadellidae, Boğazköy, Alacahöyük, fauna, Hemiptera.

I. INTRODUCTION

Cicadellidae belongs to order Hemiptera, and have many species. They are found in many terrestrial ecosystems in high concentrations. Their functional importance is exactly unknown. Insects belonging to this group move by leaping. On the body, wings are patterned with different colors and shapes. When resting, wings will stop to form a roof over the abdomen.

They feed by sucking the plant sap with their piercing-sucking mouthparts. Therefore, species belonging to this group are known as plant pests and negatively affect plant growth directly or indirectly. In addition, toxic substances which they secrete while sucking plants can lead to abnormal growth, damages and even death of plant tissues and cells.

The first study on Cicadellidae family in Turkey was carried out by Fahringer [1]. Fahringer [1] reported a species as a new record for Turkish fauna. Then, Zachvatkin [2, 3] made the original definition of the five species and reported a new record for the fauna of Turkey. A significant part of the studies in Turkey was carried out by Dlabola [4, 5, 6, 7, 8, 9, 10]. Dlabola made the original definition of a genera and eighteen species, and reported 79 species as new records. Linnavuori [11] reported 5 species as new records for Turkish fauna. Kalkandelen [12, 13] made the original definition of a new genus and 4 species and a subspecies, and reported twenty species as new records. Kartal [14, 15] made the original definition of 3 species, and reported thirteen species as new records. Lodos and Kalkandelen [16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26] listed 214 species belonging the Deltocephalinae subfamily which distribute in Turkey, and 42 species of these were new records. Original description of a species was made by Abdul-Nour [27]. Kartal and Zeybekoğlu [28, 29, 30, 31, 32, 33] made the original definition of a species, and reported 16 species as new records. Başpınar and Uygün [34, 35, 36, 37] reported 3 species; Zeybekoğlu [38, 39, 40, 41] reported 3 species; Güçlü and Özbek [42, 43, 44, 45, 46, 47] reported 9 species; Zeybekoğlu and Bulut [48] reported 2 species; Kartal, Zeybekoğlu and Dursun [49] reported 2 species; Karavin, Zeybekoğlu and Kartal [50] reported one species as new records for Turkish fauna.

The current study was aimed to determine the fauna of Cicadellidae family in the Boğazköy-Alacahöyük national park. It was thought that determining the species belonging to Cicadellidae family by this study contribute to Hemiptera fauna and biodiversity of Turkey. Because these insects prevent normal growth of plants and cause spread of plant diseases in a short time, results of this study is also economically important.

II. MATERIAL AND METHOD

Specimens belonging to the Cicadellidae species were collected in the Boğazköy-Alacahöyük National Park and its vicinity, Turkey. Field study was carried out periodically between April and September 2015. Materials were collected by insect nets from different

plant parts as branch, leaf, stem etc. These specimens were prepared according to standardized method and taxonomic characters such as body shape, size and structures, genital structures, coloring, spotting and designing were examined detailed. Taxonomic characters of specimens were compared with dichotomous keys and descriptions.

III. RESULTS

In this study, 14 species belonging to Cicadellidae family were determined in Boğazköy-Alacahöyük National Park and its surroundings. Except *Psammotettix striatus*, all of the other species were identified as new records for the study area and Çorum.

- 1) *Subfamily*: Agalliinae Kirkaldy, 1901
- 2) *Tribus*: Agalliini Kirkaldy, 1901
- 3) *Genus*: Anaceratagallia
- 4) *Species*: Anaceratagallia ribauti (Ossiannilsson, 1938)
- 5) *Material examined*: 9♂♂, 4♀♀, 27.09.2015, Alacahöyük.
- 6) *Distribution in Turkey*: Adana, Ankara, Antalya, Balıkesir, Çankırı, Hatay, İçel, İzmir, Malatya, Mardin, Samsun [51, 52].
- 7) *Zoogeographic Distribution*: Albania, Armenia, Austria, Belgium, Bulgaria, Czech Republic, England, Estonia, Finland, France, Georgia, Germany, Greece, Holland, Italy, Moldova, Morocco, Poland, Portugal, Romania, Russia, Slovakia, Sweden, Switzerland, Turkey, Ukraine, Wales [53].
- 8) *Species*: Anaceratagallia laevis Ribaut, 1931
- 9) *Material examined*: 1♂, 2♀♀, 16.07.2015, 1♂, 1♀, 16.08.2015, 2♂♂, 6♀♀, 27.09.2015, Alacahöyük.
- 10) *Distribution in Turkey*: Adana, Ağrı, Ankara, Bilecik, Erzurum, Eskişehir, İçel, İstanbul, İzmir, Konya, Malatya, Nevşehir [51, 52].
- 11) *Zoogeographic Distribution*: Afghanistan, Albania, Bulgaria, Cyprus, Egypt, France, Greece, Hungary, Iran, Iraq, Israel, Italy, Jordan, Morocco, Portugal, Romania, Russia, the Canary Islands, Turkey [53].
- 12) *Genus*: Austroagallia Evans, 1935
- 13) *Species*: Austroagallia sinuata (Mulsant & Rey 1855)
- 14) *Material examined*: 1♂, 17.08.2015, Boğazköy.
- 15) *Distribution in Turkey*: Adana, Ankara, Bursa, Diyarbakır, Erzincan, Erzurum, Gaziantep, Hakkari, Iğdır, İçel, İzmir, Kars, Kırşehir, Mardin, Muğla, Nevşehir, Samsun, Siirt, Şırnak [51, 52, 54]
- 16) *Zoogeographic Distribution*: Albania, Armenia, Austria, Azerbaijan, Belgium, Bulgaria, Czech Republic, Egypt, France, Georgia, Greece, Iraq, Israel, Kazakhstan, Kyrgyzstan, Libya, Moldova, Morocco, Portugal, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Syria, Tajikistan, Tunisia, Turkey, Uzbekistan [53].
- 17) *Subfamily*: Dorycephalinae Oman, 1943
- 18) *Genus*: Eupelix Germar, 1821
- 19) *Species*: Eupelix cuspidata (Fabricius, 1775)
- 20) *Material examined*: 1♂, 28.06.2015, Alacahöyük; 1♂, 28.06.2015, Boğazköy. *Distribution in Turkey*: Adana, Adıyaman, Afyonkarahisar, Ankara, Artvin, Çanakkale, Diyarbakır, Erzurum, İçel, Kahramanmaraş, Konya, Malatya, Mardin, Nevşehir, Niğde, Şanlıurfa [52, 55]. *Zoogeographic Distribution*: Albania, Algeria, Armenia, Austria, Azerbaijan, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Egypt, England, Estonia, Finland, France, Georgia, Germany, Hungary, Iraq, Ireland, Israel, Italy, Kazakhstan, Kyrgyzstan, Latvia, Moldova, Mongolia, Morocco, Netherlands, Norway, Poland, Portugal, Romania, Russia, Scotland, Siberia, Slovakia, Spain, Sweden, Switzerland, Syria, Tajikistan, Tunisia, Turkey, Ukraine, Uzbekistan, Wales [52, 53, 55].
- 21) *Subfamily*: Deltocephalinae Fieber, 1869
- 22) *Tribus*: Goniagnathini Wagner, 1951
- 23) *Genus*: Goniagnathus Fieber, 1866
- 24) *Species*: Goniagnathus brevis (Herrich-Schaffer, 1835)
- 25) *Material examined*: 1♂, 16.08.2015, Alacahöyük; 5♂♂, 6♀♀, 16.08.2015, 5♂♂, 30.08.2015, Boğazköy.
- 26) *Distribution in Turkey*: Adana, Ankara, Burdur, Diyarbakır, Edirne, Manisa, Mardin, Niğde, Samsun [16, 52]. *Zoogeographic Distribution*: Albania, Algeria, Armenia, Austria, Azerbaijan, Belgium, Bulgaria, Cyprus, Czech Republic, France, Georgia, Germany, Hungary, Iran, Israel, Italy, Kazakhstan, Kyrgyzstan, Moldova, Morocco, Netherlands, Poland, Portugal, Romania, Russia, Slovakia, Spain, Sweden, Tajikistan, Tunisia, Turkey, Ukraine [53].
- 27) *Tribus*: Doraturini Ribaut, 1952

- 28) *Genus*: Doratura J. Sahlberg, 1871
29) *Species*: Doratura homophyla (Flor, 1861)
30) *Material examined*: 1♂, 28.06.2015, Boğazköy.
31) *Distribution in Turkey*: Adana, Ankara, Bolu, Bursa, Diyarbakır, Eskişehir, Gaziantep, İzmir, Manisa, Van [52].
32) *Zoogeographic Distribution*: Albania, Armenia, Austria, Azerbaijan, Belgium, Bulgaria, Czech Republic, Denmark, Estonia, Finland, Germany, Hungary, Iraq, Israel, Kazakhstan, Kyrgyzstan, Latvia, Moldova, Mongolia, Netherlands, Poland, Romania, Russia, Siberia, Slovakia, Sweden, Italy, Turkey, Ukraine, Uzbekistan [53]. Armenia, Bulgaria, Georgia, Romania, Turkey [53].
33) *Genus*: Mocydiopsis Ribaut, 1939
34) *Species*: Mocydiopsis parvicauda Ribaut, 1939
35) *Material examined*: 2♂♂, 4♀♀, 16.08.2015, Boğazköy.
36) *Distribution in Turkey*: Amasya, Ankara, Isparta, Nevşehir, Samsun, Sinop, Tokat [52].
37) *Zoogeographic Distribution*: Austria, Belgium, Bulgaria, Czech Republic, England, France, Germany, Holland, Italy, Sweden, Turkey [52, 53].
38) *Genus*: Euscelis Brullé 1832
39) *Species*: Euscelis lineolatus Brullé 1832
40) *Material examined*: 2♂♂, 09.05.2015, 1♂, 2♀♀, 28.06.2015, 2♂♂, 1♀, 16.07.2015, 26♂♂, 46♀♀, 16.08.2015, 11♂♂, 19♀♀, 30.08.2015, 1♂, 1♀, 17.09.2015, Alacahöyük; 6♂♂, 4♀♀, 16.08.2015, 1♂, 2♀♀, 30.08.2015, Boğazköy.
41) *Distribution in Turkey*: Ankara, Artvin, Balıkesir, Bursa, İstanbul, İzmir, Kırıkkale, Kırklareli, Kırşehir, Konya, Malatya, Manisa, Niğde, Samsun, Trabzon, Uşak [52].
42) *Zoogeographic Distribution*: Albania, Algeria, Azerbaijan, Bulgaria, England, France, Germany, Greece, Hungary, Ireland, Italy, Jordan, Morocco, Netherlands, Portugal, Spain, Switzerland, Tunisia, Turkey, Uzbekistan, Wales [52, 53].
43) *Genus*: Artianus Ribaut, 1942
44) *Species*: Artianus manderstjernii (Kirschbaum, 1868)
45) *Material examined*: 12♂♂, 3♀♀, 28.06.2015, 1♂, 1♀, 17.09.2015, Alacahöyük; 11♂♂, 3♀♀, 28.06.2015, 78♂, 52♀♀, 16.07.2015, 3♂♂, 22♀♀, 16.08.2015, 22♂♂, 18♀♀, 30.08.2015, 40♂♂, 36♀♀, 17.09.2015, 18♂♂, 22♀♀, 27.09.2015, Boğazköy.
46) *Species*: Diplocolenus bekiri Kalkandelen, 1972
47) *Material examined*: 4♂♂, 1♀, 07.06.2015, 9♂♂, 19♀♀, 28.06.2015, Alacahöyük.
48) *Distribution in Turkey*: Ankara, Samsun, Sivas [12, 52].
49) *Zoogeographic Distribution*: Turkey [12].

IV. DISCUSSION

Species belonging to Cicadellidae family damage plants directly by feeding and laying egg, and indirectly by transporting and spreading pathogens. Thus, some of the species of this family are agricultural agent and so economically important. By this study, species belonging to Cicadellidae family were determined in the study area. Besides faunistic contribution of this study to biological diversity of Turkey and zoogeography of the World, these findings were also important for agricultural activities in the vicinity of the study area. Until this study, no study was found in the literature on Cicadellidae family in Çorum in which agriculture is an important activity.

V. ACKNOWLEDGMENT

This study was funded by Amasya University Scientific Research Foundation (Project No: FMB.BAP.15.0120).

REFERENCES

- [1] J. Fahringer, "Eine Rhynchoten ausbeute aus der Türkei, Kleinasien und den benachbarten Gebieten", Konowia, vol 1, pp. 296-307, 1922.
- [2] A. A. Zachvatkin, "Deux Zyginiidae nouvelles de Turquie (Homoptera, Eupterigidae)", Bullfin Soc. Nat. Moscov, S. Biologigues T., vol. 46 (6), pp. 317-322, 1937.
- [3] A. A. Zachvatkin, "Studies on the Homoptera of Turkey I- VII", Trans. R. ent. Soc. Lond., vol. 97, pp. 148-176, 1946.
- [4] J. Dlabola, "Results of the Zoological Expedition of the National Museum in Prague to Turkey. 20 Homoptera, Auchenorrhyncha", Acta Entomologica Musei Nationalis Pragae, vol. 31 (469), pp. 19-68, 1957.
- [5] J. Dlabola, "Taxonomische und chorologische Ergänzungen zur Turkishchen und Iranischen Zikadenfauna (Homoptera, Auchenorrhyncha)", Acta faun. ent. Mus. Nat. Pragae, vol. 14, pp. 115-138, 1971a.
- [6] J. Dlabola, "Taxonomische und chorologische Ergänzungen der Zikadenfauna von Anatolien, Iran, Afganistan und Pakistan (Homoptera, Auchenorrhyncha)", Acta ent. Bohemoslovaca, vol. 68, pp. 377-396, 1971b.

- [7] J. Dlabola, "Übersicht der Gattungen Anoplotettix, Goldeus und Thammotettix mit Beschreibungen von 7 neuen mediterranen Arten., (Homoptera, Auchenorrhyncha)", Acta faun. ent. Mus. Nat. Pragae, vol. 15, pp. 103-130, 1974.
- [8] J. Dlabola, "Neue Zikaden aus Anatolien, Iran und aus Südeuropäischem Laendern (Homoptera, Auchenorrhyncha)" Acta Zoologica Academiae Scientiarum Hungarica, vol. 25 (3-4), pp. 235-257, 1979.
- [9] J. Dlabola, "Zwei neue Fieberiella-Arten aus der Türkei und Spanien (Hom., Cicadellidae)", Türk. Bitki Kor. Derg., vol. 9, pp. 75-78, 1985.
- [10] J. Dlabola, "Neue ostmediterrane und Iranische Zikaden taxone (Homoptera, Auchenorrhyncha)", Acta Entomol. Bahemoslov., vol. 84, pp. 295-312, 1987.
- [11] R. Linnavuori, "Studies on South and east Mediterranean Hemipterous Fauna", Acta ent. Fenn., vol. 21, pp. 1-70, 1965.
- [12] A. Kalkandelen, "Orta Anadolu'nun Cicadellidae: Euscelinae Faunasından Dört Yeni Tür ve Bir Alttür", İst. Üniv. Fen Fak. Mec. Seri B, vol. 37 (3-4), pp. 153-163, 1972.
- [13] A. Kalkandelen, "Orta Anadolu'da Homoptera, Cicadellidae Familyası Türlerinin Taksonomileri Üzerine Araştırmalar", Doktora Tezi, Zirai Mücadele ve Karantina Genel Müdürlüğü, Ankara, 1974.
- [14] V. Kartal, "Neue Homopteren aus der Türkei I", Primaus, vol. 1(1), pp. 24-30, 1981.
- [15] V. Kartal, "Neue Homopteren aus der Türkei II. (Homoptera, Auchenorrhyncha)", Marburger Ent. Publ., vol. 1(8), pp. 235-248, 1983.
- [16] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Türkiye. XVII. Family - Cicadellidae: Deltocephalinae: Gypotini, Goniagnothini and Opsini (Part I)", Türk. Bitki Kor. Derg., vol. 9, pp. 79-90, 1985a.
- [17] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Türkiye. XVIII. Family - Cicadellidae: Deltocephalinae: Macrostelini (Part II)", Türk. Bitki Kor. Derg., vol. 9 (3), pp. 146-161, 1985b.
- [18] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XIX. Family - Cicadellidae: Deltocephalinae: Deltocephalini, Scaphytopiini, Doraturini", Türk. Bitki Kor. Derg., vol. 9, pp. 207-215, 1985c.
- [19] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XX. Family - Cicadellidae: Deltocephalinae: Fieberiellini, Stirellini and Tetartostyliini", Türk. Bitki Kor. Derg., vol. 10 (1), pp. 25-32, 1986a.
- [20] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXI. Family - Cicadellidae: Deltocephalinae: Athysanini (Part I)", Türk. Bitki Kor. Derg., vol. 10 (3), pp. 131-139, 1986b.
- [21] N. Lodos and A. Kalkandelen, Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXII. Family - Cicadellidae: Deltocephalinae: Athysanini (Part II). Türk. Bitki Kor. Derg., 10 (4), 203-211. (1986c).
- [22] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXIII. Family - Cicadellidae: Deltocephalinae: Athysanini (Part III)", Türk. Entomol. Derg., vol. 11 (1), pp. 29-40, 1987a.
- [23] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXIV. Family - Cicadellidae: Deltocephalinae: Athysanini (Part IV)", Türk. Entomol. Derg., vol. 11 (2), pp. 97-109, 1987b.
- [24] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXV. Family - Cicadellidae: Deltocephalinae: Paralimnini (Part I)", Türk. Entomol. Derg., vol. 11 (3), pp. 151-162, 1987c.
- [25] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXVI. Family - Cicadellidae: Deltocephalinae: Paralimnini Distant (Part II)", Türk. Entomol. Derg., vol. 11 (4), pp. 195-202, 1987d.
- [26] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. XXVII. (Addenda and Corrigenda)" Türk. Entomol. Derg., vol. 12 (1), pp. 11-22, 1988.
- [27] H. Abdul-Nour, "Studies on the genus Mocydia Edwards, 1922 with the description of a new species: M. aegae n. sp. (Homoptera, Auchenorrhyncha, Cicadellidae)", Marburger Ent. Publ., vol. 2(4), pp. 141-148, 1988.
- [28] V. Kartal and Ü. Zeybekoğlu, "Samsun Ondokuz Mayıs Üniversitesi Kurupelit Kampüs Çevresinde Deltocephalinae (Homoptera, Auchenorrhyncha, Cicadellidae) Altfamilyası Türlerinin Faunistik Yönden İncelenmesi", Ondokuz Mayıs Üniversitesi Fen Dergisi, vol. 3 (1), pp. 232-257, 1991.
- [29] V. Kartal and Ü. Zeybekoğlu, "Türkiye Cicadellidae (Homoptera, Auchenorrhyncha) faunası için yeni türler", Doğa-Tr. J. of Zoology, vol. 16, pp. 349-352, 1992.
- [30] V. Kartal and Ü. Zeybekoğlu, "Türkiye Cicadellidae (Homoptera, Auchenorrhyncha) faunası için yeni tür kaydı", Tr. J. of Zoology, vol. 18, pp. 37-39, 1994a.
- [31] V. Kartal and Ü. Zeybekoğlu, "A new Allygidius species Allygidius nihati n. sp. (Homoptera, Auchenorrhyncha, Cicadellidae, Deltocephalinae) from Turkey", Tr. J. of Zoology, vol. 18, pp. 259-261, 1994b.
- [32] V. Kartal and Ü. Zeybekoğlu, "Türkiye'den bilinen Mocydia dlabolai Kalkandelen, 1974 (Homoptera, Auchenorrhyncha, Cicadellidae, Deltocephalinae) türü üzerine taksonomik bir araştırma", Turkey. Tr. J. of Zoology, vol. 20, pp. 329-331, 1996.
- [33] V. Kartal and Ü. Zeybekoğlu, "Anoplotettix sahtyanicii Dlabola, 1970 (Homoptera, Auchenorrhyncha, Cicadellidae, Deltocephalinae) türü üzerine taksonomik bir araştırma", Turkey. Tr. J. of Zoology, vol. 21, pp. 53-55, 1997.
- [34] H. Başpınar and N. Uygun, "Doğu Akdeniz Bölgesi turuncuğil bahçelerindeki Cicadellidae türleri üzerinde faunistik ve sistematik çalışmalar II", Türk. Entomol. Derg., vol. 15 (3), pp. 157-172, 1991a.
- [35] H. Başpınar and N. Uygun, "Doğu Akdeniz Bölgesi turuncuğil bahçelerindeki Cicadellidae türleri üzerinde faunistik ve sistematik çalışmalar III", Türk. Entomol. Derg., vol. 15 (4), pp. 203-222, 1991b.
- [36] H. Başpınar and N. Uygun, "Doğu Akdeniz Bölgesi turuncuğil bahçelerindeki Cicadellidae türleri üzerinde faunistik ve sistematik çalışmalar IV", Türk. Entomol. Derg., vol. 16 (1), pp. 47-64, 1992a.
- [37] H. Başpınar and N. Uygun, "Doğu Akdeniz Bölgesi turuncuğil bahçelerindeki Cicadellidae türleri üzerinde faunistik ve sistematik çalışmalar V", Türk. Entomol. Derg., vol. 16 (2), pp. 99-114, 1992b.
- [38] Ü. Zeybekoğlu, "Orta Karadeniz Bölgesi Macrosteles Fieber, 1866 (Homoptera: Auchenorrhyncha: Cicadellidae, Deltocephalinae) cinsinin türleri üzerine taksonomik bir araştırma", Doğa-Tr. J. of Zoology, vol. 17, pp. 355-366, 1993.
- [39] Ü. Zeybekoğlu, "Orta Karadeniz Bölgesi Grypotes Fieber, 1866 (Homoptera: Auchenorrhyncha: Cicadellidae, Deltocephalinae) cinsinin türleri üzerine taksonomik bir araştırma", Tr. J. of Zoology, vol. 18, pp. 61-64, 1994.
- [40] Ü. Zeybekoğlu, "Türkiye'de saptanan Ebarrius Ribaut, 1949 (Homoptera: Auchenorrhyncha: Cicadellidae, Deltocephalinae) cinsine bağlı türler üzerine sistematik bir araştırma", Tr. J. of Zoology, vol. 20, pp. 187-189, 1996.

- [41] Ü. Zeybekoğlu, "The Species of Deltocephalinae (Homoptera: Auchenorrhyncha: Cicadellidae) found in the Middle and East Black Sea Regions", *Türk. Entomol. Derg.*, vol. 22 (1), pp. 37-45, 1998.
- [42] Ş. Güçlü and H. Özbek, "Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerine faunistik ve sistematik çalışmalar IV. Deltocephalinae (Gryopotini, Goniagnathini, Opsini, Deltocephalini, Doraturini)", *Atatürk Üniv. Zir. Fak. Der.*, vol. 25(2), pp. 167-179, 1994a.
- [43] Ş. Güçlü and H. Özbek, "Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerine faunistik ve sistematik çalışmalar V. Deltocephalinae (Macrostelini)", *Atatürk Üniv. Zir. Fak. Der.*, vol. 25(3), pp. 354-366, 1994b.
- [44] Ş. Güçlü and H. Özbek, "Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerine faunistik ve sistematik çalışmalar VI. Deltocephalinae (Athysanini, Kısım I)", *Atatürk Üniv. Zir. Fak. Der.*, vol. 25(3), pp. 367-379, 1994c.
- [45] Ş. Güçlü and H. Özbek, "Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerine faunistik ve sistematik çalışmalar VII. Deltocephalinae (Athysanini, Kısım II)", *Atatürk Üniv. Zir. Fak. Der.*, vol. 25(4), pp. 520-532, 1994d.
- [46] Ş. Güçlü and H. Özbek, "Erzurum yöresinde Cicadellidae (Homoptera, Auchenorrhyncha) türleri üzerine faunistik ve sistematik çalışmalar VIII. Deltocephalinae (Paralimnini)", *Atatürk Üniv. Zir. Fak. Der.*, vol. 26(3), pp. 336-354, 1995a.
- [47] Ş. Güçlü and H. Özbek, "Türkiye Cicadellidae (Homoptera) faunası için Yeni kayıtlar", *Türk. entomol. derg.*, vol. 19(4), pp. 305-308, 1995b.
- [48] Ü. Zeybekoğlu and N. Bulut, "Türkiye Cicadellidae (Homoptera: Auchenorrhyncha) Faunası İçin Yeni İki Tür Kaydı ve Taksonomik Özellikleri", *O.M.Ü., Fen-Edebiyat Fakültesi, Fen Dergisi*, vol. 11 (1), pp. 85-90, 2000.
- [49] V. Kartal, Ü. Zeybekoğlu and A. Dursun, "A faunistic study on Deltocephalinae (Homoptera: Auchenorrhyncha: Cicadellidae) in Yüksekova (Hakkari)", *Türk. Entomol. Derg.*, vol. 25 (2), pp. 83-92, 2001.
- [50] M. Karavin, Ü. Zeybekoğlu and V. Kartal, "First record of *Bilusius valiko* Logvinenko, 1974 (Hemiptera, Cicadomorpha, Cicadellidae) from Turkey, with redescription of the species", *Tr. J. of Zoology*, vol. 35 (6), pp. 893-895, 2011.
- [51] N. Lodos and A. Kalkandelen, "Preliminary list of Auchenorrhyncha with notes on distribution and importance of species in Turkey. VII. Family Cicadellidae Ulopinae, Megopthalminae, Ledrinae, Macropsinae, and Agallinae", *Turkish Journal of Entomology*, vol. 5(4), pp. 215-230, 1981.
- [52] F. Önder, S. Tezcan, Y. Karsavuran and Ü. Zeybekoğlu, *Türkiye Cicadomorpha, Fulgoromorpha ve sternorrhyncha (Insecta: Hemiptera) Kataloğu*. İzmir, Turkey, Meta Printing Services, 2011.
- [53] J. Nast, *Palaeartic Auchenorrhyncha (Homoptera). An annotated check list*, Warsaw, Poland, Polish Scientific Publishers, 1972.
- [54] H. Başpınar and N. Uygun, "Doğu Akdeniz Bölgesi turuncgöl bahçelerindeki Cicadellidae türleri üzerinde faunistik ve sistematik çalışmalar I", *Türk. Entomol. Derg.*, vol. 15 (2), pp. 89-106, 1990.
- [55] N. Lodos and A. Kalkandelen, "Preliminary list on Auchenorrhyncha with notes on distribution and importance of species in Turkey. IX. Family: Cicadellidae: Iassinae, Penthiminae, Dorycephalinae, Hecalinae and Aphrodinae", *Türk. Bit. Kor. Derg.*, vol. 6, pp. 147-159, 1982.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)