



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6

Issue: II

Month of publication: February 2018

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Finite Element Analysis of Deck Girder Bridge under IRC class a and AASHTO HS-20 Loading using STAAD-PRO

Vidu Choubey

Gyan Ganga Institute of Technology and Sciences

Abstract: In this work a finite element analysis of deck Girder Bridge under IRC Class A and AASHTO HS-20 loading is done. A comparative study of Deck Bridge with AASHTO and IRC: 6 -2014 have been analysed. A simple deck bridge has been taken for analysis work. The live loads have been assigned to the bridge model according to the specifications provided in the code. The analysis of the bridge is done by the FEA Software STAAD pro. A simply supported RC Bridge deck of varying deck thickness 365mm to 815mm have been considered. The slab has length as 10m and constant width as 12m. Comparison of absolute structural response parameters of I section concrete girders in slab of thickness 365mm TO 815mm under IRC Class A and AASHTO HS-20 Loadings is performed.

Keywords: Moving loads, HS-20, IRC Class A loading, Staad Pro, AASHTO, LRFD

I. INTRODUCTION

The direct and concentrated pounding of truck wheels are the most primarily types of live load a bridge must withstand. The deck should distribute the forces in such a way that it does not damage the bridge and safely transfers it to the support element below. In comparison to the other components of the bridge the deck have high ratio of live to total stresses. The dynamic performance of the bridge is affected by the vehicle speed, road surface conditions and different types of vehicles. The evaluation of the deck slabs can be determinant by the effects of heavily loaded trucks. Usually for the live loads and self-weight of the bridge structure the analyses of the bridge deck is done

II. METHODOLOGY

In this work a virtual model of the bridge deck has been created by the help of the FEA Software Staad Pro and the results of bending moment have been obtained. With the help of the software an accurate analysis and proper modelling of the bridge deck for different parameters like types of loads and the loading type, type of structural element supporting the deck can be carried out with less errors.

III. PROBLEM FORMULATION

In this work a finite element model is presented. Finite element analysis of concrete deck bridge supported by the help of I section concrete girders for a varied range of deck thickness under IRC Class Loading and AASHTO HS-20 loading is carried out. A total of 480 plates have been created to represent the slab model and total number of nodes created by the FEA software is 525. The deck slab has constant length of 10m and width as 12m.

IV. FINITE ELEMENT MODE

Plates elements are used to represent the slab model. The plates shows the characteristics same as the concrete slab in whole and can withstand stresses individually. The slab model have 525 nodes.3150 degree of freedom and 480 plates. A sketch of the mesh of the finite element is shown in Figure 1. The constant width of the slab is 12m and the length is 10m.The plate element is discretized in finite element mesh having shell elements as quadrilateral size. The size of the quadrilateral shell is 0.5m x 0.5m. The standard beam elements are represented by the horizontal elements.




Figure 1: Isometric View of model of concrete slab with supporting I section concrete girder.

V. INVESTIGATIONS

The self-weight of the structure can be calculated and estimated by the geometry of the bridge section. The density of the concrete is 23.5 KN/m^3 and the Poisson's ratio is taken as 0.17. The standard vehicle loads considered are IRC Class A and the AASHTO HS-20 loadings. The bridge deck is supported by the four concrete girder. A total of 16 models were investigated. The Comparison of the absolute structural response parameters of concrete girders in slab of thickness 365mm TO 815mm under IRC Class A and AASHTO HS-20 Loadings are presented in tabulation form.




Figure 2: Plan View Of Concrete Slab With Supporting I Section Concrete Girders

VI. ANALYSES RESULTS

A four I-section concrete girder is considered and the analysis is done as shown in the Table 1. The variation of bending moment in the girders with the increasing thickness of the deck can be observed in Figures below.

DECK THICKNESS (mm)	Girder 1		Girder 2		Girder 3		Girder 4	
	IRC	AASHTO	IRC	AASHTO	IRC	AASHTO	IRC	AASHTO
365	118.99	122.79	118.02	122.01	118.01	122.02	119	122.99
415	116.89	118.92	116.4	118.56	116.5	118.55	116.99	119.01
465	114.78	116.78	114.07	116.07	114.06	116.06	115.89	117.02
515	113.44	115.39	113.12	115.17	113.10	115.16	113.99	115.69
565	112.56	114.41	112.05	114.01	112.04	114.00	112.91	115.01
665	111.30	113.82	111.01	113.28	111.02	113.34	111.99	111.99
735	108.98	111.88	108.56	112.42	108.54	111.21	109.01	109.09
815	97.90	99.01	97.34	97.89	97.45	97.81	98.09	99.69

Table 1- Variation of Bending Moments In Concrete Girders




Figure 3: Bending Moment For Girder 1 Under Irc Class A And Hs-20 Loadings




Figure 4: Bending Moment For Girder 2 Under Irc Class A And Hs-20 Loadings




Figure 5: Bending Moment For Girder 3 Under Irc Class A And Hs-20 Loadings




Figure 6: Bending Moment For Girder 3 Under Irc Class A And Hs-20 Loadings

VII. CONCLUSION

Based on the investigation done the following results can be obtained. The maximum bending moment values caused by the IRC Class A and AASHTO HS-20 loadings do not differ by 3.4%, this is mainly due to the variation in the wheel configuration AASHTO HS-20 and IRC Class A loadings. Also it can be concluded with the increase in the deck thickness the cracking propensity tends to decrease. AASHTO HS-20 Loading have 3.4% more bending moment as compared with IRC Class A loadings. It is concluded that there is the need of a more simplified and more realistic standard loads for the future.

REFERENCES

- [1] S.N.KRISHNA KANTH 1*, DR.V.ANJANEYA PRASAD 2* “ DESIGN AND ANALYSIS OF BRIDGE DESIGN USING STAAD PRO” 1. M.Tech-Student ,Dept of CIVIL, Chintalapudi Engineering College,JNTUK,AP,INDIA. 2. Prof, Head - Dept of CIVIL, Chintalapudi Engineering College,JNTUK,AP,INDIA. International Journal of Research Sciences and Advanced Engineering Vol.2 (12), ISSN: 2319-6106, OCT – DEC ’ 2015.
- [2] Praful N K *, BalasoHanumant “COMPARATIVE ANALYSIS OF T-BEAM BRIDGE BY RATIONAL METHOD AND STAAD PRO” * AsstProfessor,Civil Engineering, Jaywant College Of Engineering, Sangli, India. B.E Student,Civil Engineering, Jaywant College Of Engineering, Sangli, India. INTERNATIONAL JOURNAL OF ENGINEERING SCIENCES & RESEARCH TECHNOLOGY. 4(6): June, 2015] ISSN: 2277-9655
- [3] Sujith P S 1, Dr.Jiji Anna Varughese 2, Tenu Syriac3 “Comparative Study on the Behaviour of T- Beam Skew Bridges” P.G. Student, Dept. of Civil Engineering, SCMS School of Engineering and Technology, Kerala, India1 Associate Professor, Dept. of Civil Engineering, Government Engineering College, Barton Hill, Kerala, India2 Assistant Professor, Dept. of Civil Engineering, SCMS Engineering College, Ernakulam, Kerala, India3. International Journal of Innovative Research in Science, Engineering and Technology. Vol. 4, Issue 9, September 2015.
- [4] ShivanandTenagi “DESIGN OF SLAB PANEL BY PIGEAUD’S CURVES USING IRC: 21-2000 AND IRC: 112-2011” Department of Civil Engineering, D.Y.Patil College of Engineering, SavitribaiPhule Pune University, Pune, India.



- [5] SupriyaMadda 1, Kalyanshetti M.G 2 “Dynamic analysis of T-Beam bridge superstructure” 1- Post graduate student, Walchand Institute of Technology, Solapur, India. 2- Assistant Professor, Civil Engineering Department, Walchand Institute of Technology, Solapur, India. INTERNATIONAL JOURNAL OF CIVIL AND STRUCTURAL ENGINEERING Volume 3, No 3, 2013.
- [6] Hemalatha A 1, Ashwin K. N 2, Dattatreya J.K 3, S.V.Dinesh 4 “ANALYSIS OF RC BRIDGE DECKS FOR SELECTED NATIONAL AND INTERNATIONAL STANDARD LOADINGS USING FINITE ELEMENT METHOD” 1Post graduate Student, 2Assistant Professor, 3Research Professor, 4Professor and Head, Department of Civil Engineering, Siddaganga Institute of Technology, Tumkur. IJRET: International Journal of Research in Engineering and Technology eISSN: 2319-1163 | pISSN: 2321-7308.
- [7] Mr.SagarkumarV.PatelMr. Jay Patel COMPARATIVE STUDY FOR THE SKEW BRIDGE USING INDIAN STANDARD METHOD AND AASHTO LRFD” M.E.pursuing, M.I.T. Piludara Asst. Engineer GWSSB Surendranagar. International Institution for Technological Research and Development Volume 2, Issue 1, 201
- [8] EpuriPavan Kumar1, Arepally Naresh2, Sri Ramoju Praveen Kumar3, Amgoth Ashok4 “Comparative Study Of Precast I-Girder Bridge By Using The IRC And AASHTO Codes” 1,2,3,4Under Graduate Students, Department of Civil Engineering, Vardhaman College of Engineering, Shamshabad, Hyderabad. IJREAT International Journal of Research in Engineering & Advanced Technology, Volume 3, Issue 2, April-May, 2015
- [9] Kamde D.1, John B.2 Hulagabali A.3 “Comparative Study for the Design of single span bridge using AASHTO LRFD and Indian Standard Method” 1(Applied Mechanics Department, SardarVallabhbbhai National Institute of Technology, Surat, India) 2(Applied Mechanics Department, SardarVallabhbbhai National Institute of Technology, Surat, India) 3(Applied Mechanics Department, SardarVallabhbbhai National Institute of Technology, Surat, India) IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE) e-ISSN: 2278-1684, p-ISSN: 2320-334X PP 40-44
- [10] Hussein Yousif Aziz* and Jianlin Ma “Design and analysis of bridge foundation with different codes” School of Civil Engineering, Southwest Jiaotong University, Chengdu, Sichuan P. O. Box 610031, China. Journal of Civil Engineering and Construction Technology Vol. 2(5), pp. 101-118, May 2011 Available online at <http://www.academicjournals.org/jcect> ISSN 2141-2634 ©2011 Academic Journals
- [11] Mahmoud M. Hachem 1, Neville J. Mathias1, Ya Yong Wang 2, Peter Fajfar 3, Keh-Chyuan Tsai 4, Jason M. Ingham 5, Claudio A. Oyarzo-Vera 5, Sam Lee 6 “AN INTERNATIONAL COMPARISON OF GROUND MOTION SELECTION CRITERIA FOR SEISMIC DESIGN” 1 Skidmore, Owings & Merrill, LLP, One Front Street, San Francisco, CA 94111, USA 2 Institute of Earthquake Engineering, China Academy of Building Research, Beijing 3Faculty of Civil and Geodetic Engineering, University of Ljubljana, Slovenia 4 Department of Civil Engineering, National Taiwan University, Taipei, 106 Taiwan 5 Department of Civil and Environmental Engineering, University of Auckland, New Zealand 6 Guangzhou Scientific Computing Consultants Co., 2010 Joint IABSE-fib Conference
- [12] AgrawalAkhilesh C. and Cheung Moe S. (2010) “Bridge evaluation by mean load method per the Canadian Highway Bridge Design Code Alexander” NRC Research Press Web site Niagara Falls, Ontario, Canada August 2010 Volume 1 of 3
- [13] James P. Wacker and James (scott) Groenier (2010) “Comparative Analysis of Design Codes for Timber Bridges in Canada, the United States, and Europe” Journal of Bridge Engineering
- [14] SABAA SHOAB1 , LIAQAT. A. QURESHI1 , MUHAMMAD FAHAD 2 “Development of live load calibration factor for state highway bridge design” 1 Department of Civil Engineering, University of Engineering and Technology, Taxila, 2 Department of Civil Engineering, University of Engineering and Technology, Peshawar. International Journal of Advanced Structures and Geotechnical Engineering ISSN 2319-5347, Vol. 04, No. 03, July 2015.
- [15] Maryam Moshiri1, Jeannette Montufar2 “Comparison of International Bridge Formulae and the Analysis of Imposed Bridge Load Stresses for Consideration in the Development of a European Bridge Formula” 1 M.Sc., University of Manitoba, Civil Engineering Department 2 Ph.D., University of Manitoba, Civil Engineering Department. TRB-Transportation Research Board.
- [16] IRC 6:2014 “Standard Specifications and Code of Practice for Road Bridges, Section-II Loads and Stresses”, Indian Road Congress, New Delhi.
- [17] American Association of State and Highway Transportation Officials (AASHTO) specifications. Load resistance and factor design bridge design specifications.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)