



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 6      Issue: III      Month of publication: March 2018**

**DOI: <http://doi.org/10.22214/ijraset.2018.3398>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# IOT based Advanced Smart Healthcare Monitoring System

M. Poojitha

Assistant Professor, Department of ECE, School of Engineering & Technology, Sri Padmavathi Mahila Viswa Vidyalayam Tirupati, Andhra Pradesh.

**Abstract:** Innovation assumes the real part in medicinal services for tangible gadgets as well as in correspondence, recording and show gadget. It is critical to screen different therapeutic parameters and post operational days. Subsequently the most recent pattern in Healthcare correspondence strategy utilizing IOT is adjusted. Internet of things fills in as an impetus for the social insurance and assumes unmistakable part in extensive variety of human services applications. In this project we are using the AT89S52 microcontroller as a passage to impart to the different sensors, for example, temperature sensor and heartbeat sensor. The microcontroller grabs the sensor information and sends it to the system through Wi-Fi and thus gives continuous checking of the parameters status through web by the doctor. The information can be gotten to whenever by the specialist. The controller is additionally associated with signal to alarm whenever the threshold value crossed. In any case, the significant issue in remote patient observing framework is that the information as to be safely transmitted to the goal end and arrangement is made to enable just approved client to get to the information. The security issue is been tended to by transmitting the information through the watchword secured Wi-Fi module ESP8266 which will be encoded by standard AES128 and the clients/specialist can get to the information by logging to the html site page. At the season of furthest point circumstance ready message is sent to the specialist through GSM module associated with the controller. Consequently brisk temporary drug can be effectively done by this framework. This framework is productive with low power utilization ability, simple setup, superior and time to time reaction.

**Index Terms:** IOT, ESP8266, AES128.

## I. INTRODUCTION

Today Internet has turned out to be one of the imperative some portion of our day by day life. It has changed how individuals live, work, play and learn. Web fills for some need trainings, back, Business, Industries, Entertainment, Social Systems administration, Shopping, E-Commerce and so on. The following new super pattern of Internet will be Internet of Things (IOT).

Visualizing a world where a few articles can detect, impart and share data over a Private Internet protocol (IP) or Public Networks. The interconnected protests gather the information at general interims, break down and utilized to start required activity, giving a keen system for dissecting, arranging and basic leadership. This is the universe of the Internet of Things (IOT). The IOT is for the most part considered as interfacing items to the Internet and utilizing that association for control of those items or remote observing. Be that as it may, this definition was alluded just to some portion of IOT advancement considering the machine to machine advertise today. In any case, genuine meaning of IOT is making a splendid, undetectable system which can be detected, controlled and customized. The items created in view of IOT incorporate installed innovation which enables them to trade data, with each other or the Internet and it is evaluated that around 8 to 50 billion gadgets will be associated by 2020.

Since these gadgets come on the web, they give better life style, make more secure and more drew in groups and upset human services. The whole idea of IOT stands on sensors, portal and remote system which empower clients to convey and get to the application/data. In any case, among all the districts no place does the IOT offer more unmistakable ensure than in the field of wellbeing mindfulness. As a platitude goes "Health is wealth" it is astoundingly urgent to make use of the development for better prosperity. Subsequently it is obliged to add to an IOT structure which gives secure wellbeing mindfulness checking. So laying out a smart restorative administrations system where customer data is gotten by the sensor and sent to the cloud through Wi-Fi and allowing simply affirmed customers to get to the data.

The main system of the project is AT89S52 microcontroller to which all input outputs are interfaced. The input to system is IoT ESP8266 and outputs are LCD and Sensors. The AT89S52 takes input from the sensors and gives output to the IOT Module, then IOT module will upload the sensors information to the server by using IP address of that particular channel what we created by using things peak. The status of the system is being appeared on LCD. This endeavor uses oversaw 3.3V, 500mA power supply. 7805 three terminal voltage controller is used for voltage bearing. Framework sort full wave rectifier is used to review the

ventilation system output of assistant of 230/12V phase down transformer.

Embedded systems are proposed to do some specific endeavor, instead of being extensively helpful PC for various assignments. Some in like manner have constant execution impediments that must be met, for reason, for instance, prosperity and convenience; others may have low or no execution necessities, empowering the system gear to be enhanced to diminish costs. An implanted framework is not generally a different square - all the time it is physically worked in to the gadget it is controlling. The product composed for installed frameworks is regularly called firmware, and is put away in read-just memory or blaze convector chips as opposed to a circle drive. It frequently keeps running with constrained PC equipment assets: little or no console, screen, and little memory.

Remote correspondence has turned into an essential component for business items and a mainstream explore theme inside the most recent ten years. There are presently more cell phone memberships than wired-line memberships. Recently, one region of business intrigue has been minimal effort, low-power, and short- remove remote correspondence utilized for personal remote systems." Technology progressions are giving littler and more financially savvy gadgets for incorporating computational preparing, remote correspondence, and a large group of different functionalities. These implanted specialized gadgets will be incorporated into applications extending from country security to industry robotization and checking. They will likewise empower exclusively custom fitted building arrangements, making a progressive method for scattering and preparing data. With new innovations and gadgets come new business exercises, and the requirement for workers in these mechanical zones. Designers who know about inserted frameworks and remote correspondences will be popular. Shockingly, there is couple of cute conditions accessible for advancement and classroom utilize, so understudies regularly don't find out about these advances amid hands-on lab works out.




Fig 1. Block diagram

## II. CIRCUITS AND THEIR OPERATION

The main aim of the project is to design an IoT based advanced smart healthcare system is designed with the help of AT89S52 microcontroller, in this project we are using 8052 as the main controller to operate all the Peripherals and we are using ESP8266 module to connect with server through an IP address to upload the information of the status of the sensors in every second. We are using Heartbeat sensor to monitor the status of blood flow and temperature sensor is used to monitor the status of body temperature continuously. We are using LCD to display the status of the sensors. We connected the power supply to give 5v DC to the

components which we are using in the project.

### III. ALGORITHM OF THE PROJECT

Algorithm of the project is

- A. First we will connect all the components to the microcontroller.
- B. Then we will create channel in server, then we will get an ID for that channel.
- C. In Program of the project we will insert the connection option to the server to an IOT module through an IP Address.
- D. That IP Address we will get by configuration of the module.
- E. Then we will share an internet connection to the IoT module through Hotspot.
- F. IOT module will send the information to server through serial communication.
- G. Status of the devices will be monitored through web portal.

### IV. WHAT IS ESP8266?

#### A. The Chip

ESP8266 (directly ESP8266EX) is a chip with which makers are making remotely networkable smaller scale controller modules. All the more particularly, ESP8266 is a framework on-a-chip (SoC) with abilities for 2.4 GHz Wi-Fi (802.11 b/g/n, supporting WPA/WPA2), broadly useful info/yield (16 GPIO), Inter-Integrated Circuit (I<sup>2</sup>C), simple to-advanced transformation (10-bit ADC), Serial Peripheral Interface (SPI), I<sup>2</sup>S interfaces with DMA (imparting pins to GPIO), UART (on committed pins, in addition to a transmit-no one but UART can be empowered on GPIO2), and heartbeat width adjustment (PWM). It utilizes a 32-bit RISC CPU in light of the Ten silica Xtensa L106 running at 80 MHz (or over clocked to 160 MHz). It has a 64 KB boot ROM, 64 KB direction RAM and 96 KB information RAM. Outer blaze memory can be gotten to through SPI.

#### B. The Modules

Different sellers have subsequently made a large number of modules containing the ESP8266 chip at their centers. Some of these modules have particular identifiers, including monikers, for example, "Wi07c" and "ESP-01" through "ESP-13"; while different modules may be not well marked and just alluded to by a general depiction — e.g., "ESP8266 Wireless Transceiver." ESP8266-based modules have exhibited themselves as an able, minimal effort, networkable establishment for encouraging end-point IoT advancements. Espresso's legitimate module is by and by the ESP-WROOM-02. The AI-Thinker modules are concisely marked ESP-01 through ESP-13. NodeMCU sheets reach out upon the AI-Thinker modules. Olimex, Adafruit, Spark fun, WeMos, ESPert (Espresso) all make different modules too modules.

The *Internet of Things* (IoT) is the network of everyday objects — physical things embedded with electronics, software, sensors, and connectivity enabling data exchange. Basically, a little networked computer is attached to a thing, allowing information exchange to and from that thing. Be it light bulbs, toasters, refrigerators, flower pots, watches, fans, planes, trains, automobiles, or anything else around you, a little networked computer can be combined.

### V. RESULTS




Fig 2: output graph of temperature




Fig 3: output graph for heart beat

## VI. CONCLUSION

The project “IOT based advanced smart healthcare system” has been successfully designed and tested. Integrating features of all the hardware components used have developed it. Presence of every module has been reasoned out and placed carefully thus contributing to the best working of the unit. Secondly, using highly advanced IC’s and with the help of growing technology the project has been successfully implemented.

## REFERENCES

- [1] Ovidiu Apostu, Bogdan Hagiu, Sever Paşca, “Wireless ECG Monitoring and Alarm System Using ZigBee” 2011 the International Symposium on ADVANCED TOPIC IN ELECTRIC ENGINEERING 2068- 7966/ATEE 2011.
- [2] Warsuzarina Mat Jubadi, Siti Faridatul Aisyah Mohd ahak”, “Heartbeat Monitoring Alert via SMS”, 978-1-4244-4683-4/09/\$25.00 ©2009 IEEE.
- [3] Goutam Motika, Abinash Prusty,” “Wireless Fetal Heartbeat Monitoring System Using ZigBee & IEEE 802.15.4 Standard”, 2011 Second International Conference on Emerging Applications of Information Technology, 978-0- 7695-4329-1/11 \$26.00 © 2011 IEEE DOI 10.1109/EAIT.2011.89
- [4] S. M. Mahalle, P. V. Ingole, “Design and Implementation of Wireless Body Area Sensor Network Based Health Monitoring System”, International Journal of Engineering Research & Technology, Vol. 2 Issue 6, pp. 105-113, June 2013.
- [5] “Healthcare Monitoring System Using Wireless Sensor Network”, D. Mahesh Kumar, Department of Electronics, PSG College of Arts and Science, Coimbatore - 641 014. Volume 04, Issue 01 Pages: 1497-1500 (2012), ISSN: 0975- 0290
- [6] [www.seminardcos.com](http://www.seminardcos.com)

### About Author



**Ms. M. Poojitha** working as assistant professor in School of Engineering & Technology, Sri Padmavathi Mahila Viswa Vidyalayam Tirupati from June 2017. She received her B.Tech in ETM from G. Narayanamma Institute of Technology & Sciences, affiliated to J.N.T.U Hyderabad in 2014. She received her M.Tech in the stream of DECS from G. Narayanamma Institute of Technology & Sciences affiliated to J.N.T.U Hyderabad in 2016. Her research interests include Wireless Communication.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)