



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: IV Month of publication: April 2018

DOI: <http://doi.org/10.22214/ijraset.2018.4182>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

A Survey on Repair Change Notification database

A. Ajitha¹, H. Devanathan², J. Jayachitra³, S. Kiruthiga⁴

^{1, 2, 3, 4} Department of Information Technology, IFET College of Engineering

Abstract: Each machine parts that go under repair are advised to the supplier for additional repair or substitution purposes. The supplier should not roll out any improvements to their items or procedures without earlier composed assent and endorsement. The supplier might have a formally recorded change management framework, confirms and approves change proposition before execution. In the event that a change is affirmed, the supplier might guarantee that all related reports and records are refreshed to formally send the change inside their association. The parts under steady repair are distinguished by the engineering production. This whole procedure happens by means of email. Our fundamental thought is to give a solitary combined automated perspective of Repair Change Notification procedure to the repair service and engineering production. In the proposed framework, the manual interaction with the other team will be diminished. The precision rate of information being entered is high since we have computerized the tracking and approval process.

Keywords: change management, repair, supplier, automated, approval, machine parts

I. INTRODUCTION

The change management process supports the processing and traceability of changes in a system to satisfy customer needs. The inputs are provided parallel to the ECC for manufacturing the engineering design product, SDO for delivering services to clients. For repair operation, no one is involved hence RCN is introduced for managing the repairing of life cycle product. Some parts can be repairable but some parts of a unit will be irreparable that supplier does not repair particular parts. The supplier should be conveyed for informing the parts under repair. Subsequently RCN is included.

II. RELATED WORKS

In this section we focus on change management techniques and automation processes.

- 1) Kellie, J.L. Heller stein, J.L. Wolf, K.L. Wu, F Krishnan describes about Change Management with Planning and Scheduling. In this paper, the change management process begins with the accommodation of a Request for Change (RFC), which is seen as work in scheduling terms. Numerous RFCs might be submitted simultaneously. The RFC portrays what could possibly be done. For the most part as far as hardware/software artifacts to change and in addition the due date by which the change should be finished. Illustrations incorporate changing the schema of a database table in a running application and introducing another arrival of a web application server in a multi-layered web based business framework. A vital perception is that numerous changes are not expressly incorporated into the RFC. Or maybe, they are simply inferred. For instance, applications must be recompiled on the off chance that they utilize a database table whose schema is to change. Such understood changes are a consequence of different sorts of connections, for example, service dependencies and asset sharing.
- 2) Petra Svoboda, Zeljka Car, Cornelia Kruslin describes about Change Management Process on Database Level within RUP Framework. This paper shows a custom-made RUP sub process display with reference to database plan and usage. It depicts the way toward making and utilizing documentation for a database group working simultaneously on database execution and spotlights on RUP development period of the application life cycle, with the accentuation on Implementation and Change Management discipline on the database level. Change Management Process Model is proposed for database improvement and is consistent to the customized RUP structure. Joining focuses are RUP characterized artifacts, roles, and activities. The paper shows new artifacts added to the custom-made RUP demonstrate for effective association of the database improvement team.
- 3) Thirumaran. M, Jannani. M describes about Theoretical Foundation to Evaluate the Change Measures for an Effective Web Service Change Management. In this paper the change measures for proficient web service change management is described. With the appearance in the requirement for a practical and productive arrangement which underpins the advancement and upgrade of the Enterprise Information Systems, the selection of Service Oriented Architectures (SOAs) for the automation of business forms and its combination frameworks is expanding. These SOAs depend on web benefit norms for the usage of administration summons crosswise over machine limits. Web services are programming frameworks intended to help interoperable machine-to machine communication over a system. This interoperability is increased through an arrangement of XML-based open benchmarks.

- 4) Y.S. Deshmukh, Pooja Mahale, Pooja Sonawane, Priyanka Nikam, Chaitali Shinde describes about Automatic Reuse of End Users Input. In this paper, how the end user input is automatically reused discussed. Numerous tasks can be performed by the end-clients online, for example, inns booking, purchasing flight tickets and web based shopping. It might happen that, they return to sites and utilize those services to perform re-happening tasks, as web based shopping. The end-clients need to enter the rehashed data into various web applications to finish such re-happening assignments. Physically composing for documenting such data each time is additionally mistake inclined. It stores client inputs across multiple services by connecting client’s information and yield parameters. This approach pre-fills esteems to the parameters consequently by utilizing his or her past contributions crosswise over various web applications and services among numerous clients. Here client needs to enlist their data into our fundamental site which he or she needs to utilize every now and again. After enrolment clients information will get store into information base server through web server. At whatever point that client need to reuse their data around then the specific clients information will get fill consequently through API by finding comparative parameter and utilizing unique ID.
- 5) Dr. R Bulli babu, T Cherishmasri Lakshmi & K Phani Deepthi describes about Public-Oriented Personalized Health Care Platform based on Web Service. In this paper, we are utilizing web services advances keeping in mind the end goal to store information and furthermore giving rule line to individuals, and that data is exceptionally privacy of patient information. Keeping up every one of the information identified with each illness in a solitary database isn’t conceivable. The information from the patient is obtained and this data is sent to particular specialist. The application put away the data of the patient in the cloud and it gives online access to the information base and gets the up and coming data about the infections friendship the general population. Each individual can have an entrance to preload and moment services for any medical problem by utilizing the Web Service. There administrations can be of various sorts with respect to various issues e.g., every day wellbeing checks, medicine updates, emergency treatment guidelines, regularly influenced sicknesses and their insurances.
- 6) George R. Thomas, Glenn Ford describes about automated data entry system: performance issues. In this paper, the performance issues of automated data entry are discussed. This framework comprises of automated procedures to separate the article title, writer names, affiliations and abstract and manual workstations for the section of other required fields, for example, pagination, grant support data, databank accession numbers and others required for a finished bibliographic record in MEDLINE. The work process is started at the Check-In organize where a manager examines the standardized tag on a diary issue landing at the creation office. The examining administrator catches the main page of each article in the issue, since this page contains the fields we look to separate naturally. The subsequent TIFF pictures go into a document server and related information into the MARS database for which the fundamental DBMS is Microsoft's SQL Server. The OCR framework gets to the TIFF pictures and creates the comparing content and additionally other information unmistakable of the content characters, for example, jumping boxes, traits (intense, italic, underlined), certainty level, textual style and size, and others. The programmed zoning (AutoZone) module at that point shut out the adjoining content utilizing highlights got from the OCR yield information, trailed by the robotized marking (Auto name) m that recognizes the zones as the fields of intrigue (article title, writer names, affiliations, unique). The Auto reformats module at that point sorts out the language structure of the zone substance to cling to MEDLINE traditions (e.g., creator name John A. Smith progresses toward becoming Smith JA).

TABLE 1

Sl.No	Author	Pros	Cons
I	A. Kellie, J.L, et al. [5]	<ul style="list-style-type: none"> • Achieve a high level of reusability for the data managing the software artifacts subject to a change • Provides a high level of parallelism 	<ul style="list-style-type: none"> • Needs scaling • On-line change design modification keeps running behind schedules needs to be addressed
II	Petra Svoboda, et al. [4]	<ul style="list-style-type: none"> • Helpful and beneficial for both preventive and corrective maintenance • Identifies and prioritizes each tasks 	Introducing an inadequate change in a database can have negative impact on the functioning of the entire application
III	Thirumaran. M, et al. [3]	<ul style="list-style-type: none"> • Interoperability is increased through an arrangement of XML-based open benchmarks • Provides the business analysts competitive advantage and ease of meeting the changing demands 	Need to analyze the dependency between the rules or functions based on their order of execution by measuring the similarity between the rules
IV	Dr. R Bulli babu et al.[2]	<ul style="list-style-type: none"> • Have higher reusability, flexibility and extensibility • It supports personal health risk assessment and guidance, real-time early warning, active seasonal disease warning services for individuals 	For its large-scale commercial applications, much more work is needed
V	Y.S.Deshmukh,Pooja Mahale, et al.[1]	<ul style="list-style-type: none"> • Prevent end-users from performing such repetitive tasks • Automatic linking of users input and output parameters 	Highly depend on the names of parameters for identifying related parameters

III.CONCLUSIONS

Many organizations were using web based application for dealing with the information being utilized as a part of their firm. The change management helps them to manage the parts that frequently come for repair changes. So we are providing a solution to manage data being generated as part of repair change notification process in an easier manner.

REFERENCES

- [1] Mr. Y.S.Deshmukh, Pooja Mahale, Pooja Sonawane, Priyanka Nikam, Chaitali Shinde, "Automatic Reuse of End Users Input" published in IJARIEE (International Journal of Advance Research and Innovative Ideas in Education)-ISSN (O)-2395-4396, Vol-2 Issue-2, 201
- [2] Dr. R Bulli babu, T Cherishmasri Lakshmi & K Phani Deepthi, "Public-Oriented Personalized Health Care Platform based on Web Service" published in Global Journal of Computer Science and Technology: B Cloud and Distributed Volume 15 Issue 2 Version 1.0 Year 2015
- [3] Thirumaran. M, Jannani. M, "Theoretical Foundation to Evaluate the Change Measures for an Effective Web Service Change Management" published in International Conference on Computer Communication and Systems, 2014, Chennai, India.
- [4] Petra Svoboda, Zeljka Car, Cornelia Kruslin, "Change Management Process on Database Level within RUP Framework" published in Kate-Kom d.o.o. Research and Development Unit, Drvinje 109, 1011.0 Zagreb, Croatia
- [5] A. Kellei; J.L. Heller stein, J.L. Wog K.-L. Wu, F Krishnan, "The CHAMPS. System: Change Management with Planning and Scheduling" published in Network Operations and Management Symposium, 2004. NOMS 2004, IEEE/IFIP, Seoul, South Korea.
- [6] Shaohua Wang, Member, IEEE, Ying Zou, Member, IEEE, Iman Keivanloo, Member, IEEE, Bipin Upadhyaya, Member, IEEE, Joanna Ng, and Tinny Ng, "Automatic Reuse of End-Users Input ", Proceedings of the 21th IEEE International Conference on Web Services (ICWS), Jan 27 - Feb 2, 2015, Alaska, USA. IEEE.
- [7] S. Wang, Y. Zou, B. Upadhyaya, I. Keivanloo and J. Ng, "An Empirical Study on Categorizing User Input Parameters for User Inputs Reuse," Proceedings of the 14th International Conference on Web Engineering (ICWE 2014), Springer, July 1st - 4th, 2014, Toulouse, France.
- [8] S. Wang, Y.Zou. B. Upadhyaya, and J.Ng, "An Intelligent Framework for Auto-filling Web Forms from Different Web Applications," 1st International Workshop on Personalized Web Tasking, co-located with IEEE 20th ICWS, June 27, 2013, Santa Clara Marriott, California, USA.
- [9] Barrett C. Brown, (2012) "Leading complex change with post-conventional consciousness", Journal of Organizational Change Management, Vol. 25 Issue: 4, pp.560-575.
- [10] David K. H. Chua and Md. Aslam Hossain, "Predicting Change Propagation and Impact on Design Schedule due to External Changes", IEEE Transactions on Engineering Management, Vol. 59, No. 3, August 2012.
- [11] G. A. Toda, E. Cortez, A. Silva, and E. Moura, A probabilistic approach for automatically filling form based web interfaces, presented at the 37th Int. Conf. Very Large Data Base, Seattle, WA, USA, Aug. 29Sep. 3, 2011.
- [12] M. AbuJarour and S. Oergel, " An Approach and Tools Support for Assisting Users to filling personal Information," Proceedings of 2011 IEEE International Conference on Web Services, pp. 291-298, Washington, July 4-9, 2011
- [13] Thomas Setzer, Kamal Bhattacharya and Heiko Ludwig, "Change Scheduling Based on Business Impact Analysis of Change-Related Risk", IEEE Transactions on Network Service Management, Vol. 7, No. 1, March 2010.
- [14] Jacques Sauv'E, Rodrigo Santos, Rodrigo Rebouc and Claudio Bartolini, "Change Priority Determination in IT Service Management Based on Risk Exposure", IEEE Transactions on Network and Service Management, Vol. 5, No. 3, September 2008.
- [15] Per Rovega Rd, Lefteris Angelis, and Claes Wohlin, "An Empirical Study on Views of Importance of Change Impact Analysis Issues", IEEE Transactions on Software Engineering, Vol. 34, No. 4, August 2008.
- [16] M. Radovic, Markovic "Effective Organizational Change Management", Institute of Economic Sciences Belgrade, Serbia, Serbian Journal of Management 3 (1) (2008) 119 – 125.
- [17] Carla Millar, Patricia Hind, Slawek Magala "Sustainability and the need for change: organizational change and transformational vision", Journal of Organizational Change Management, Vol. 25 Issue: 4, pp.489-500.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)