



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 6      Issue: III      Month of publication: March 2018**

**DOI: <http://doi.org/10.22214/ijraset.2018.3380>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Personalized Tag based Image based Search Engines using clustering and similarity Indexing

Tejwant Telang<sup>1</sup>, Prof. Nutan Dhande<sup>2</sup>

<sup>1, 2</sup> Department of CSE ACE Nagthana Wardha MH India

**Abstract:** Nowadays, search engine plays a vital role in common human being. In our proposed system, we propose image based personalized search engine in which the images will be searched according to specified query as well as user's profile and preferences. The searched images will be categorized into different communities. The communities will be detected with the help of Affinity propagation clustering algorithm. Images within communities will be re-ranked with the help of user's profile/preferences/ google distance. The communities will be re-ranked on the basis of their cosine similarity coefficient. Our system will calculate cosine similarity coefficient of community text and query specified by the user. To demonstrate our work we will use google online dataset.

**Keywords:** Search Engine, Clustering, Affinity Propagation

## I. INTRODUCTION

Search engine requirement is increasing day by day. Some persons are unable to specify correct query while searching images. Due to ambiguous query, proper result will not fetch from dataset. Hence there is no necessary that the user will get satisfied with the displayed result set. If user is not a technical person, he will get frustration about search engine and his interest towards search engine will be reduced. Therefore to provide most relevant result, we propose a personalized search engine. In this search engine, the specified query will be modified using user's preferences and profile. The modified query will be used to fetch data from database. After that the data will categorized into communities. For community detection we use Affinity propagation clustering algorithm. After categorization, the images will be re-ranked within the communities.

## II. LITRATURE SURVEY

Social media sharing websites allow users to annotate images with free tags, which significantly contribute to the development of the web image retrieval. Tag-based image search is an important method to find images shared by users in social networks. However, how to make the top ranked result relevant and with diversity is challenging. In this paper, we propose a topic diverse ranking approach for tag-based image retrieval with the consideration of promoting the topic coverage performance. First, we construct a tag graph based on the similarity between each tag. Then community detection method is conducted to mine the topic community of each tag. After that, inter-community and intra-community ranking are introduced to obtain the final retrieved results. In the inter-community ranking process, an adaptive random walk model is employed to rank the community based on the multi-information of each topic community. Besides, we build an inverted index structure for images to accelerate the searching process. Experimental results on Flickr dataset and NUS-Wide datasets show the effectiveness of the proposed approach.

### A. Image Re-ranking based on Topic Diversity [1]

1) *Author:* Xueming Qian, Smiles Laboratory, School of Electronics and Information Engineering, Xi'an Jiaotong University, Xi'an, China

2) *Publication:* IEEE Transactions on Multimedia ( Volume: 19, Issue: 4, April 2017 )

Locations of images have been widely used in many application scenarios for large geotagged image corpora. As to images that are not geographically tagged, we estimate their locations with the help of the large geotagged image set by content-based image retrieval. Bag-of-words image representation has been utilized widely. However, the individual visual word-based image retrieval approach is not effective in expressing the salient relationships of image region. In this paper, we present an image location estimation approach by multisaliency enhancement. We first extract region-of-interests (ROIs) by mean-shift clustering on the visual words and salient map of the image based on which we further determine the importance of the ROI. Then, we describe each ROI by the spatial descriptors of visual words. Finally, region-based visual phrases are generated to further enhance the saliency in image location estimation. Experiments show the effectiveness of our proposed approach.

#### B. Image Location Inference by Multisaliency Enhancement [2]

1) *Author* : Dong Liu, School of Computer Sci.& Tec., Harbin Institute of Technology, Chin

2) *Publication*: Multimedia and Expo, 2009. ICME 2009.

Social media sharing web sites like Flickr allow users to annotate images with free tags, which greatly facilitate social image search and browsing. However, currently tag-based image search on Flickr does not provide the option of relevance-based ranking, i.e., the search results cannot be ranked according to their relevance levels with respect to the query tag, and this has limited the effectiveness of tag based search. In this paper, we propose a 5 relevance-based ranking scheme for social image search, aiming to automatically rank images according to their relevance to the query tag. It integrates both the visual consistency between images and the semantic correlation between tags in a unified optimization framework. We propose an iterative method to solve the optimization problem, and the relevance based ranking can thus be accomplished. Experimental results on real Flickr image collection demonstrate the effectiveness of the proposed approach.

#### C. Boost Search Relevance for tag-Based Social Image Retrieval [3]

1) *Author* : Dong Liu, School of Computer Sci.& Tec., Harbin Institute of Technology, China

2) *Publication*: Multimedia and Expo, 2009. ICME 2009.

Social media sharing web sites like Flickr allow users to annotate images with free tags, which greatly facilitate social image search and browsing. However, currently tag-based image search on Flickr does not provide the option of relevance-based ranking, i.e., the search results cannot be ranked according to their relevance levels with respect to the query tag, and this has limited the effectiveness of tag based search. In this paper, we propose a relevance-based ranking scheme for social image search, aiming to automatically rank images according to their relevance to the query tag. It integrates both the visual consistency between images and the semantic correlation between tags in a unified optimization framework. We propose an iterative method to solve the optimization problem, and the relevance based ranking can thus be accomplished. Experimental results on real Flickr image collection demonstrate the effectiveness of the proposed approach.

#### D. Towards a Relevant and Diverse Search of Social Images [4]

1) *Author*: Meng Wang, Internet Media Group, Microsoft Research Asia, Beijing, Beijing

2) *Publication*: IEEE Transactions on Multimedia ( Volume: 12, Issue: 8, Dec. 2010 )

Recent years have witnessed the great success of social media websites. Tag-based image search is an important approach to accessing the image content on these websites. However, the existing ranking methods for tag-based image search frequently return results that are irrelevant or not diverse. This paper proposes a diverse relevance ranking scheme that is able to take relevance and diversity into account by exploring the content of images and their associated tags. First, it estimates the relevance scores of images with respect to the query term based on both the visual information of images and the semantic information of associated tags. Then, we estimate the semantic similarities of social images based on their tags. Based on the relevance scores and the similarities, the ranking list is generated by a greedy ordering algorithm which optimizes average diverse precision, a novel measure that is extended from the conventional average precision. Comprehensive experiments and user studies demonstrate the effectiveness of the approach. We also apply the scheme for web image search reranking, and it is shown that the diversity of search results can be enhanced while maintaining a comparable level of relevance.

#### E. The Google Similarity Distance [5]

1) *Author*: Rudi L. Cilibrasi, CWI, Amsterdam

2) *Publication*: IEEE Transactions on Knowledge and Data Engineering ( Volume: 19, Issue: 3, March 2007 )

Words and phrases acquire meaning from the way they are used in society, from their relative semantics to other words and phrases. For computers, the equivalent of "society" is "database," and the equivalent of "use" is "a way to search the database". We present a new theory of similarity between words and phrases based on information distance and Kolmogorov complexity. To fix thoughts, we use the World Wide Web (WWW) as the database, and Google as the search engine. The method is also applicable to other search engines and databases. This theory is then applied to construct a method to automatically extract similarity, the Google similarity distance, of words and phrases from the WWW using Google page counts. The WWW is the largest database on earth, and the context information entered by millions of independent users averages out to provide automatic semantics of useful quality. We give applications in hierarchical clustering, classification, and language translation. We give examples to distinguish between colors and numbers, cluster names of paintings by 17th century Dutch masters and names of books by English novelists, the ability

to understand emergencies and primes, and we demonstrate the ability to do a simple automatic English-Spanish translation. Finally, we use the Word Net database as an objective baseline against which to judge the performance of our method. We conduct a massive randomized trial in binary classification using support vector machines to learn categories based on our Google distance, resulting in an a mean agreement of 87 percent with the expert crafted WordNet categories.

### III. PROPOSED APPROACH

In existing system, images shared by the users on social media are considered to demonstrate the topic diversity image re-ranking concept. But in case of social networking the size of shared images will be dependent on every user. Image Re-ranking based on Topic Diversity will be more useful in image search engine to improve the scope of the search engine. To increase user’s interest towards search engine we introduced new concept in existing search engine. We proposed, personalized image search engine. In this search engine our system will fetch query wise images with their meta data from google. After that the meta data will be used to find out communities between the existing data points (images). For that we propose Affinity propagation clustering algorithm. After community detection the images will be categorized and re-ranked on the basis of their google distance.

To provide personalized service, our system will calculate cosine similarity coefficient between query / profile based query and community text. According to cosine similarity coefficient, most similar community will be displayed on the top of the result set.

Our system flow will be given below:

- A. Specify query
- B. Query tokenization and keywords extraction
- C. Keywords wise Semantically relevant words finding
- D. Query re-formulation using semantic keywords as well as user profile
- E. Fetch Query wise matching tags from dataset
- F. Tag graph construction
- G. Communities detection based on tags similarity
- H. In order to rank these detected communities, profile and cosine similarity between query and tag set is considered.
- I. Intra Community ranking is determined with the help of The Normalized Google Distance between query and tags
- J. Community based images categorization result is displayed to user

### IV. METHODOLOGY

In our proposed system, the user will do registration, with the help of his userid and password he will login into the system. After login the user will be able to use search engine. He can specify query to search images. The specified query will be modified using user’s profile and preferences. with the help of modified query, system will fetch images from google. Our system will fetch 3-4 pages data at a time to improve the scope of the search engine. On the basis of input data, system will fetch keywords from the title/snippets given by the google. The images will be categorized into detected communities. The communities will be externally re-ranked on the basis of cosine similarity factor. On the other hand the inter-community images will be re-ranked with the help of google distance.




Fig. Activity diagram

## V. CONCLUSION

Social media sharing websites allow users to annotate images with free tags, which significantly contribute to the development of the web image retrieval. Tag-based image search is an important method to find images shared by users in social networks. However, how to make the top ranked result relevant and with diversity is challenging. Nowadays, search engine plays a vital role in common human being. In our proposed system, we propose image based personalized search engine in which the images will be searched according to specified query as well as user's profile and preferences. Our new approach will increase the search engine scope, as user is getting data in more sorted manner. In our existing system, images shared on social media are considered in searching. In existing system flicker dataset is used to demonstrate image re-ranking concept. We proposed a live search engine in which live google dataset will be used.

## BIBLIOGRAPHY

- [1] Xueming Qian, Dan Lu, Yaxiong Wang, Li Zhu, Yuan Yan Tang, Meng Wang "mage Re-Ranking Based on Topic Diversity" IEEE Transactions on Image Processing ( Volume: 26, Issue: 8, Aug. 2017
- [2] X. Qian, H. Wang, Y. Zhao, et al., Image Location Inference by Multisaliency Enhancement. IEEE Trans. Multimedia 19(4): 813-821 (2017)
- [3] D. Liu, X. Hua, M. Wang, and H. Zhang, "Boost Search Relevance for Tag-Based Social Image Retrieval". ICME, 2009:1636-1639.
- [4] M. Wang, K. Yang, X. Hua, and H. Zhang, "Towards relevant and diverse search of social images". IEEE Trans. Multimedia, 12(8):829-842, 2010.
- [5] R. Cilibrasi, and P. Vitanyi, "The Google Similarity Distance". IEEE Trans. Knowledge and Data Engineering, 19(3):1065-1076, 2007.
- [6] G. Agrawal, and R. Chaudhary, "Relevancy tag ranking". In Computer and Communication Technology, pp. 169-173, IEEE, 2011.
- [7] L. Chen, S. Zhu, and Z. Li, "Image retrieval via improved relevance ranking". In Control Conference, pp. 4620-4625, IEEE, 2014.
- [8] L. Chen, D. Xua, and I. Tsang, "Tag-based image retrieval improved by augmented features and group-based refinement". Multimedia, IEEE Transactions on, 14(4), 1057-1067, 2012.
- [9] B. Wang, Z. Li, and M. Li, "Large-scale duplicate detection for web image search". ICME 2006, pp. 353-356.
- [10] X. Lu, X. Li and X. Zheng, Latent Semantic Minimal Hashing for Image Retrieval, IEEE Trans. Image processing, vol. 26, no. 1, pp. 355-368, 2017.
- [11] J. Yu, D. Tao, and M. Wang, "Learning to Rank Using User Clicks and Visual Features for Image Retrieval". IEEE Trans. Cybern. (2014).
- [12] S. Ji, K. Zhou, C. Liao, Z. Zheng, and G. Xue, "Global ranking by exploiting user clicks". ACM SIGIR, 2009, pp. 35-42.
- [13] G. Dupret, "A model to estimate intrinsic document relevance from the clickthrough logs of a web search engine". ACM international conference on Web search and data mining (pp. 181-190), 2010.
- [14] X. Lu, X. Li, and L. Mou, Semi-Supervised Multi-task Learning for Scene Recognition, IEEE Trans. Cybernetics, vol. 45, no. 9, pp. 1967-1976, 2015.
- [15] X. Hua, and M. Ye, "Mining knowledge from clicks: MSR-Bing image retrieval challenge". In Multimedia and Expo Workshops, 2014.
- [16] X. Lu, X. Li, Multiresolution Imaging, IEEE Transactions on Cybernetics, vol. 44, no. 1, pp.149-160, 2014.
- [17] X. Qian, X. Hua, Y. Tang, and T. Mei, "social image tagging with diverse semantics". IEEE Trans. Cybernetics, vol.44, no.12,2014, pp. 2493-2508.
- [18] X. Qian, D. Lu, X. Liu, "Tag based image retrieval by user-oriented ranking". ICMR, 2015.
- [19] [20] Y. Zhang, X. Qian, X. Tan, J. Han, Y. Tang: Sketch-Based Image Retrieval by Salient Contour Reinforcement. IEEE Trans. Multimedia 18(8): 1604-1615 (2016).
- [20] Y. Gu, X. Qian, Q. Li, and et al., "Image Annotation by Latent Community Detection and Multikernel Learning". IEEE Transactions on Image Processing 24(11): 3450-3463 (2015).
- [21] X. Yang, X. Qian, and Y. Xue. "Scalable Mobile Image Retrieval by Exploring Contextual Saliency". IEEE Trans. Image Processing 24(6): 1709-1721 (2015).
- [22] D. Lu, X. Liu, and X. Qian, "Tag based image search by social re-ranking". IEEE Transactions on Multimedia, vol.18, no.8, 2016, pp.1628-1639.
- [23] X. Qian, Y. Xue, Y. Tang, and X. Hou, "Landmark Summarization with Diverse Viewpoints". IEEE Trans. Circuits and Systems for Video Technology, vol.25, no.11, 2015, pp.1857-1869.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)