



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 3

Issue: II

Month of publication: February 2015

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Exploration of Novel Algorithm for Reduced Computational Time by Using Fuzzy Classification Technique in Data Mining

Rohit Miri¹, Priyanka Tripathi², S.R.Tandan³

^{1,3}Department of Computer Science & Engineering, Dr. C.V. Raman University, Kota, Bilaspur, India (C.G.)

²Department of Computer Technology NITTTR, Bhopal (M.P.)

Abstract— we will work on reduction of unwanted data sets from large data sets. We apply fuzzy logic , classification and data mining techniques to do the same. The size of data items is very large, so it is difficult to reduce its operational time. This research paper tries to eliminate those item sets which are not important for finding any association rule. We also try to eliminate more than 60% of item sets which is not important by using fuzzy classification technique.

Keywords— Fuzzy Logic, Data Mining, Classification, Data sets, TRApriori

I. INTRODUCTION

Now a day's fuzzy logic and data mining are the two most important techniques on the field of research area. Fuzzy logic uses linguistic variable to provide the answer that human being are not able to give. Whereas data mining is used to find out the essential things from large data sets ,then apply some association data mining algorithm to find the relationships among the item sets. This research paper find out the range of linguistic variable by using standard deviation and mean in place of assuming its values. Secondly on fuzzy logic contains the distinct values by applying membership function. When we apply data mining association algorithm on it, it is difficult to find out the essential things from large data sets because of distinct fuzzy values will not get the minimum frequency of item sets. So it will be better to define different classes for fuzzy values. i.e. Class A contains the fuzzy values between the ranges .01 to 0.1. Similarly Class B contains the fuzzy values between the ranges .11 to .20 and so on. From this we will get the appropriate frequency of different item sets. Our research paper aim is to reduce the large data set to small data set before applying data mining algorithm. Imagine how wonder the research will be if it reduces more than 60% of large data sets. We will only apply data mining algorithm to less than 40% of large data sets. How easy and fast our data mining association algorithm will be.

Advantages of this Research are as follows:-

- A. EASY TO FIND THE RANGE OF FUZZY LINGUISTIC VARIABLES.
- B. REDUCING MORE THAN 60% OF LARGE DATA SET WITHOUT AFFECTING THE OUTCOMES OF FUZZY MINING ASSOCIATION ALGORITHM.
- C. REDUCING THE OPERATIONAL TIME OF ITEM SET UP TO 30%.
- D. MORE FRUITFUL FOR ANY BUSINESS PREDICTION PROCESS.
- E. THIS ALSO MAKES DATA MINING RULES WITH MORE PERSUASIVENESS.

II. LITERATURE REVIEW

Mohammed Al-Maoleg1[1] et al chooses those item sets that are frequently present in particular transaction id. Its algorithm works on low support .3 and reduces the time complexity of the program very easily. Zhiyong ma [4] et al converts all the item sets into Boolean matrix by using CP tree method and reduces the time for the task.Arpnashrivastava [5] et al , in this paper the authors have used the codes for all the items and remove the duplication by using data cleansing technique. This is also most efficient as compared to simple Apriori algorithm. K. Sathesh Kumar and M. Hemalatha [3] , this paper reduces the operational time carried out by Apriori algorithm by using artificial Bee colony optimization method (FABCO).Mehmet Kaya et al [38] , in this paper the author find the efficient algorithm by carried out mining fuzzy clustering algorithm (CURE). They found out the centroid by CURE for triangular membership function.so that they can range the fuzzy membership method correctly and also reduces the computational time. As we know we need some kind of association rule to perform data mining algorithm. Getting this Agrawal and his co-worker carried out some mining algorithm based on the large data sets, which is difficult to find association mining rule [9-18]. These break the mining steps into two phases. In the first phase candidate of item sets are obtained and counted by scanning the transactions. The number of item set must support the minimum pre-defined threshold value called minimum support. Then later we make the pair of item sets and apply the association rule for getting the required

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

output. Srikant and Agrawal also proposed partitioned based mining association algorithm. The fuzzy set was first carried out by Zadeh in 1965 [37]. Fuzzy set are used to provide the answer, when human being are unable to provide the answer of some complicated questions. Hong et al, proposed a fuzzy mining algorithm to mine fuzzy rules from quantitative data [31]. They required each quantitative data into a fuzzy set and fuzzy steps to find fuzzy rule. Cai et al proposed weighted mining rule of data sets [22]. Yue et al, extended the fuzzy concept based on vectors [36]. Most of them are find out the range of triangular fuzzy membership function directly, means they assumed the range of linguistic variable. But on Our paper we have find out the range of linguistic variable by using mean and standard deviation. Relevant attribute and membership function is carried out by Hong [29]. He also combines Fuzzy Logic and Data Mining techniques to improve the operational time. The aim of his research is to remove unwanted data sets from very large data items. Chang [24] et al Fuzzy decision tree is carried out by using the cluster technique. Mining association rule was also performed by Hang [32]. The aim of his research is digging out the essential or useful item from very large data set. He also wants to improve the data mining algorithm in terms of time complexity. I used [9],[15] for comparison with Our algorithm. They have done on fuzzy mining association rule to reduce the computational time. They all used the simple mining association rule for doing the task, the TRApriori mining association technique is used from the the paper [16].

The first step is to take an exemplary data set of 10 students with having their grades of different five subjects. i.e.

First Subject: DBMS (Database Management System)

Second Subject: JAVA

Third Subject: TOC (Theory Of Computation)

Fourth Subject: MPI (Microprocessor and Interface)

Fifth Subject: ADA (Analysis and Design of Algorithm)

Shown in table no 1.1

S. N	DBMS	JAVA	TOC	MPI	ADA
1	87	78	73	86	69
2	62	80	91	78	81
3	85	90	66	73	90
4	74	87	81	85	63
5	71	92	85	80	80
6	64	76	84	60	86
7	66	86	88	70	79
8	85	82	67	83	85
9	74	64	76	72	87
10	78	60	84	84	86

Table No 1.1. The set of students' course scores

STEP 1: Partition the continuous attributes by standard deviation and mean. The standard deviation and mean is used to find the universe of discourse. Find out the minimum, maximum and mean of each element that is shown in table No 1.2.

STEP 2: The domain of the linguistic variable low middle and High.

S. N	Attribute	low	Middle	High
1	DBMS	(53,62,72.6)	(66.6,74.6,83.6)	(77.6,87,96)
2	JAVA	(53,62,73.5)	(65.7,77.5,89.3)	(81.5,90,100)
3	TOC	(57,66,76.6)	(70.9,79.5,88)	(82,91,100)
4	MPI	(52,60,74)	(68.7,77,85.3)	(80,86,95)
5	ADA	(54,63,77.6)	(72,80.6,89)	(83,90,99)

Table No 1.2 Range of Linguistic Variable

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Low (Minimum -SD, Minimum, I + 2/3SD)
 Middle (I=Mean-SD, Mean, II=Mean + SD)
 High (II-2/3SD, maximum, maximum + SD)

STEP: 3 Find out the membership function.

The membership function is carry out by using triangular fuzzy logic number model .Shown in Figure No 1.1




Fig.No1.1 Triangular Membership Function of DBMS

STEP 4: Find the fuzzy values of continues data sets.

According to our membership function of step2, the degree of membership for each data set is calculated. The table no 1.4 shows the degree of membership function.

In this, we have used triangular membership function because of its easiness and computational efficiency. We can also use Gaussian membership function. We can categories it's as Low, Middle and high. Thus we have used three fuzzy membership values produced for each attributes. According to the predefined membership functions for this transaction data in table 1, the proposed classified based fuzzy TRApriori data mining algorithm proceed as follows. Transform the actual values of each attribute into fuzzy sets. Take DBMS marks in case 1 as an example. The marks 87 is replaced by a fuzzy set (.0/low + 0.0/middle + 1 / high) Using the given membership functions. This step is repeated for all the data sets. At last the result obtained is as follow:-

SN	1	2	3	4	5	6	7	8	9	10
DB	.0	1	.0	.0	.0	.84	.68	.0	.0	.0
L	.0	.0	.0	.9	.5	.0	.0	.0	.9	.6
M	1	.0	.76	.0	.0	.0	.0	.76	.0	.1
M										
S										
H										
JA	.0	.0	.0	.0	.0	.0	.0	1	.7	.1
L	.9	.77	.0	.2	.0	.9	.39	.0	.0	.0
V	.0	.0	.9	.66	1	.0	.33	.0	.0	.0
M										
A										
H										
T	.22	.0	.9	.0	.0	.0	.0	.8	.1	.0
L	.24	.0	.0	.8	.3	.4	.0	.0	.66	.4
O	.0	1	.0	.0	.31	.28	.7	.0	.0	.28
M										

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

C H										
M L P M I H	.0	.0	.1	.0	.0	.1	.3	.0	.18	.0
	.0	.9	.1	.0	.6	.0	.09	.3	.2	.1
	1	.0	.0	.82	.0	.0	.0	.44	.0	.79
A L D M A H	.6	.0	.0	1	.0	.0	.0	.0	.0	.0
	.0	.92	.0	.0	.9	.3	.7	.5	.2	.3
	.0	.0	1	.0	.0	.5	.0	.6	.7	.5

Table No 1.3: The fuzzy set transformation Table.

STEP: 5 Define various classes for the fuzzy values

We know that when we find the fuzzy values, we will get more distinct values. So it is difficult to find the minimum frequency of item sets. So we use the classification of the above fuzzy values data sets. the fuzzy values in the range of .01 to .10 belongs to class A, similarly the fuzzy values fall under the range of .11 to .20 is came under the class B item set and So on up to the class J. this is depicted on table no 1.4.

S.N	Classes	Range
1	A	0.01-0.10
2	B	0.11-.20
3	C	0.21-0.30
4	D	0.31-0.40
5	E	0.41-0.50
6	F	0.51-0.60
7	G	0.61-0.70
8	H	0.71-0.80
9	I	0.81-0.90
10	J	0.91-1

Table 1.4 The fuzzy classification table for fuzzy values

STEP: 6 Classification table for Given Data sets. Place the item set to their respective class. That is shown Table No 1.5

N	TName	Classes
1	DBMS(L)	G, I ,J
2	DBMS(M)	E , F ,I
3	DBMS(H)	A , H ,J
4	JAVA(L)	A , G ,J
5	JAVA(M)	B, D, H, I, I
6	JAVA(H)	D, G, I, J
7	TOC(L)	A, C, H, I
8	TOC(M)	C, C, D, G, H, D
9	TOC(H)	C, C, D, G, J

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

10	MPI(L)	A, A, B, C
11	MPI(M)	A, A, A, B, F, I
12	MPI(H)	E, H, I, J
13	ADA(L)	F, J
14	ADA(M)	B, C, C, E, G, I, J
15	ADA(H)	E, E, F, G, J

Table No 1.5 Classification Table for Data Items

STEP:7 Point out the item set which contains maximum number of classes with having duplication of classes. ADA (M) contains maximum of 7 classes.

STEP: 8 select any those item set which has having more than 60% of the classes as compared to item sets which contains the maximum no of classes.

$$60/100 * 7=4.2$$

It means we select that item set which contains at least 5 classes.

STEP: 9 Duplication of class is not more than 50% of the total no of classes exist for the particular item set.

Maximum Number of classes is 7, so duplication of classes is not more than 3.

STEP: 10The actual data set is shown is table no 1.6. This is the important data sets where we apply the fuzzy mining association rule .we eliminate the unimportant data set with the help of fuzzy classification technique.

S.N	Tname	Classes
1	JAVA(M)	B,D,H,I,I
2	TOC(M)	C,C,D,G,H,D
3	TOC(H)	C,C,D,G,J
4	MPI(M)	A,A,A,B,F,I
5	ADA(M)	B,C,C,E,G,I,J
6	ADA(H)	E,E,F,G,J

Table No 1.6 The actual Data Set

STEP 11 Now we apply any fast data mining association rule for extracting the important fact.Assume the minimum support value and confidence value for the data sets.

Minimum Support Value =2.0

Confidence threshold =.70

STEP: 12Find out the large Item set L1

L1		
S.N	Item set	Frequency
1	A	3
2	B	3
3	C	6
4	D	4
5	E	3
6	F	2
7	G	4
8	H	2
9	I	4
10	J	3

Table 1.7.L1 Item sets

STEP 13: find out the candidate item set C1.

Find the C1 according to their classified based value on the data set in Table No 1.6.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

C1		
S.N	TName	Classes Or Item sets
1	JAVA(M)	{B},{ D}, {H} , {I}
2	TOC(M)	{C},{ D}, { G}, {H}
3	TOC(H)	{C},{ D}, { G}, {J}
4	MPI(M)	{A},{ B}, {F} ,{I}
5	ADA(M)	{B},{ C}, {E} ,{ G}, {I} ,{J}
6	ADA(H)	{E},{F} ,{ G}, {J}

Table No 1.8 .C1 Item sets

STEP: 14 find the large item set L2

L2		
SN	Classes	Frequency
1	{B , I}	2
2	{C , D}	2
3	{C , G}	3
4	{C , J}	2
5	{D , G}	2
6	{E , G}	2
7	{G , J}	3

Table No 1.9 .L2 Item sets

STEP: 15 Find the candidate item set C2

C2		
S.N	TName	Classes Or Item sets
1	JAVA(M)	{B},{ D} , {I}
2	TOC(M)	{C},{ D}, { G}
3	TOC(H)	{C},{ D}, { G}, {J}
4	ADA(M)	{B},{ C}, {E} ,{ G}, {I} ,{J}
5	ADA(H)	{E} ,{ G}, {J}

Table No 1. 10 .C2 Item sets

STEP: 16 Find the Large Item set L3

L3		
SN	Item set	Frequency
1	{C , D ,G}	2
2	{C , G ,J}	2
3	{E , G , J}	2

Table No 1.11 .L3 Item sets

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

STEP: 17 Find the candidate item set C3

C3		
SN	TNAME	CLASSES
1	TOC(H)	{C},{D}, {G}, {J}
2	ADA(M)	{B},{ C}, {E} ,{ G}, {I} ,{J}

Table No 1.12 C2 Item sets

STEP: 18 Take the data sets that are participated in C3 candidate item set. Ignore the remaining data set.

S.N	TOC(H)	ADA(M)
1	.0	.0
2	1	.92
3	.0	.0
4	.0	.0
5	.31	.9
6	.28	.3
7	.7	.7
8	.0	.5
9	.0	.2
10	.28	.3
sum	2.57	3.82

Table No 1.13 Useful fuzzy set

STEP 19: Find the L1 large item set.

Table No 1.14 frequency Table

The value of L1 \geq minimum support value

STEP 20: Now check the fuzzy values satisfies data mining association rule or not. Find the candidate item set C1 from actual fuzzy set.

→ Take the linguistic value TOC (H) as above example, the scalar cardinality is $(.1+.3+.28+.7+.28) = 2.57$. The the *remaining value of candidate C1 for the data set.*

$\{(TOC(H),2.57), (ADA(M),3.82)\}$

STEP: 21 Find the candidate item set C2 from I1 we will take the lesser membership value when we compare the two item sets

S.N	TOC(H)	ADA(M)	TOC(H),ADA(M)
1	.0	.0	.0
2	1	.92	.92
3	.0	.0	.0
4	.0	.0	.0
5	.31	.9	.31
6	.28	.3	.28
7	.7	.7	.7
8	.0	.5	.0
9	.0	.2	.0
10	.28	.3	.28
sum	2.57	3.82	2.49

Table 1.15: The C2 candidate item set

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

STEP: 22 Find the L2 Large item set

The linguistic value (TOC(H), ADA(M)) has the scalar cardinality of $1+.31+.28+.7+.28 = 2.49$. The Large item set L2 shown below. **The L2 large item set rides on the count value, which is greater than the minimum support.**
{ (TOC(H), ADA(M) 2.49)}

S.N	Item set	Frequency
1	TOC (H)	2.57
2	ADA(M)	3.82

STEP 23: (a) Construct the association rules for all the large item set .there are three possible association rules.

TOC(H) , ADA(M)/ TOC(H) = 2.49 /2.57

CMC_M , PPC_M / CMC_M = 2.49 /3.82

The fuzzy association rules are listed on table 1.16

S.N	Fuzzy Association Rule	Confidence Value
1	TOC(H)→ADA(M)	96.88%
2	ADA(M)→ TOC(H)	65.18%

Table No: 1.16 Summary of Association rule

(b)We can also find the confidence of the entire rule. Suppose our minimum threshold is .50 for confidence. Its confidence value is calculated as:

The confidence values of the other two rule are shown below.

“If TOC = HIGH, then ADA = Middle” has a confidence value of 0.968;

“If ADA = Middle, then TOC = HIGH” has a confidence value of 0.6518;

STEP 1: Partition the continuous attributes by standard deviation and mean. The standard deviation and mean is used to find the universe of discourse. Find out the minimum, maximum and mean of each element that is shown in table No 1.2.

STEP 2: The domain of the linguistic variable low middle and High.

III.CONCLUSIONS

It will reduce the unimportant data sets from large or quantitates data sets. We can also predict the relationship between the data sets that appears frequently. This will also reduce the computational time for the data sets.

IV.ACKNOWLEDGMENT

We would like to express our sincere thankfulness to our guide Dr Priyanka Tripathi, for their helpful support and valuable advice during our research work.

REFERENCES

- [1] MOHAMMED AL-MAOLEGI ,BASSAMARKOK “AN IMPROVED APRIORIALGORITHM FOR ASSOCIATION RULES” INTERNATIONAL JOURNAL ON NATURAL LANGUAGE COMPUTING VOLUME 3 , NO-1 , FEBUARY 2014.
- [2] N S Nithya and K Duraiswami “Gain ratio based fuzzy weighted association rule mining classifier for medical diagnostic interface” vol 39 part 1 ,february 2014 , pp 39-52 .
- [3] K Sathesh Kumar and M Hemlatha “An innovative potential on rule optimization using fuzzy artificial bee colony” Research journal of applied science , engineering and Technology.. volume 2627-2633 , ISSN:2040-7459, E-issn:2040-7467, April 05 2014.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

- [4] zhiyong MA , Qingying Qiu and Peieen Feng “CPM algorithm for mining association rules from databases of engineering design+n instances.” Journal of information science and engineering vol30 , 463-481 (2014)
- [5] Arpnashrivastava , R . C Jain and A K shrivatava “Generating 3rd level association rule using fast apriori implementation.” British journal of mathematics and computer science. Volume 4(2):241-251, 2014
- [6] Neelukhare ,neerudlakha, K R pardasani “An algorithm for mining multidentional fuzzy association rule” international journal of computer science and information security vol 5, no-1 ,2009
- [7] Thomas sudkomp “Refinement of temporal constraints in fuzzy association ” volume 48(2008) 14 June 2007
- [8] Tiberiu Ban , Fuzzy computing for complexity level of evaluation tests. Studia Univ, Babes-Bolai, Informatics, Volume LVIII number 1, 2013
- [9] Tzung-Pei Hong, Chan-Sheng Kuob, Shyue-Liang Wang “A fuzzy Apriori Tid mining algorithm with reduced computational time” Volume 5, Issue 1, December 2004, Pages 1-1
- [10] Tzung-pei-Hang, Guo-Cheng lan, Yi-Hsinlin and Shing-tai pan. An effective gradual data reduction strategy for fuzzy item set mining international journal of fuzzy systems , vol 15 no2 June 2013.
- [11] Usha Rani, R VijayaPrakkash, Dr A. Gavardhan, Mining Multi-level association Rules using fuzzy, International journal of emerging technology and advanced engineering. Volume 3, issue 8, August 2013.
- [12] Ruchi Bhargava , Shrikant lade , Effective positive negative association rule mining using improved frequent pattern tree. International journal of advanced research in computer science and software engineering. Volume 3 , issue 4 April 2013 .
- [13] Dharmendra Kumar , Deepak Bhardwaj rise of data mining: Current and Future application areas. IJCSI international journal of computer science issue vol 8 issue 5 No1 September 2011.
- [14] Kanu Patel , Vatsalshah , jitendrapatel , jayna donga comparison of various association rule mining algorithm on frequent item sets. International journal of advanced research in computer Science and software engineering Vol-3 issue II Nov 2013 .
- [15] JrShianchen hung liehchou, ChingHsue Cheng, jen-ya Wang CPDA Based Fuzzy association rules for learning achievement mining, 2009 international conference on machine learning and computing IPCSIT vol3 (2011) IACSIT PRESS SINGAPUR.
- [16] E Ramaraj, K Rameshkumar, N Venkatesan “A better performed transaction Reduction algorithm for mining frequent item set from large voluminous database” Volume 5, Issue 1, December 2004, Pages 1-10
- [17] R. Agrawal, T. Imielinski and A. Swami, “Mining association rules between sets Submitted manuscript 24 of items in large database,” The 1993 ACM SIGMOD Conference, Washington DC, USA, 1993.
- [18] R. Agrawal, T. Imielinski and A. Swami, “Database mining: a performance perspective,” IEEE Transactions on Knowledge and Data Engineering, Vol. 5, No. 6, 1993, pp. 914-925.
- [19] R. Agrawal, R. Srikant and Q. Vu, “Mining association rules with item constraints,” The Third International Conference on Knowledge Discovery in Databases and Data Mining, Newport Beach, California, August 1997.
- [20] R. Agrawal and R. Srikant, “Fast algorithm for mining association rules,” The International Conference on Very Large Data Bases, 1994, pp. 487-499.
- [21] A. F. Blishun, “Fuzzy learning models in expert systems,” Fuzzy Sets and Systems, Vol. 22, 1987, pp 57-70.
- [22] C. H. Cai, W. C. Fu, C. H. Cheng and W. W. Kwong, “Mining association rules with weighted items,” The International Database Engineering and Applications Symposium, 1998, pp. 68-77.
- [23] L. M. de Campos and S. Moral, “Learning rules for a fuzzy inference model,” Fuzzy Sets and Systems, Vol. 59, 1993, pp. 247-257.
- [24] R. L. P. Chang and T. Pavlidis, “Fuzzy decision tree algorithms,” IEEE Transactions on Systems, Man and Cybernetics, Vol. 7, 1977, pp. 28-35. Submitted manuscript 25
- [25] M. Delgado and A. Gonzalez, “An inductive learning procedure to identify fuzzy systems,” Fuzzy Sets and Systems, Vol. 55, 1993, pp. 121-132.
- [26] W. J. Frawley, G. Piatetsky-Shapiro and C. J. Matheus, “Knowledge discovery in databases: an overview,” The AAAI Workshop on Knowledge Discovery in Databases, 1991, pp. 1-27.
- [27] A. Gonzalez, “A learning methodology in uncertain and imprecise environments,” International Journal of Intelligent Systems, Vol. 10, 1995, pp. 57-371.
- [28] T. P. Hong, C. H. Chen, Y. L. Wu and Y. C. Lee, “Using divide-and-conquer GA strategy in fuzzy data mining”, The Ninth IEEE Symposium on Computers and Communications, 2004.
- [29] T. P. Hong and J. B. Chen, "Finding relevant attributes and membership functions," Fuzzy Sets and Systems, Vol. 103, No. 3, 1999, pp. 389-404.
- [30] T. P. Hong and J. B. Chen, "Processing individual fuzzy attributes for fuzzy rule induction," Fuzzy Sets and Systems, Vol. 112, No. 1, 2000, pp. 127-140.
- [31] T. P. Hong and C. Y. Lee, "Induction of fuzzy rules and membership functions from training examples," Fuzzy Sets and Systems, Vol. 84, 1996, pp. 33-47.
- [32] T. P. Hong, C. S. Kuo, and S. C. Chi, “Mining association rules from quantitative data,” Intelligent Data Analysis, Vol. 3, No. 5, 1999, pp. 363-376. A. Kandel, Fuzzy Expert Systems, CRC Press, Boca Raton, 1992, pp. 8-19. Submitted manuscript 26
- [33] H. Mannila, “Methods and problems in data mining,” The International Conference on Database Theory, 1997.
- [34] R. Srikant and R. Agrawal, “Mining quantitative association rules in large relational tables,” The 1996 ACM SIGMOD International Conference on Management of Data, Montreal, Canada, June 1996, pp. 1-12.
- [35] C. H. Wang, J. F. Liu, T. P. Hong and S. S. Tseng, “A fuzzy inductive learning strategy for modular rules,” Fuzzy Sets and Systems, Vol. 103, No. 1, 1999, pp. 91-105.
- [36] S. Yue, E. Tsang, D. Yeung and D. Shi, “Mining fuzzy association rules with weighted items,” The IEEE International Conference on Systems, Man and Cybernetics, 2000, pp. 1906-1911.
- [37] L. A. Zadeh, “Fuzzy sets,” Information and Control, Vol. 8, No. 3, 1965, pp. 338-353.
- [38] Mehmet Kaya1,*, Reda Alhajj1,**, Faruk Polat2, and Ahmet Arslan3 “Efficient Automated Mining of Fuzzy Association Rules “DEXA 2002, LNCS 2453, pp. 133-142, 2002.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)