



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: VI Month of publication: June 2018

DOI: <http://doi.org/10.22214/ijraset.2018.6302>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Study the Effect of Curvature on Concrete Bridge Deck

Miss. Kojagiri d. Kashid¹, Mr. V. G. Khurd², Mr. S.S. Chougule³

¹Student of P.G., M.E. Civil, -Structure Sanjay Ghodawat Institutions, Atigre, Shivaji University, Kolhapur, India

²Assistant Professor, Civil Engg. Department, Sanjay Ghodawat Institutions, Atigre, Shivaji University, Kolhapur, India

³Assistant Professor, Civil Engg. Department, SITCOE, Yadrav, Shivaji University, Kolhapur, India

Abstract: The paper presents the effect of curvature on horizontally curved single cell box girder concrete bridge deck for various degrees of curvature such as 15°, 30° and 45°. The end supports are provided as simply supports. For this study the models have been prepared by using finite element method in the CSI Bridge software. The response of the parameters such as shear force, bending moment, and torsion under the dead load and live load (70R Wheel IRC Loading) is studied.

Keywords: Curved box girder bridge decks, prestress concrete, finite element model in csi bridge software, structural analysis, bending moment, shear force, torsion.

I. INTRODUCTION

An analysis and design of horizontally curved bridges is very challengeable than the straight one. But sometimes it is necessary to construct curved bridges due to geographical conditions, various site conditions. In metropolitan cities curved bridges are constructed due to its smooth movement of traffic congestion and good aesthetic view. Due to the curvature effect additionally torsion in the bridge deck is developed with bending moment and shear force due to the dead load and live load. The most convenient section for the construction of curved bridges is box section because it has good mechanical performance due to its geometric efficiency and to its effectiveness in resisting torsion and warping (Granata, 2014). In this paper the effect of curvature due to dead load and live load on single cell box girder concrete bridge deck is studied for various degrees of curvature such as 15°, 30° and 45° in case of the bending moment shear force and torsion under the loading (Dead load and 70R Wheel IRC Live load). Prestressed concrete single cell box girder is used with parabolic tendon profile.

II. CURVED BRIDGES

Curved composite bridges have their unique characteristics. The curvature affects the geometry and behavior of the bridge structure. Curved bridges are subjected to coupled torsion and bending because of curvature and hence their analysis is more complex than that of straight bridges. In addition to simple vertical flexure behavior there can be significant torsional loading and twisting of the girders that cause lateral stresses to the flanges. Due to the complexity of the curved structure and its complicated 3D response different methods have been developed for the static and dynamic analysis of curved bridges. But now a day's 3D computer analysis is recommended for the analysis of horizontally curved bridges.

III. FINITE ELEMENT METHOD

During the last two decades, the Finite Element Method (FEM) has become a popular technique in engineering for computerized complex solutions. The FEM solves the problem by using mathematical modeling in which the structure should be considered as assembly of two or three dimensional elements connected to each other at their nodal points, possessing an appropriate number of degrees of freedom. The entire structure (Box Girder) is divided into small elements and the stiffness of that structure is assembled from the membrane and the plate bending stiffness of each element (Khairmode A. S. and Kulkarni D. B., 2016).

IV. ANALYSIS

A. Material Properties

- 1) Material Type: Single Cell Prestressed concrete Box Girder
- 2) Grade of Concrete: M40
- 3) Weight per unit Volume: 24.99 kN/m³
- 4) Modulus of elasticity (E): 31622777 N/m²

- 5) Poisson's ratio: 0.2
- 6) Area of Tendon: 2660 mm²
- 7) Ultimate Strength of Prestressing Tendon: 1800 N/mm²

B. Section Properties

The bridge section used is single cell box girder bridge with simply supported at both ends. It is single lane national highway bridge without footpath.

- 1) Depth of deck slab: 250 mm
- 2) Web thickness: 300 mm
- 3) Bottom Slab thickness: 300mm
- 4) Span of bridge: 30 m
- 5) Width of the deck: 9.5 m
- 6) Overall depth: 2.5




Fig. 1 Cross Section of Box Girder






Fig. 2 Dead Load Distribution on Bridge Deck

C. Tendon Profile and its details in Curved Prestressed Concrete Box Girder Bridge Deck

- 1) Tendon Profile: Parabolic
- 2) Prestressing Force in tendon: 13500 kN
- 3) Number of Tendon: 3



a)



b)

Fig. 3 Position of Parabolic Tendon Profile in Concrete Box Girder

D. Curved Bridge Deck Models

The models were generated in CSi Bridge software for 15°, 30° and 45° of curvature and having radius 114.5927m, 57.2957m and 38.1971m respectively.




Fig. 4 15° Curvature Bridge Deck(R=114.5915m)




Fig. 5 30° Curvature Bridge Deck(R=57.2957m)




Fig. 6 45° Curvature Bridge Deck(R=38.1971m)

V. RESULT AND DISCUSSION

The response of curved bridge deck examined for degree of curvature 15°,30° and 45° under the superimposed load and prestressing load as below.

Table 1 Response Of Curvature On Shear Force, Bending Moment With Superimposed Load And Prestressed Load

Degree of Curvature	Shear Force (kN)		Bending Moment (kN-m)	
	Superimposed Load	Prestressed Load	Superimposed Load	Prestressed Load
15°	-3039.9409	3048.113	-22962.7376	23309.16
30°	-3045.7278	3034.551	-23780.421	22938.57
45°	-3064.8686	3037.5625	-24926.066	22515.59

(Note: Superimposed Load= Dead Load + Live Load)

A. *Effect of Curvature on Shear Force due to Dead Load*




Fig. 7 Effect of curvature on Sear Force due to dead load

B. Effect of Curvature on Shear Force due to Live Load




Fig. 8 Effect of curvature on Shear Force due to live load

C. Effect of Curvature on Bending Moment due to Dead Load




Fig 9 Effect of curvature Bending Moment due to on dead load

D. Effect of Curvature on Bending Moment due to Live Load




Fig 10 Effect of curvature Bending Moment due to on live load

E. Effect of Curvature on Torsion due to Dead Load




Fig. 11 Effect of curvature on Torsion due to dead load

F. *Effect of Curvature on Torsion due to Live Load*




Fig. 12 Effect of curvature on Torsion due to live load

VI. CONCLUSION

From the results obtained for curved bridge decks of degrees of curvature 15°, 30° and 45°,

- A. It is seen that values of shear force due to prestressing load are very close with the values of shear force due to superimposed load and values of bending.
- B. moment due to prestressing load are also nearly close with the values of bending moment due to superimposed load but in opposite directions. It will help to counterbalance the stresses developed along the deck and to remain the section in stable position.
- C. As degree of curvature increases there is no change in shear force due to dead load but for live load shear force increases at support.
- D. As degree of curvature increases Bending moments due to dead load and live load are slightly increased. It is maximum at middle span in all cases.
- E. Due to curvature, torsion is created along the deck surface. Torsion value due to dead load and live load increases and it changes abruptly.

REFERENCES

A. Journals

- [1] Adamakos, T., Vayas, I., Petridis, S., and Iliopoulos, A. "Modeling of curved composite I-girder bridges using spatial systems of beam element." *J. Constr. Steel Research* 67, pp. 467-470, 2011.
- [2] Aneja, I., and Roll, F. "Experimental and Analytical Investigation of A Horizontally Curved Box-Beam Highway Bridge Model." *ACI structural journal*, SP 26-16, pp.379-410.
- [3] Ghali, A. "Torsion in Prestressed Curved Bridges." *ACI structural journal*, SP 93-36, pp. 815-833.
- [4] Granata, M. "Analysis of non-uniform torsion in curved incrementally launched bridges." *Engineering Structures* 75, pp. 374-397, 2014.
- [5] Khairmode, A. S., and Kulkarni D. B. "Analysis of Prestressed Concrete Multi-cell Box Girder Curved Bridge." *International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064*, pp. 2455-2459, 2016.

B. Books

- [1] Brindra, S. P., "PRINCIPLES AND PRACTICE OF BRIDGE ENGINEERING", Dhanpat Rai Publications (P) LTD, New elhi (1973).
- [2] Hambly, E. C. "Bridge Deck Behavior.", First Edition 1991.
- [3] Krishna Raju, N. "Prestressed CONCRETE.", Fourth Edition.2011.



C. IS Codes

- [1] I.R.C. 6: 2014. The Indian road congress 2000. Standard specification and code for practice for road bridges. Section: II, "Loads and Stresses" (Fourth Revision).
- [2] IRC 21-2000. "Standard Specification and Code of Practice for Bridges", Section: III, "Cement Concrete (Plain and Reinforced Concrete)", Third Revision.
- [3] IS 456-2000. "Indian Standard Plain and Reinforced Concrete-Code of Practice", Fourth Revision.
- [4] I.R.C. 18-2000 "Indian road congress 2000. Design criteria for prestressed concrete road bridges."



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 6.887

Volume 6 Issue VI, June 2018- Available at www.ijraset.com



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)