



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: XI Month of publication: November 2018

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Observation on the Negative Pell Equation

$$y^2 = 40x^2 - 36$$

K. Meena¹, S. Vidhyalakshmi², J. Srilekha^{3*}

¹Former VC, Bharathidasan University, Trichy-620 024, Tamil nadu, India.

²Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

³M.Phil Scholar, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

Abstract: The binary quadratic equation represented by the negative pellian $y^2 = 40x^2 - 36$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are given. Employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas and parabolas. Also, the relations between the solutions and special figurate numbers are exhibited.

Keywords: Binary quadratic, Hyperbola, Parabola, Pell equation, Integer solutions and Figurate numbers.

I. INTRODUCTION

The subject of Diophantine equation is one of the areas in Number Theory that has attracted many Mathematicians since antiquity and it has a long history. Obviously, the Diophantine equation are rich in variety [1-3]. In particular, the binary quadratic diophantine equation of the form $y^2 = Dx^2 - N$ ($N > 0$, $D > 0$ and square free) is referred as the negative form of the pell equation (or) related pell equation. It is worth to observe that the negative pell equation is not always solvable. For example, the equations $y^2 = 3x^2 - 1$, $y^2 = 7x^2 - 4$ have no integer solutions whereas $y^2 = 65x^2 - 1$, $y^2 = 202x^2 - 1$ have integer solutions. In this context, one may refer [4-10] for a few negative pell equations with integer solutions.

In this communication, the negative pell equation given by $y^2 = 40x^2 - 36$ is considered and analysed for its integer solutions. A few interesting relations among the solutions are given. Employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas and parabolas. Also, the relations between the solutions and special figurate numbers are exhibited.

II. NOTATIONS

$$1) \quad t_{m,n} = n \left[1 + \frac{(n-1)(m-2)}{2} \right] - \text{Polygonal number of rank } n \text{ with size } m$$

$$2) \quad p_n^m = \frac{1}{6} n(n+1)[(m-2)n + (5-m)] - \text{Pyramidal number of rank } n \text{ with size } m$$

III. METHOD OF ANALYSIS

The negative Pell equation representing hyperbola under consideration is

$$y^2 = 40x^2 - 36 \tag{1}$$

whose smallest positive integer solution is

$$x_0 = 1, y_0 = 2$$

To obtain the other solutions of (1), consider the Pell equation

$$y^2 = 40x^2 + 1$$

whose general solution is given by

$$\tilde{x}_n = \frac{1}{4\sqrt{10}} g_n, \tilde{y}_n = \frac{1}{2} f_n$$

where

$$f_n = (19 + 3\sqrt{40})^{n+1} + (19 - 3\sqrt{40})^{n+1}$$

$$g_n = (19 + 3\sqrt{40})^{n+1} - (19 - 3\sqrt{40})^{n+1}, \quad n = -1, 0, 1, 2, \dots$$

Applying Brahmagupta lemma between (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the other integer solutions of (1) are given by

$$x_{n+1} = \frac{1}{2}f_n + \frac{1}{2\sqrt{10}}g_n$$

$$y_{n+1} = f_n + \sqrt{10}g_n$$

The recurrence relations satisfied by x and y are given by

$$x_{n+3} - 38x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 38y_{n+2} + y_{n+1} = 0$$

Some numerical examples of x and y satisfying (1) are given in the Table: 1 below:

Table: 1 Numerical examples

n	x_{n+1}	y_{n+1}
-1	1	2
0	25	158
1	949	6002
2	36037	227918
3	1368457	8654882
4	51965329	328657598

From the above table, we observe some interesting relations among the solutions which are presented below:

A. x_{n+1} is always odd, y_{n+1} is always even.

B. Relations Among the Solutions

- 1) $x_{n+2} - 19x_{n+1} - 3y_{n+1} = 0$
- 2) $27y_{n+2} - 171x_{n+2} + 9x_{n+1} = 0$
- 3) $3y_{n+3} - 721x_{n+2} + 19x_{n+1} = 0$
- 4) $x_{n+3} - 38x_{n+2} + x_{n+1} = 0$
- 5) $19x_{n+3} - 721x_{n+2} - 3y_{n+1} = 0$
- 6) $x_{n+3} - 19x_{n+2} - 3y_{n+2} = 0$
- 7) $19x_{n+3} - x_{n+2} - 3y_{n+3} = 0$
- 8) $x_{n+3} - 114y_{n+1} - 721x_{n+1} = 0$
- 9) $x_{n+3} - 6y_{n+2} - x_{n+1} = 0$
- 10) $721x_{n+3} - x_{n+1} - 114y_{n+3} = 0$
- 11) $y_{n+2} - 120x_{n+1} - 19y_{n+1} = 0$
- 12) $y_{n+3} - 4560x_{n+1} - 721y_{n+1} = 0$
- 13) $19y_{n+3} - 721y_{n+2} - 120x_{n+1} = 0$
- 14) $120x_{n+2} - 19y_{n+2} + y_{n+1} = 0$
- 15) $y_{n+3} - 240x_{n+2} - y_{n+1} = 0$
- 16) $y_{n+3} - 120x_{n+2} - 19y_{n+2} = 0$
- 17) $120x_{n+3} - 721y_{n+2} + 19y_{n+1} = 0$
- 18) $721y_{n+3} - 4560x_{n+3} - y_{n+1} = 0$
- 19) $120x_{n+3} - 19y_{n+3} + y_{n+2} = 0$
- 20) $y_{n+3} - 38y_{n+2} + y_{n+1} = 0$

C. Each Of The Following Expressions Represents A Nasty Number

$$1) \frac{2}{9}(79x_{2n+2} - x_{2n+3} + 54)$$

$$2) \frac{2}{9}(3001x_{2n+3} - 79x_{2n+4} + 54)$$

$$3) \frac{1}{171}(3001x_{2n+2} - x_{2n+4} + 2052)$$

$$4) \frac{2}{3}(20x_{2n+2} - y_{2n+2} + 18)$$

$$5) \frac{2}{57}(500x_{2n+2} - y_{2n+3} + 342)$$

$$6) \frac{2}{2163}(18980x_{2n+2} - y_{2n+4} + 12978)$$

$$7) \frac{2}{57}(20x_{2n+3} - 79y_{2n+2} + 342)$$

$$8) \frac{2}{3}(500x_{2n+3} - 79y_{2n+3} + 18)$$

$$9) \frac{2}{57}(18980x_{2n+3} - 79y_{2n+4} + 342)$$

$$10) \frac{2}{2163}(20x_{2n+4} - 3001y_{2n+2} + 12978)$$

$$11) \frac{2}{57}(500x_{2n+4} - 3001y_{2n+3} + 342)$$

$$12) \frac{2}{3}(18980x_{2n+4} - 3001y_{2n+4} + 18)$$

$$13) \frac{1}{9}(y_{2n+3} - 25y_{2n+2} + 108)$$

$$14) \frac{1}{342}(y_{2n+4} - 949y_{2n+2} + 4104)$$

$$15) \frac{1}{9}(25y_{2n+4} - 949y_{2n+3} + 108)$$

D. Each Of The Following Expressions Represents A Cubical Integer

$$1) \frac{1}{27}[79x_{3n+3} - x_{3n+4} + 237x_{n+1} - 3x_{n+2}]$$

$$2) \frac{1}{27}[3001x_{3n+4} - 79x_{3n+5} + 9003x_{n+2} - 237x_{n+3}]$$

$$3) \frac{1}{1026}[3001x_{3n+3} - x_{3n+5} + 9003x_{n+1} - 3x_{n+3}]$$

$$4) \frac{1}{9}[20x_{3n+3} - y_{3n+3} + 60x_{n+1} - 3y_{n+1}]$$

$$5) \frac{1}{171}[500x_{3n+3} - y_{3n+4} + 1500x_{n+1} - 3y_{n+2}]$$

$$6) \frac{1}{6489}[18980x_{3n+3} - y_{3n+5} + 56940x_{n+1} - 3y_{n+3}]$$

- 7) $\frac{1}{171}[20x_{3n+4} - 79y_{3n+3} + 60x_{n+2} - 237y_{n+1}]$
- 8) $\frac{1}{9}[500x_{3n+4} - 79y_{3n+4} + 1500x_{n+2} - 237y_{n+2}]$
- 9) $\frac{1}{171}[18980x_{3n+4} - 79y_{3n+5} + 56940x_{n+2} - 237y_{n+3}]$
- 10) $\frac{1}{6489}[20x_{3n+5} - 3001y_{3n+3} + 60x_{n+3} - 9003y_{n+1}]$
- 11) $\frac{1}{171}[500x_{3n+5} - 3001y_{3n+4} + 1500x_{n+3} - 9003y_{n+2}]$
- 12) $\frac{1}{9}[18980x_{3n+5} - 3001y_{3n+5} + 56940x_{n+3} - 9003y_{n+3}]$
- 13) $\frac{1}{54}[y_{3n+4} - 25y_{3n+3} + 3y_{n+2} - 75y_{n+1}]$
- 14) $\frac{1}{2052}[y_{3n+5} - 949y_{3n+3} + 3y_{n+3} - 2847y_{n+1}]$
- 15) $\frac{1}{54}[25y_{3n+5} - 949y_{3n+4} + 75y_{n+3} - 2847y_{n+2}]$

E. Each Of The Following Expressions Represents A Bi-Quadratic Integer

- 1) $\frac{1}{27}[79x_{4n+4} - x_{4n+5} + 316x_{2n+2} - 4x_{2n+3} + 162]$
- 2) $\frac{1}{27}[3001x_{4n+5} - 79x_{4n+6} + 12004x_{2n+3} - 316x_{2n+4} + 162]$
- 3) $\frac{1}{1026}[3001x_{4n+4} - x_{4n+6} + 12004x_{2n+2} - 4x_{2n+4} + 6156]$
- 4) $\frac{1}{9}[20x_{4n+4} - y_{4n+4} + 80x_{2n+2} - 4y_{2n+2} + 54]$
- 5) $\frac{1}{171}[500x_{4n+4} - y_{4n+5} + 2000x_{2n+2} - 4y_{2n+3} + 1026]$
- 6) $\frac{1}{6489}[18980x_{4n+4} - y_{4n+6} + 75920x_{2n+2} - 4y_{2n+4} + 38934]$
- 7) $\frac{1}{171}[20x_{4n+5} - 79y_{4n+4} + 80x_{2n+3} - 316y_{2n+2} + 1026]$
- 8) $\frac{1}{9}[500x_{4n+5} - 79y_{4n+5} + 2000x_{n+2} - 316y_{n+2} + 54]$
- 9) $\frac{1}{171}[18980x_{4n+5} - 79y_{4n+6} + 75920x_{2n+3} - 316y_{2n+4} + 1026]$
- 10) $\frac{1}{6489}[20x_{4n+6} - 3001y_{4n+4} + 80x_{2n+4} - 12004y_{2n+2} + 38934]$
- 11) $\frac{1}{171}[500x_{4n+6} - 3001y_{4n+5} + 2000x_{2n+4} - 12004y_{2n+3} + 1026]$
- 12) $\frac{1}{9}[18980x_{4n+6} - 3001y_{4n+6} + 75920x_{2n+4} - 12004y_{2n+4} + 54]$

$$13) \frac{1}{54} [y_{4n+5} - 25y_{4n+4} + 4y_{2n+3} - 100y_{2n+2} + 324]$$

$$14) \frac{1}{2052} [y_{4n+6} - 949y_{4n+4} + 4y_{2n+4} - 3796y_{2n+2} + 12312]$$

$$15) \frac{1}{54} [25y_{4n+6} - 949y_{4n+5} + 100y_{2n+4} - 3796y_{2n+3} + 324]$$

F. Each Of The Following Expressions Represents A Quintic Integer

$$1) \frac{1}{27} [79x_{5n+5} - x_{5n+6} + 395x_{3n+3} - 5x_{3n+4} + 790x_{n+1} - 10x_{n+2}]$$

$$2) \frac{1}{27} [3001x_{5n+6} - 79x_{5n+7} + 15005x_{3n+4} - 395x_{3n+5} + 30010x_{n+2} - 790x_{n+3}]$$

$$3) \frac{1}{1026} [3001x_{5n+5} - x_{5n+7} + 15005x_{3n+3} - 5x_{3n+5} + 30010x_{n+1} - 10x_{n+3}]$$

$$4) \frac{1}{9} [20x_{5n+5} - y_{5n+5} + 100x_{3n+3} - 5y_{3n+3} + 200x_{n+1} - 10y_{n+1}]$$

$$5) \frac{1}{171} [500x_{5n+5} - y_{5n+6} + 2500x_{3n+3} - 5y_{3n+4} + 5000x_{n+1} - 10y_{n+2}]$$

$$6) \frac{1}{6489} [18980x_{5n+5} - y_{5n+7} + 94900x_{3n+3} - 5y_{3n+5} + 189800x_{n+1} - 10y_{n+3}]$$

$$7) \frac{1}{171} [20x_{5n+6} - 79y_{5n+5} + 100x_{3n+4} - 395y_{3n+3} + 200x_{n+2} - 790y_{n+1}]$$

$$8) \frac{1}{9} [500x_{5n+6} - 79y_{5n+6} + 2500x_{3n+4} - 395y_{3n+4} + 5000x_{n+2} - 790y_{n+2}]$$

$$9) \frac{1}{171} [18980x_{5n+6} - 79y_{5n+7} + 94900x_{3n+4} - 395y_{3n+5} + 189800x_{n+2} - 790y_{n+3}]$$

$$10) \frac{1}{6489} [20x_{5n+7} - 3001y_{5n+5} + 100x_{3n+5} - 15005y_{3n+3} + 200x_{n+3} - 30010y_{n+1}]$$

$$11) \frac{1}{171} [500x_{5n+7} - 3001y_{5n+6} + 2500x_{3n+5} - 15005y_{3n+4} + 5000x_{n+3} - 30010y_{n+2}]$$

$$12) \frac{1}{9} [18980x_{5n+7} - 3001y_{5n+7} + 94900x_{3n+5} - 15005y_{3n+5} + 189800x_{n+3} - 30010y_{n+3}]$$

$$13) \frac{1}{54} [y_{5n+6} - 25y_{5n+5} + 5y_{3n+4} - 125y_{3n+3} + 10y_{n+2} - 250y_{n+1}]$$

$$14) \frac{1}{2052} [y_{5n+7} - 949y_{5n+5} + 5y_{3n+5} - 4745y_{3n+3} + 10y_{n+3} - 9490y_{n+1}]$$

$$15) \frac{1}{54} [25y_{5n+7} - 949y_{5n+6} + 125y_{3n+5} - 4745y_{3n+4} + 250y_{n+3} - 9490y_{n+2}]$$

G. Remarkable Observations

- 1) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbola which are presented in the Table: 2 below:

Table: 2 Hyperbolas

S. No	Hyperbola	(X, Y)
1	$X^2 - 10Y^2 = 2916$	$(79x_{n+1} - x_{n+2}, x_{n+2} - 25x_{n+1})$
2	$X^2 - 10Y^2 = 2916$	$(3001x_{n+2} - 79x_{n+3}, 25x_{n+3} - 949x_{n+2})$
3	$X^2 - 10Y^2 = 4210704$	$(3001x_{n+1} - x_{n+3}, x_{n+3} - 949x_{n+1})$
4	$X^2 - 10Y^2 = 324$	$(20x_{n+1} - y_{n+1}, y_{n+1} - 2x_{n+1})$
5	$X^2 - 10Y^2 = 116964$	$(500x_{n+1} - y_{n+2}, y_{n+2} - 158x_{n+1})$
6	$X^2 - 10Y^2 = 168428484$	$(18980x_{n+1} - y_{n+3}, y_{n+3} - 6002x_{n+1})$
7	$X^2 - 10Y^2 = 116964$	$(20x_{n+2} - 79y_{n+1}, 25y_{n+1} - 2x_{n+2})$
8	$X^2 - 10Y^2 = 324$	$(500x_{n+2} - 79y_{n+2}, 25y_{n+2} - 158x_{n+2})$
9	$X^2 - 10Y^2 = 116964$	$(18980x_{n+2} - 79y_{n+3}, 25y_{n+3} - 6002x_{n+2})$
10	$X^2 - 10Y^2 = 168428484$	$(20x_{n+3} - 3001y_{n+1}, 949y_{n+1} - 2x_{n+3})$
11	$X^2 - 10Y^2 = 116964$	$(500x_{n+3} - 3001y_{n+2}, 949y_{n+2} - 158x_{n+3})$
12	$X^2 - 10Y^2 = 324$	$(18980x_{n+3} - 3001y_{n+3}, 949y_{n+3} - 6002x_{n+3})$
13	$10X^2 - Y^2 = 116640$	$(y_{n+2} - 25y_{n+1}, 79y_{n+1} - y_{n+2})$
14	$10X^2 - Y^2 = 168428160$	$(y_{n+3} - 949y_{n+1}, 3001y_{n+1} - y_{n+3})$
15	$10X^2 - Y^2 = 116640$	$(25y_{n+3} - 949y_{n+2}, 3001y_{n+2} - 79y_{n+3})$

2) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabola which are presented in the Table: 3 below:

Table: 3 Parabolas

S. No	Parabola	(X, Y)
1	$27X - 10Y^2 = 2916$	$(79x_{2n+2} - x_{2n+3} + 54, x_{n+2} - 25x_{n+1})$
2	$27X - 10Y^2 = 2916$	$(3001x_{2n+3} - 79x_{2n+4} + 54, 25x_{n+3} - 949x_{n+2})$
3	$1026X - 10Y^2 = 4210704$	$(3001x_{2n+2} - x_{2n+4} + 2052, x_{n+3} - 949x_{n+1})$
4	$9X - 10Y^2 = 324$	$(20x_{2n+2} - y_{2n+2} + 18, y_{n+1} - 2x_{n+1})$
5	$171X - 10Y^2 = 116964$	$(500x_{2n+2} - y_{2n+3} + 342, y_{n+2} - 158x_{n+1})$
6	$6489X - 10Y^2 = 168428484$	$(18980x_{2n+2} - y_{2n+4} + 12978, y_{n+3} - 6002x_{n+1})$
7	$171X - 10Y^2 = 116964$	$(20x_{2n+3} - 79y_{2n+2} + 342, 25y_{n+1} - 2x_{n+2})$
8	$9X - 10Y^2 = 324$	$(500x_{2n+3} - 79y_{2n+3} + 18, 25y_{n+2} - 158x_{n+2})$
9	$171X - 10Y^2 = 116964$	$(18980x_{2n+3} - 79y_{2n+4} + 342, 25y_{n+3} - 6002x_{n+2})$
10	$6489X - 10Y^2 = 168428484$	$(20x_{2n+4} - 3001y_{2n+2} + 12978, 949y_{n+1} - 2x_{n+3})$
11	$171X - 10Y^2 = 116964$	$(500x_{2n+4} - 3001y_{2n+3} + 342, 949y_{n+2} - 158x_{n+3})$
12	$9X - 10Y^2 = 324$	$(18980x_{2n+4} - 3001y_{2n+4} + 18, 949y_{n+3} - 6002x_{n+3})$
13	$540X - Y^2 = 116640$	$(y_{2n+3} - 25y_{2n+2} + 108, 79y_{n+1} - y_{n+2})$
14	$20520X - Y^2 = 168428160$	$(y_{2n+4} - 949y_{2n+2} + 4104, 3001y_{n+1} - y_{n+3})$
15	$540X - Y^2 = 116640$	$(25y_{2n+4} - 949y_{2n+3} + 108, 3001y_{n+2} - 79y_{n+3})$

3) Relations between the solutions and special figurate numbers

a) $9(p_y^3 * t_{3,x})^2 = 40(p_x^5 * t_{3,y+1})^2 - 36(t_{3,x} * t_{3,y+1})^2$

b) $(p_y^5 * t_{3,x+1})^2 = 360(p_x^3 * t_{3,y})^2 - 36(t_{3,y} * t_{3,x+1})^2$

c) $36(p_{y-1}^4 * t_{3,x})^2 = 40(p_x^5 * t_{3,2y-2})^2 - 36(t_{3,x} * t_{3,2y-2})^2$

d) $(p_y^5 * t_{3,2x-2})^2 = 1440(p_{x-1}^4 * t_{3,y})^2 - 36(t_{3,y} * t_{3,2x-2})^2$

e) $(p_{y-1}^4 * t_{3,x+1})^2 = 10(p_x^3 * t_{3,2y-2})^2 - (t_{3,x+1} * t_{3,2y-2})^2$

$$f) \quad (p_y^3 * t_{3,2x-2})^2 = 160(p_{x-1}^4 * t_{3,y+1})^2 - 4(t_{3,y+1} * t_{3,2x-2})^2$$

g) Let $\{n_{s+1}\}$ and $\{m_{s+1}\}$ be sequences of positive integers defined by

$$\{n_{s+1}\} = \frac{1}{2}(x_{s+1} - 1), \quad \{m_{s+1}\} = \frac{1}{2}(y_{s+1})$$

Note that,

$$480t_{3,n_{s+1}} + 6 \text{ is a nasty number}$$

$$160t_{3,n_{s+1}} - t_{6,m_{s+1}} = m_{s+1} - 2$$

REFERENCES

- [1] L.E. Dickson., History of Theory of numbers, Chelsea Publishing Company, volume-II, Newyork, 1952.
- [2] L.J. Mordell, Diophantine Equations, Academic Press, Newyork, 1969.
- [3] S.J. Telang., Number Theory, Tata Mc Graw Hill Publishing Company Limited, New Delhi, 2000.
- [4] M.A. Gopalan, S. Vidhyalakshmi, J. Shanthi, and D.Kanaka, "On the Negative Pell Equation $y^2 = 15x^2 - 6$," Scholars Journal of Physics, Mathematics and statistics, vol. 2, Issue-2A (Mar-May), pp 123-128, 2015.
- [5] M.A. Gopalan, S. Vidhyalakshmi, T. R. Usharani, and M. Arulmozhi, "On the Negative Pell Equation $y^2 = 35x^2 - 19$," International Journal of Research and Review, vol. 2, Issue-4 April 2015, pp 183-188.
- [6] M.A. Gopalan, V. Geetha, S.Sumithira, "Observations on the Hyperbola $y^2 = 55x^2 - 6$," International Research Journal of Engineering and Technology, vol. 2, Issue-4 July 2015, pp 1962-1964.
- [7] K. Meena, M.A. Gopalan, T.Swetha, "On the Negative Pell Equation $y^2 = 40x^2 - 4$," International Journal of Emerging Technologies in Engineering Research, vol. 5, Issue-1, January (2017), pp 6-11.
- [8] K. Meena, S. Vidhyalakshmi and G. Dhanalakshmi, "On the Negative Pell Equation $y^2 = 5x^2 - 4$," Asian Journal of Applied Science and Technology, vol. 1, Issue-7, August 2017, pp 98-103.
- [9] Shreemathi Adiga, N. Anusheela and M.A. Gopalan, "On the Negative Pellian Equation $y^2 = 20x^2 - 31$," International Journal of Pure and Applied Mathematics, vol. 119 No. 14, 2018, pp 199-204.
- [10] Shreemathi Adiga, N. Anusheela and M.A. Gopalan, "Observations on the Positive Pell Equation $y^2 = 20(x^2 + 1)$," International Journal of Pure and Applied Mathematics, vol. 120, No. 6, 2018, pp 11813-11825.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)