



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 7      Issue: II      Month of publication: February**

**DOI: <http://doi.org/10.22214/ijraset.2019.2068>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Observation on the Negative Pell Equation

$$y^2 = 12x^2 - 23$$

M. A. Gopalan<sup>1</sup>, A. Sathya<sup>2</sup>, S. Nivetha<sup>3\*</sup>

<sup>1</sup>Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

<sup>2</sup> Assistant Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

<sup>3</sup>PG Scholar, Department of Mathematics, Shrimati Indira Gandhi College, Trichy-620 002, Tamil nadu, India.

**Abstract:** The binary quadratic equation represented by the negative pellian  $y^2 = 12x^2 - 23$  is analyzed for its distinct integer solutions. A few interesting relations among the solutions are given. Employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas and parabolas.

**Keywords:** Binary quadratic, Hyperbola, Parabola, Pell equation, Integer solutions

## I. INTRODUCTION

The subject of Diophantine equation is one of the areas in Number Theory that has attracted many Mathematicians since antiquity and it has a long history. Obviously, the Diophantine equation are rich in variety [1-3]. In particular, the binary quadratic diophantine equation of the form  $y^2 = Dx^2 - N$  ( $N > 0$ ,  $D > 0$  and square free) is referred as the negative form of the pell equation (or) related pell equation. It is worth to observe that the negative pell equation is not always solvable. For example, the equations  $y^2 = 3x^2 - 1$ ,  $y^2 = 7x^2 - 4$  have no integer solutions whereas  $y^2 = 65x^2 - 1$ ,  $y^2 = 202x^2 - 1$  have integer solutions. In this context, one may refer [4-10] for a few negative pell equations with integer solutions. In this communication, the negative pell equation given by  $y^2 = 12x^2 - 23$  is considered and analysed for its integer solutions. A few interesting relations among the solutions are given. Employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas and parabolas.

## II. METHOD OF ANALYSIS

The Negative Pell equation representing hyperbola under consideration is

$$y^2 = 12x^2 - 23 \tag{1}$$

The smallest positive integer solutions of (1) are

$$x_0 = 2, y_0 = 5$$

To obtain the other solutions of (1), consider the pellian equation

$$y^2 = 12x^2 + 1 \tag{2}$$

whose initial solution is given by

$$\tilde{x}_0 = 2, \tilde{y}_0 = 7$$

The general solution  $(\tilde{x}_n, \tilde{y}_n)$  of (2) is given by

$$\tilde{x}_n = \frac{1}{4\sqrt{3}} g_n, \tilde{y}_n = \frac{1}{2} f_n$$

where

$$f_n = (7 + 4\sqrt{3})^{n+1} + (7 - 4\sqrt{3})^{n+1}$$

$$g_n = (7 + 4\sqrt{3})^{n+1} - (7 - 4\sqrt{3})^{n+1}, n = -1, 0, 1, \dots$$

Applying Brahmagupta lemma between the solutions  $(x_0, y_0)$  and  $(\tilde{x}_n, \tilde{y}_n)$ , the other integer solutions to (1) are given by

$$x_{n+1} = f_n + \frac{5}{4\sqrt{3}} g_n$$

$$y_{n+1} = \frac{5}{2} f_n + 2\sqrt{3} g_n$$

The recurrence relation satisfied by the solution  $x$  and  $y$  are given by

$$x_{n+3} - 14x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 14y_{n+2} + y_{n+1} = 0$$

Some numerical examples of  $x_n$  and  $y_n$  satisfying (1) are given in the Table: 1 below:

Table: 1 Numerical Examples

$n$	$x_n$	$y_n$
0	2	5
1	24	83
2	334	1157
3	4652	16115
4	64794	224453

From the above table, we observe some interesting relations among the solutions which are presented below:

- 1)  $x_n$  values are even.
- 2)  $y_n$  values are odd .

*A. Relation Among The Solutions Are Given Below*

- 1)  $x_{n+1} = 97x_{n+3} - 28y_{n+3}$
- 2)  $x_{n+2} = 7x_{n+1} - 2y_{n+1}$
- 3)  $7x_{n+3} = 97x_{n+2} + 2y_{n+1}$
- 4)  $7y_{n+2} = 24x_{n+2} + y_{n+1}$
- 5)  $x_{n+3} = 97x_{n+1} + 28y_{n+1}$
- 6)  $y_{n+1} = 97y_{n+3} - 336x_{n+3}$
- 7)  $y_{n+2} = 24x_{n+1} + 7y_{n+1}$
- 8)  $y_{n+3} = 336x_{n+1} + 97y_{n+1}$
- 9)  $48x_{n+2} = y_{n+3} - y_{n+1}$
- 10)  $14y_{n+2} = y_{n+3} + y_{n+1}$
- 11)  $x_{n+1} = 14x_{n+2} - x_{n+3}$
- 12)  $x_{n+1} = 7x_{n+2} - 2y_{n+2}$
- 13)  $7x_{n+1} = 97x_{n+2} - 2y_{n+3}$
- 14)  $7x_{n+3} = x_{n+2} + 2y_{n+3}$
- 15)  $7y_{n+2} = y_{n+3} - 24x_{n+2}$
- 16)  $x_{n+1} = x_{n+3} - 4y_{n+2}$
- 17)  $7y_{n+1} = 97y_{n+2} - 24x_{n+3}$
- 18)  $7x_{n+2} = x_{n+3} - 2y_{n+2}$
- 19)  $24x_{n+1} = 7y_{n+3} - 97y_{n+2}$
- 20)  $24x_{n+3} = 7y_{n+3} - y_{n+2}$

*B. Each Of The Following Expressions Represents A Nasty Number*

$$1) \frac{6}{23}[48x_{2n+2} - 10y_{2n+2} + 46]$$

$$2) \frac{6}{23}[83x_{2n+2} - 5x_{2n+3} + 46]$$

$$3) \frac{3}{161}[1157x_{2n+2} - 5x_{2n+4} + 644]$$

$$4) \frac{12}{161}[288x_{2n+2} - 5y_{2n+3} + 161]$$

$$5) \frac{6}{2231}[8016x_{2n+2} - 10y_{2n+4} + 4462]$$

$$6) \frac{6}{161}[48x_{2n+3} - 166y_{2n+2} + 322]$$

$$7) \frac{12}{2231}[24x_{2n+4} - 1157y_{2n+2} + 2231]$$

$$8) \frac{1}{23}[12y_{2n+3} - 144y_{2n+2} + 276]$$

$$9) \frac{6}{161}[y_{2n+4} - 167y_{2n+2} + 322]$$

$$10) \frac{6}{23}[1157x_{2n+3} - 83x_{2n+4} + 46]$$

$$11) \frac{12}{23}[288x_{2n+3} - 83y_{2n+3} + 23]$$

$$12) \frac{12}{161}[4008x_{2n+3} - 83y_{2n+4} + 161]$$

$$13) \frac{12}{161}[288x_{2n+4} - 1157y_{2n+3} + 161]$$

$$14) \frac{12}{23}[4008x_{2n+4} - 1157y_{2n+4} + 23]$$

$$15) \frac{1}{23}[144y_{2n+4} - 2004y_{2n+3} + 276]$$

*C. Each Of The Following Expressions Represents A Cubical Integer*

$$1) \frac{1}{23}[48x_{3n+3} - 10y_{3n+3} + 144x_{n+1} - 30y_{n+1}]$$

$$2) \frac{1}{23}[83x_{3n+3} - 5x_{3n+4} + 249x_{n+1} - 15x_{n+2}]$$

$$3) \frac{1}{322}[1157x_{3n+3} - 5x_{3n+5} + 3471x_{n+1} - 15x_{n+3}]$$

$$4) \frac{2}{161}[288x_{3n+3} - 5y_{3n+4} + 864x_{n+1} - 15y_{n+2}]$$

$$5) \frac{1}{2231}[8016x_{3n+3} - 10y_{3n+5} + 24048x_{n+1} - 30y_{n+3}]$$

$$6) \frac{1}{161}[48x_{3n+4} - 166y_{3n+3} + 144x_{n+2} - 498y_{n+1}]$$

$$7) \frac{2}{2231} [24x_{3n+5} - 1157y_{3n+3} + 72x_{n+3} - 3471y_{n+1}]$$

$$8) \frac{1}{23} [2y_{3n+4} - 24y_{3n+3} + 6y_{n+2} - 72y_{n+1}]$$

$$9) \frac{1}{161} [y_{3n+4} - 167y_{3n+3} + 3y_{n+3} - 501y_{n+1}]$$

$$10) \frac{1}{23} [1157x_{3n+4} - 83x_{3n+5} + 3471x_{n+2} - 249x_{n+3}]$$

$$11) \frac{2}{23} [288x_{3n+4} - 83y_{3n+4} + 864x_{n+2} - 249y_{n+2}]$$

$$12) \frac{2}{161} [4008x_{3n+4} - 83y_{3n+5} + 12024x_{n+2} - 249y_{n+3}]$$

$$13) \frac{2}{161} [288x_{3n+5} - 1157y_{3n+4} + 864x_{n+3} - 3471y_{n+2}]$$

$$14) \frac{2}{23} [4008x_{3n+5} - 1157y_{3n+5} + 12024x_{n+3} - 3471y_{n+3}]$$

$$15) \frac{2}{23} [12y_{3n+5} - 167y_{3n+4} + 36y_{n+3} - 501y_{n+2}]$$

*D. Each Of The Following Expressions Represents A Biquadratic Integer*

$$1) \frac{1}{23} [48x_{4n+4} - 10y_{4n+4} + 192x_{2n+2} - 40y_{2n+2} + 138]$$

$$2) \frac{1}{23} [83x_{4n+4} - 5x_{4n+5} - 20x_{2n+3} + 332x_{2n+2} + 138]$$

$$3) \frac{1}{322} [1157x_{4n+4} - 5x_{4n+6} - 20x_{2n+4} + 4628x_{2n+2} + 1932]$$

$$4) \frac{2}{161} [288x_{4n+4} - 5y_{4n+5} - 20y_{2n+3} + 1152x_{2n+2} + 966]$$

$$5) \frac{1}{2231} [8016x_{4n+4} - 10y_{4n+6} - 40y_{2n+4} + 32064x_{2n+2} + 13386]$$

$$6) \frac{1}{161} [48x_{4n+5} - 166y_{4n+4} - 664y_{2n+2} + 192x_{2n+3} + 966]$$

$$7) \frac{2}{2231} [24x_{4n+6} - 1157y_{4n+4} - 4628y_{2n+2} + 96x_{2n+4} + 6693]$$

$$8) \frac{2}{23} [y_{4n+5} - 12y_{4n+4} - 48y_{2n+2} + 4y_{2n+3} + 69]$$

$$9) \frac{1}{161} [y_{4n+6} - 167y_{4n+4} - 668y_{2n+2} + 4y_{2n+4} + 966]$$

$$10) \frac{1}{23} [1157x_{4n+5} - 83x_{4n+6} - 332x_{2n+4} + 4628x_{2n+3} + 138]$$

$$11) \frac{2}{23} [288x_{4n+5} - 83y_{4n+5} - 332y_{2n+3} + 1152x_{2n+3} + 69]$$

$$12) \frac{2}{161} [4008x_{4n+5} - 83y_{4n+6} - 332y_{2n+4} + 16032x_{2n+3} + 483]$$

$$13) \frac{2}{161} [288x_{4n+6} - 1157y_{4n+5} - 4628y_{2n+3} + 1152x_{2n+4} + 483]$$

$$14) \frac{2}{23} [4008x_{4n+6} - 1157y_{4n+6} - 4628y_{2n+4} + 16032x_{2n+4} + 69]$$

$$15) \frac{2}{23} [12y_{4n+6} - 167y_{4n+5} - 668y_{2n+3} + 48y_{2n+4} + 69]$$

E. Each Of The Following Expressions Represents A Quintic Integer

$$1) \frac{1}{23} [48x_{5n+5} - 10y_{5n+5} + 240x_{3n+3} - 50y_{3n+3} + 480x_{n+1} - 100y_{n+1}]$$

$$2) \frac{1}{23} [83x_{5n+5} - 5x_{5n+6} + 415x_{3n+3} - 25x_{3n+4} + 830x_{n+1} - 50x_{n+2}]$$

$$3) \frac{1}{322} [1157x_{5n+5} - 5x_{5n+7} + 5785x_{3n+3} - 25x_{3n+5} + 11570x_{n+1} - 50x_{n+3}]$$

$$4) \frac{2}{161} [288x_{5n+5} - 5y_{5n+6} + 1440x_{3n+3} - 25y_{3n+4} + 2880x_{n+1} - 50y_{n+2}]$$

$$5) \frac{1}{2231} [8016x_{5n+5} - 10y_{5n+7} + 40080x_{3n+3} - 50y_{3n+5} + 80160x_{n+1} - 100y_{n+3}]$$

$$6) \frac{1}{161} [48x_{5n+6} - 166y_{5n+5} + 240x_{3n+4} - 830y_{3n+3} + 480x_{n+2} - 1660y_{n+1}]$$

$$7) \frac{2}{2231} [24x_{5n+7} - 1157y_{5n+5} + 120x_{3n+5} - 5785y_{3n+3} + 240x_{n+3} - 11570y_{n+1}]$$

$$8) \frac{2}{23} [y_{5n+6} - 12y_{5n+5} + 5y_{3n+4} - 60y_{3n+3} + 10y_{n+2} - 120y_{n+1}]$$

$$9) \frac{1}{161} [y_{5n+7} - 167y_{5n+5} + 5y_{3n+5} - 835y_{3n+3} + 10y_{n+3} - 1670y_{n+1}]$$

$$10) \frac{1}{23} [1157x_{5n+6} - 83x_{5n+7} + 5785x_{3n+4} - 415x_{3n+5} + 11570x_{n+2} - 830x_{n+3}]$$

$$11) \frac{2}{23} [288x_{5n+6} - 83y_{5n+6} + 1440x_{3n+4} - 415y_{3n+4} + 2880x_{n+2} - 830y_{n+2}]$$

$$12) \frac{2}{161} [4008x_{5n+6} - 83y_{5n+7} + 20040x_{3n+4} - 415y_{3n+5} + 40080x_{n+2} - 830y_{n+3}]$$

$$13) \frac{2}{161} [288x_{5n+7} - 1157y_{5n+6} + 1440x_{3n+5} - 5785y_{3n+4} + 2880x_{n+3} - 11570y_{n+2}]$$

$$14) \frac{2}{23} [4008x_{5n+7} - 1157y_{5n+7} + 20040x_{3n+5} - 5785y_{3n+5} + 40080x_{n+3} - 11570y_{n+3}]$$

$$15) \frac{2}{23} [12y_{5n+7} - 167y_{5n+6} + 60y_{4n+6} - 835y_{4n+5} + 120y_{n+3} - 1670y_{n+2}]$$



**III.REMARKABLE OBSERVATIONS**

1) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in Table: 2 below:

Table: 2 Hyperbolas

S.NO	Hyperbola	(X,Y)
1	$Y^2 - 12X^2 = 2116$	$(4y_{n+1} - 10x_{n+1}, 48x_{n+1} - 10y_{n+1})$
2	$Y^2 - 12X^2 = 2116$	$(2x_{n+2} - 24x_{n+1}, 83x_{n+1} - 5x_{n+2})$
3	$Y^2 - 12X^2 = 414736$	$(2x_{n+3} - 334x_{n+1}, 1157x_{n+1} - 5x_{n+3})$
4	$Y^2 - 3X^2 = 25921$	$(4y_{n+2} - 166x_{n+1}, 288x_{n+1} - 5y_{n+2})$
5	$Y^2 - 12X^2 = 19909444$	$(2314x_{n+1} - 4y_{n+3}, 8016x_{n+1} - 10y_{n+3})$
6	$Y^2 - 12X^2 = 103684$	$(48y_{n+1} - 10x_{n+2}, 48x_{n+2} - 166y_{n+1})$
7	$Y^2 - 12X^2 = 4977361$	$(334y_{n+1} - 5x_{n+3}, 1157y_{n+1} - 24x_{n+3})$
8	$Y^2 - 3X^2 = 76176$	$(83y_{n+1} - 5y_{n+2}, 12y_{n+2} - 144y_{n+1})$
9	$Y^2 - 3X^2 = 14930496$	$(1157y_{n+1} - 5y_{n+3}, 12y_{n+3} - 2004y_{n+1})$
10	$Y^2 - 24X^2 = 2116$	$(12x_{n+3} - 167x_{n+2}, 1157x_{n+2} - 83x_{n+3})$
11	$Y^2 - 12X^2 = 529$	$(24y_{n+2} - 83x_{n+2}, 288x_{n+2} - 83y_{n+2})$
12	$Y^2 - 12X^2 = 25921$	$(24y_{n+3} - 1157x_{n+2}, 4008x_{n+2} - 83y_{n+3})$
13	$Y^2 - 12X^2 = 25921$	$(334y_{n+2} - 83x_{n+3}, 288x_{n+3} - 1157y_{n+2})$
14	$Y^2 - 12X^2 = 529$	$(334y_{n+3} - 1157x_{n+3}, 4008x_{n+3} - 1157y_{n+3})$
15	$Y^2 - 3X^2 = 76176$	$(1157y_{n+2} - 83y_{n+3}, 144y_{n+3} - 2004y_{n+2})$

2) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in Table: 3 below:

Table: 3 Parabolas

S.NO	Parabola	(X,Y)
1	$23Y - 12X^2 = 2116$	$(4y_{n+1} - 10x_{n+1}, 48x_{2n+2} - 10y_{2n+2} + 46)$
2	$23Y - 12X^2 = 2116$	$(2x_{n+1} - 24x_{n+1}, 83x_{2n+2} - 5x_{2n+3} + 46)$
3	$322Y - 12X^2 = 414736$	$(2x_{n+3} - 334x_{n+1}, 1157x_{2n+2} - 5x_{2n+4} + 644)$
4	$322Y - 12X^2 = 103684$	$(4y_{n+2} - 166x_{n+1}, 288x_{2n+2} - 5y_{2n+3} + 161)$
5	$2231Y - 12X^2 = 19909444$	$(2314x_{n+1} - 4y_{n+3}, 8016y_{2n+2} - 10x_{2n+4} + 4462)$
6	$161Y - 12X^2 = 103684$	$(48y_{n+1} - 10x_{n+2}, 48x_{2n+3} - 166y_{2n+2} + 322)$
7	$4462Y - 48X^2 = 19909444$	$(334y_{n+1} - 5x_{n+3}, 24x_{2n+4} - 1157y_{2n+2} + 2231)$
8	$46Y - X^2 = 25392$	$(83y_{n+1} - 5y_{n+2}, 12y_{2n+3} - 144y_{2n+2} + 276)$
9	$644Y - X^2 = 4976832$	$(1157y_{n+1} - 5y_{n+3}, 12y_{2n+4} - 2004y_{2n+2} + 3864)$
10	$23Y - 24X^2 = 2116$	$(12x_{n+3} - 167x_{n+2}, 1157x_{2n+3} - 83x_{2n+4} + 46)$
11	$23Y - 24X^2 = 1058$	$(24y_{n+2} - 83x_{n+2}, 288x_{2n+3} - 83y_{2n+3} + 23)$
12	$161Y - 24X^2 = 51842$	$(24y_{n+3} - 1157x_{n+2}, 4008x_{2n+3} - 83y_{2n+4} + 161)$
13	$161Y - 24X^2 = 51842$	$(334y_{n+2} - 83x_{n+3}, 288x_{2n+4} - 1157y_{2n+3} + 161)$
14	$23Y - 24X^2 = 1058$	$(334y_{n+3} - 1157x_{n+3}, 4008x_{2n+4} - 1157y_{2n+4} + 23)$
15	$46Y - X^2 = 25392$	$(1157y_{n+2} - 83y_{n+3}, 144y_{2n+4} - 2004y_{2n+3} + 276)$



## REFERENCES

- [1] L.E. Dickson., History of Theory of numbers, Chelsea Publishing Company, volume-II, Newyork, 1952.
- [2] L.J. Mordell, Diophantine Equations, Academic Press, Newyork, 1969.
- [3] S.J. Telang., Number Theory, Tata Mc Graw Hill Publishing Company Limited, New Delhi, 2000.
- [4] M.A. Gopalan, S. Vidhyalakshmi, J. Shanthi, and D.Kanaka, "On the Negative Pell Equation  $y^2 = 15x^2 - 6$ ," Scholars Journal of Physics, Mathematics and statistics, vol. 2, Issue-2A (Mar-May), pp 123-128, 2015.
- [5] M.A. Gopalan, S. Vidhyalakshmi, T. R. Usharani, and M. Arulmozhi, "On the Negative Pell Equation  $y^2 = 35x^2 - 19$ ," International Journal of Research and Review, vol. 2, Issue-4 April 2015, pp 183-188.
- [6] M.A. Gopalan, V. Geetha, S.Sumithira, "Observations on the Hyperbola  $y^2 = 55x^2 - 6$ ," International Research Journal of Engineering and Technology, vol. 2, Issue-4 July 2015, pp 1962-1964.
- [7] K. Meena, M.A. Gopalan, T.Swetha, "On the Negative Pell Equation  $y^2 = 40x^2 - 4$ ," International Journal of Emerging Technologies in Engineering Research, vol. 5, Issue-1, January (2017), pp 6-11.
- [8] K. Meena, S. Vidhyalakshmi and G. Dhanalakshmi, "On the Negative Pell Equation  $y^2 = 5x^2 - 4$ ," Asian Journal of Applied Science and Technology, vol. 1, Issue-7, August 2017, pp 98-103.
- [9] Shreemathi Adiga, N. Anusheela and M.A. Gopalan, "On the Negative Pellian Equation  $y^2 = 20x^2 - 31$ ," International Journal of Pure and Applied Mathematics, vol. 119 No. 14, 2018, pp 199-204.
- [10] Shreemathi Adiga, N. Anusheela and M.A. Gopalan, "Observations on the Positive Pell Equation  $y^2 = 20(x^2 + 1)$ ," International Journal of Pure and Applied Mathematics, vol. 120, No. 6, 2018, pp 11813-11825.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)