



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 7 Issue: V Month of publication: May 2019

DOI: <https://doi.org/10.22214/ijraset.2019.5349>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com



Efficient Emergency Pharmaceutical Service Via Cloud Server

C. Srilekha¹, Mr. A Vijayan², Dr. K. Ravi Kumar³

^{1, 2, 3}Rrase College of Engineering, Padappi-601301.

Abstract: *In the past few years it was clear that mobile cloud computing was established via integrating both mobile computing and cloud computing to be add in both storage space and processing speed. These advancements in mobile computing has a potential impact to improve health care delivery, reduce health care costs, make health care services more convenient to patients and increase the overall efficiency and effectiveness of health care providers. The system provides assistance to patients identifies and selects doctors based on the location and the specialties of the doctors. The system allows patients to make appointments with doctors and assigns reminders to take the prescribed medications and vaccinations. The results of testing the applications show a big saving of time and mobility of doctors and patients. The system allows patients to take the prescribed medications and vaccinations. Generally referred to as m-Health, mobile devices are used in conjunction with other information and communication technology facilities to deliver care. A promise of m-Health is its capacity to facilitate the consumption of Electronic Health Record (EHR) data using mobile devices, which is central to promoting remote healthcare delivery. Through mobile technology, physicians are facilitated to interact with patients in a more efficient manner. m-Health employs mobile technology, remote healthcare delivery can be facilitated through patient monitoring, patient data collection, out of health facility patient care, and cost management*

I. INTRODUCTION

Efficient Emergency Pharmaceutical Service via Cloud Server that is used to focuses on supporting patients (persons with tender hemophilia) to self-regulate wounds in occasions of minor scenes.

In this Application patients to self-manage injuries in cases of minor incidents. If patients have any query about the minor health problem, they will send the query and get the information about how to manage the injuries. This involves bi-directional exchanges of the Electronic Health Record (EHR) amongst patients and the care facility. In any case, mobile phones rely on wireless communication channels (e.g., Wi-Fi, 3.5/4G, et cetera.) to transmit data and these channels can experience sporadic disconnections due to bandwidth fluctuations and user mobility.

This work took advantage of the ubiquitous nature of mobile cloud computing and proposes a middleware, which facilitates efficient process of medical data synchronization, and with minimal latency. The work details state-of-the-art architecture of the cloud-based middleware that is built and tested for real-world use following four methodologies namely: reflective, tuple space, context-awareness, and event-based.

A. Introduction Of Domain

Data mining, the extraction of hidden predictive information from large databases. It is a powerful new technology with great potential to help companies focus on the most important information in their data warehouses. Data mining tools predict future trends and behaviors, allowing businesses to make proactive, knowledge-driven decisions. The automated, prospective analyses offered by data mining move beyond the analyses of past events provided by retrospective tools typical of decision support systems. Data mining tools can answer business questions that traditionally were too time consuming to resolve. They scour databases for hidden patterns, finding predictive information that experts may miss because it lies outside their expectation

B. Scope Of Project

It is to Provide the app which is Useful to get Query From the User These advancements in mobile computing has a potential impact to improve health care delivery, reduce health care costs, make health care services more convenient to patients and increase the overall efficiency and effectiveness of health care providers. The system provides assistance to patients, identifies and selects doctors based on the location and the specialties of the doctors.



II. PROPOSED METHOD

Its various compounds have been proposed and evaluated as disintegrate relatively few are in common usage today. Traditionally, starch has been disintegrating of choice in tablet formulations, and it is still widely used. For instance, starch generally has to be present at levels greater than 5% to adversely affect compatibility, especially in direct compression. These advancements in mobile computing has a potential impact to improve health care delivery, reduce health care costs, make health care services more convenient to patients and increase the overall efficiency and effectiveness of health care providers. The system provides assistance to patients, identifies and selects doctors based on the location and the specialties of the doctors. The system allows patients to make appointments with doctors and assigns reminders to take the prescribed medications and vaccinations. The results of testing the applications show a big saving of time and mobility of doctors and patients. This paper is a survey on mobile cloud computing in health care application.

III. SYSTEM IMPLEMENTATION

A. Login / Registration

In this module we design to develop login and signup screen. Android used xml to develop classical screens in our application. The modules describe signup page contains phone number or user name, password and conform password those kind of details should be stored in database. Login screen contains phone number or username and password when the user/admin to login the app it should be retrieve the data to the database and combine based on user input if its match user name and password to allow in the app otherwise alert and show a message to the user/admin.

B. Add Medicine

In this module Doctor will add the medicine with the injuries name, age, symptoms and medicine quantity if the details are already inserted by the doctor then it will shoe some errors.

C. Search Medicine

In this module user or patients can search the medicine by giving the injury name, age and symptoms level. After the search, if the database has any medicine for the user injury it will show the medicine and if they have any doubt they can call to the doctor by clicking the call button. If there is no result the user question will be send to the doctor.

D. View Question

In this module, it displays the entire question from the user or patient's side. Doctor can view the entire question and update the medicine for the entire user request.

E. Settings

In this module user/admin can change the password by giving the old password, new password and confirm new password. It will check that you have entered the correct old password or not. If the old password is wrong it will show the error box. If the old password is correct it will check the new password and confirm new password is correct or not, then it will change the password in the cloud.

IV. RELATED WORK

In this section, we will introduce some related works on skyline computation and privacy-preserving technique. Skyline computation. The skyline operator was first formalized by Borzsony et.al. [6] with algorithm called Block Nested Loop (BNL) and Divide and Conquer (D&C). Thereafter, it was widely studied for building user's personalized queries over multidimensional datasets. Several sequential skyline algorithms [7-9] have been designed on efficiency for centralized storage, and the Z-search algorithm proposed by Mingjieet al. [9] was the state-of-the-art skyline computation algorithm. Recently, skyline computation for distributed database has received more attention. Liu et al. [11] proposed a skyline computation framework across multiple domains, within the framework, a skyline result from multiple service providers will be securely computed to provide better services for the client. Park et al. [12] constructed a Quadtree for sampling data and judging the dominance relationships among different partitions, while the effect was not perfect. Mullesgaard et al. [33] represent grid-based partitioning by using a bit-string, which enables pruning more data points before final skyline computation. However, both centralized skyline and distributed skyline computation were well studied on improving the efficiency, while little of the works considered on similarity search. Kossmann et al. [34] proposed Nearest Neighbor 2327-4662 (c) 2018 IEEE. Personal use is permitted, but republication/redistribution requires IEEE permission



http://www.ieee.org/publications_standards/publications/rights/index.html for more information.

This article has been accepted for publication in a future issue of this journal, but has not been fully edited. Content may change prior to final publication. Citation information: DOI 10.1109/JIOT.2018.2834156, IEEE Internet of Things Journal 11 algorithm which used the existing nearest neighbor search to split the data space recursively, while the privacy issue was overlooked. By exploring a novel neighboring relationship among POIs, Chen et al. [13] proposed several schemes that enable efficient verification of any location-based skyline query's result returned by an untrusted service provider. In order to select the similar (or best) medical record over encrypted database, Liu et al. [14] proposed a fully secure skyline query protocol on data encrypted using semantically secure encryption, while the overhead of computation is heavy. Moreover, Lu et al. [35] pointed out that the conventional query over an encrypted database was not suitable for bigdata processing. Therefore, the more efficient secure skyline computation framework should be redesigned to fit for big data environment. Privacy-preserving technique. Traditional anonymization techniques such as k-anonymity [20] and l-diversity [21], which through removes the personal identifiers (such as name and SSN) and obfuscating the quasi-identifiers (such as age, zip code, and gender) within a subpopulation to protect the identity of a patient. However, in order to enjoy a high quality medical primary diagnosis service, the user's query data always contain personal physiological data such as age, weights, and blood types, or even some ultimate personal identifiable information such as fingerprints and DNA profiles.

Once the non-trusted server in diagnosis system obtains the medical data, it may be able to identify an individual user easily [22, 23]. Hence, the anonymization mechanisms are not quite suitable for protecting the user's privacy in online medical primary diagnosis system. Differential privacy has become the de facto standard for privacy-preserving data analytics [24, 25], the central idea is to adequately obfuscate a query response by adding noise typically drawn from a Laplace distribution, such that the presence or absence of any user in the database is protected. However, these randomization approaches are often unsuitable for medical primary diagnosis, as they distort the data making it unusable for critical inferences, especially for physiological data, which is extremely strict about accuracy to avoid misdiagnosis. Different homomorphic encryption techniques are introduced in the medical diagnosis system [26–28], which enabled the healthcare service providers to process the encrypted query without gaining any knowledge on user's medical data, and the corresponding medical instruction without revealing any knowledge about the diagnosis system. However, the overhead of computation would be a stumbling block in making homomorphic encryption technology popularization in medical primary diagnosis system. Different from all of the aforementioned works, our proposed framework based on a skyline diagnosis model, which has a high accuracy. Moreover, aims at the efficiency and privacy issues, users' medical data privacy and ensure the confidentiality of diagnosis model. Furthermore, based on fast secure permutation and comparison techniques, our proposed framework can be easily implemented in smart terminals due to its high efficiency.

V. CONCLUSION

Hemophilia, a medical condition mostly in men that causes bleeds not to cease during injury, is a concern for health services globally. In Canada and the USA, the condition is significant thus has been the focus of most clinical re-searchers.

The clinical challenge is how to enable young men with mild hemophilia self-manage their injury. This necessitated the formation of the research partnership between the mobile computing group and the Canadian Hemophilia Society. Our work, the **Hemophilia Injury Recognition Tool (HIRT?)** is the first real-world application on self-injury management in the hemophilia domain. This evidence-based self-management mobile tool helps young men with mild hemophilia assess an injury and decide when to seek medical attention. It supports a person with mild hemophilia to make decisions based on his own assessment of physical signs and symptoms. It also suggests signs that indicate that the injury is getting worse and that he should contact the hemophilia treatment center (HTC) to prevent long-term problems.

REFERENCES

- [1] N. Tkachenko, S. Chotvijit, N. Gupta, E. Bradley, C. Gilks, W. Guo, H. Crosby, E. Shore, M. Thiarai, R. Procter et al., "Google trends can improve surveillance of type 2 diabetes," *Scientific Reports*, vol. 7, 2017.
- [2] M. Kay, J. Santos, and M. Takane, "mhealth: New horizons for health through mobile technologies," *World Health Organization*, vol. 64, no. 7, pp. 66–71, 2011.
- [3] V. W. Consulting, "mhealth for development: the opportunity of mobile technology for healthcare in the developing world," Washington Dc and Berkshire, UK, 2009.
- [4] M. Sajid, A. Osman, G. U. Siddiqui, H. B. Kim, S. W. Kim, J. B. Ko, Y. K. Lim, and K. H. Choi, "All printed highly sensitive 2d mos2 based multi-reagent immunosensor for smartphone based point-of-care diagnosis," *Scientific Reports*, vol. 7, 2017.
- [5] X. Liu, D.-N. Yang, M. Ye, and W.-C. Lee, "U-skyline: A new skyline query for uncertain databases," *IEEE Transactions on Knowledge and Data Engineering*, vol. 25, no. 4, pp. 945–960, 2013.



- [6] S. Borzsony, D. Kossmann, and K. Stocker, "The skyline operator," in *Data Engineering*, 2001. Proceedings. 17th International Conference on. IEEE, 2001, pp. 421–430.
- [7] X. Han, J. Li, D. Yang, and J. Wang, "Efficient skyline computation on big data," *IEEE Transactions on Knowledge and Data Engineering*, vol. 25, no. 11, pp. 2521–2535, 2013.
- [8] D. Papadias, Y. Tao, G. Fu, and B. Seeger, "Progressive skyline computation in database systems," *ACM Transactions on Database Systems (TODS)*, vol. 30, no. 1, pp. 41–82, 2005.
- [9] T. Mingjie, Y. Yu, W. G. Aref, Q. Malluhi, and M. Ouzzani, "Efficient parallel skyline query processing for high-dimensional data," *IEEE Transactions on Knowledge and Data Engineering*, 2018.
- [10] K. Hose and A. Vlachou, "A survey of skyline processing in highly distributed environments," *The VLDB Journal—The International Journal on Very Large Data Bases*, vol. 21, no. 3, pp. 359–384, 2012.
- [11] X. Liu, R. Lu, J. Ma, L. Chen, and H. Bao, "Efficient and privacy-preserving skyline computation framework across domains," *Future Generation Computer Systems*, vol. 62, pp. 161–174, 2016.
- [12] Y. Park, J.-K. Min, and K. Shim, "Parallel computation of skyline and reverse skyline queries using mapreduce," *Proceedings of the VLDB Endowment*, vol. 6, no. 14, pp. 2002–2013, 2013.
- [13] W. Chen, M. Liu, R. Zhang, Y. Zhang, and S. Liu, "Secure outsourced skyline query processing via untrusted cloud service providers," in *INFOCOM 2016—The 35th Annual IEEE International Conference on Computer Communications*, IEEE. IEEE, 2016, pp. 1–9.
- [14] J. Liu, J. Yang, L. Xiong, and J. Pei, "Secure skyline queries on cloud platform," in *Data Engineering (ICDE), 2017 IEEE 33rd International Conference on*. IEEE, 2017, pp. 633–644.
- [15] N. Saleheen, S. Chakraborty, N. Ali, M. M. Rahman, S. M. Hossain, R. Bari, E. Buder, M. Srivastava, and S. Kumar, "msieve: differential behavioral privacy in timeseries of mobile sensor data," in *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing*. ACM, 2016, pp. 706–717.
- [16] R. Whittaker, "Issues in mhealth: findings from key informant interviews," *Journal of medical Internet research*, vol. 14, no. 5, 2012.
- [17] H. Lin, J. Shao, C. Zhang, and Y. Fang, "Cam: cloud-assisted privacy preserving mobile health monitoring,"
- [18] H. Zhu, X. Liu, R. Lu, and H. Li, "Efficient and privacy preserving line medical prediagnosis framework using nonlinear svm," *IEEE journal of biomedical and health informatics*, vol. 21, no. 3, pp. 838–850, 2017.
- [19] X. Liu, H. Zhu, R. Lu, and H. Li, "Efficient privacy preserving online medical primary diagnosis scheme on naive bayesian classification," *Peer-to-Peer Networking and Applications*, pp. 1–14, 2016.
- [20] L. Sweeney, "k-anonymity: A model for protecting privacy," *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, vol. 10, no. 05, pp. 557–570, 2002.
- [21] A. Machanavajjhala, D. Kifer, J. Gehrke, and M. Venkitasubramaniam, "L-diversity: Privacy beyond kanonymity," *ACM Transactions on Knowledge Discovery from Data (TKDD)*, vol. 1, no. 1, p. 3, 2007.
- [22] M. Hansen, A. Schwartz, and A. Cooper, "Privacy and identity management," *IEEE Security & Privacy*, vol. 6,
- [23] S. Al-Fedaghi and A. A. R. Al-Azmi, "Experimentation with personal identifiable information," *Intelligent Information Management*, vol. 4, no. 04, p. 123, 2012. 1–19.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)