



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 7 Issue: XII Month of publication: December 2019

DOI: <http://doi.org/10.22214/ijraset.2019.12166>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Analysis on Efficient Traffic Detection System using Machine Learning Techniques

Pooja Kote¹, Gauri Sonawane², Jitendra Khairnar³, Kusum Lata⁴

^{1, 2, 3, 4}Sandip University

Abstract: *It has wide been completed that will increase of preliminary transportation infrastructure, additional pavements, and widened road, haven't been able to relieve town congestion. By mistreatment this system we tend to notice the speed of car, vehicle class detection, vehicle real time trailing on road, counts the quantity of car by mistreatment totally {different/ completely different} machine learning formula during this paper we tend to square measure mistreatment different machine leaning techniques for building additional economical and correct traffic detection model.*

Keywords: *Machine learning, traffic control, detection technique, vehicle, K-NN, SVM.*

I. INTRODUCTION

Vehicle detection and count the amount of car is extremely necessary to resolve tie up on highways. the most target Vehicle detection and count the amount of car on road in traffic video analyser project is to develop method for automatic vehicle detection and its hoping on highways.

A system is to notice and count run time vehicles expeditiously. good visual police work for road vehicles could be a main part for developing autonomous good transportation systems.

In the previous, the vehicle identification, segmentation forming and track the vehicle systems wont to predict the charge for various varieties of vehicles for automation toll challan system. Recently, vehicle identification system is employed to spot the vehicle or notice the traffic lanes or classified the sort of car category on highway main roads like cars, motorbikes, serious laded vehicles, buses.

To higher interpret flow of traffic, Associate in nursing improved dependence on traffic police work is in a very want for a lot of vehicle detection at a huge-area. Dynamic detection of vehicles in video police work information could be a terribly day to day facing drawback in pc vision with necessary sensible applications, like traffic analysis and security. Vehicle detection and enumeration is vital in computing tie up on highways. the most goal Vehicle detection and enumeration in traffic video project is to develop methodology for automatic vehicle detection and its hoping on highways. A system has been developed to notice and count dynamic vehicles expeditiously.

Intelligent visual police work for road vehicles could be a key part for developing autonomous intelligent transportation systems. police work and following vehicles in police work video that uses segmentation with initial background subtraction victimization morphological operator to work out salient regions in a very sequence of video frames. Edges area unit be enumeration that shows what percentage area unitas are of specific size then specific to automobile areas is find the points and enumeration the vehicles within the domain of traffic watching over highways.

Automatic police work and following vehicles in video police work information could be a terribly difficult drawback in pc vision with necessary sensible applications, like traffic analysis and security. Video cameras area unit a comparatively cheap police work tool. Manually reviewing the massive quantity of information they generate is commonly impractical. the most contribution of this paper could be a comparison of 3 totally different machine learning algorithms (Naïve, neural networks, and support vector machines) for vehicle classification.

Traffic management and data systems rely principally on sensors for estimating the traffic parameters. additionally to vehicle counts, a far larger set of traffic parameters like vehicle classifications, lane changes, etc., will be computed. Vehicle detection and enumeration uses one camera mounted sometimes on a pole or alternative tall structure, trying down on the traffic scene. The system needs solely the camera standardization parameters and direction of traffic for low-level formatting. 2 common themes related to following traffic movement and recognizing accident data from real time video sequences area unit

- 1) The video data should be divided and become vehicles.
- 2) The behavior of those vehicles area unit monitored (they area unit tracked) for immediate deciding functions.

II. LITERATURE SURVEY

- A. Gupte S., Masoud O., Martin R. F. K. and Papanikolopoulos N. P., proposed —Detection and Classification Vehicles within the March, 2002, The presents algorithms for vision-based detection and classification of vehicles in monocular image sequences of traffic scenes recorded by a stationary camera. Processing is completed at three levels: raw images, region level, and vehicle level. Vehicles are modeled as rectangular patches with certain dynamic behavior. The proposed method is predicated on the establishment of correspondences between regions and vehicles, because the vehicles move through the image sequence. Experimental results from highway scenes are provided which demonstrate the effectiveness of the tactic. Briefly describe an interactive camera calibration tool that's developed for recovering the camera parameters using features within the image selected by the user.
- B. Toufiq P., Ahmed Egammal and Anurag Mittal, proposed —A Framework for Feature Selection for Background Subtraction, in 2006. Background subtraction may be a widely used paradigm to detect moving vehicles in video taken from a static camera and is employed for various important applications like video surveillance, human motion analysis, etc. Various statistical approaches have been proposed for modeling a given scene background. However, there's no theoretical framework for selecting which features to use to model different regions of the scene background. They introduce a completely unique framework for feature selection for background modeling and subtraction. A boosting algorithm, namely Real Boost, is employed to settle on the simplest combination of features at each pixel. Given the probability estimates from a pool of features calculated by Kernel Density Estimate (KDE) over a particular period of time, the algorithm selects the foremost useful ones to discriminate foreground vehicles from the scene background. The results show that the proposed framework successfully selects appropriate features for various parts of the image.

III. COMPARISON OF THREE DIFFERENT MACHINE LEARNING TECHNIQUES

In this section, the three machine learning algorithms considered during this paper along side their parameters are briefly introduced.

A. Neural Networks In the neural network (NN) classifier, an equivalent sigmoid function is employed. The network itself has three layers. The input layer has six units (five features and therefore the intercept term). The output layer has three units (LMV1, LMV2, HMV). The hidden layer has 25 units. The neuron weights were initialized randomly and therefore the back-propagation algorithm was wont to calculate gradient values for each learning iteration. As for the LR, the value function was used for the NN classifiers well.in traffic area by using this we manage the traffic




Fig 1. Neural network

The construction of the MLP-BP neural network is by putting layers of non-linear elements to make complex hypotheses. Each node takes a component of a feature vector. The structure of the ANN consists of three layers feed-forward neural network as shown in Fig. Nodes labelled $x_2 \dots x_3$ are wont to represent the input feature vectors to the ANN. Hidden inner nodes $a_2 \dots a_3$ structure the hidden layer with an output layer of y_2 and y_7 nodes denoting different output classes (Tor and Non Tor). The interconnection between the nodes is related to scalar weights with an initial weight assigned to the connection. During training, the weights are adjusted. Evaluating the hypotheses is completed by setting the input nodes in a feed-back process and therefore the values are propagated through the network to the output. At this stage the gradient descent is employed so as to push the error within the output node back through the network by a back propagation process so as to estimate the error in the hidden nodes. The gradient of the value – function is then calculated .

A. SVM

Support Vector Machines (SVM) may be a machine learning algorithm that learns to classify data using points labelled training examples falling into one or two classes. The SVM algorithm builds a model which will predict if a replacement example falls into one category or the opposite. The model is made by constructing k models of SVM, where k denotes the amount of classes (Tor and NonTor). x_2 and y_7 SVM represented as l th SVM is trained with all the examples within the l th class labelled 1 and therefore the other labelled 0. Where, $x' \in R$; , $y' \in \{1,0\}$, $i = 1 \dots N$ and $y' \in \{1 \dots k\}$

IV. CONCLUSION

This paper bestowed a comparison of 3 totally different machine learning techniques. The planned system to be developed to sight and count dynamic vehicles on highways with efficiency victimisation best feature algorithmic rule for higher result. The system effectively combines easy domain data regarding vehicle categories with time domain applied math measures to spot target vehicles within the presence of partial occlusions and ambiguous poses, and therefore the background litter is effectively rejected.

REFERENCES

- [1] Z. Wei, et al., "Multilevel Framework to Detect and Handle Vehicle Occlusion," Intelligent Transportation Systems, IEEE Transactions on, vol. 9, pp. 161-174, 2008.
- [2] N. K. Kanhere and S. T. Birchfield, "Real-Time Incremental Segmentation and Tracking of Vehicles at Low Camera Angles Using Stable Features," Intelligent Transportation Systems, IEEE Transactions on, vol. 9, pp. 148-160, 2008.
- [3] N. K. Kanhere, "Vision-based detection, tracking and classification of vehicles using stable features with automatic camera calibration," ed, 2008, p. 105.
- [4] A. H. S. Lai, et al., "Vehicle type classification from visual-based dimension estimation," in Intelligent Transportation Systems, 2001. Proceedings. 2001 IEEE, 2001, pp. 201-206.
- [5] Z. Zhigang, et al., "A real-time vision system for automatic traffic monitoring based on 2D spatiotemporal images," in Applications of Computer Vision, 1996. WACV '96., Proceedings 3rd IEEE Workshop on, 1996, pp. 162-167.
- [6] W. Wei, et al., "A method of vehicle classification using models and neural networks," in Vehicular Technology Conference, 2001. VTC 2001 Spring. IEEE VTS 53rd, 2001, pp. 3022-3026 vol.4.
- [7] R. Rad and M. Jamzad, "Real time classification and tracking of multiple vehicles in highways," Pattern Recognition Letters, vol. 26, pp. 1597-1607, 2005.
- [8] Y. Iwasaki and H. Itoyama, "Real-time Vehicle Detection Using Information of Shadows Underneath Vehicles," in Advances in Computer, Information, and Systems Sciences, and Engineering, K. Elleithy, et al., Eds., ed: Springer Netherlands, 2006, pp. 94-98.
- [9] K. H. Lim, et al., "Lane-Vehicle Detection and Tracking," Proceedings of the International Multi-Conference of Engineers and Computer Scientists (IMECS 2009), vol. 2, pp. 5-10, 2009.
- [10] J. M. Ferryman, et al., "A generic deformable model for vehicle recognition," presented at the Proceedings of the 1995 British conference on Machine vision (Vol. 1), Birmingham, United Kingdom, 1995.
- [11] M. P. D. Jolly, et al., "Vehicle segmentation and classification using deformable templates," Pattern Analysis and Machine Intelligence, IEEE Transactions on, vol. 18, pp. 293-308, 1996.
- [12] N. D. Matthews, et al., "Vehicle detection and recognition in greyscale imagery," Control Engineering Practice, vol. 4, pp. 473-479, 1996.
- [13] T. Kato, et al., "Preceding vehicle recognition based on learning from sample images," Intelligent Transportation Systems, IEEE Transactions on, vol. 3, pp. 252-260, 2002.
- [14] F. M. Kazemi, et al., "Vehicle Recognition Using Curvelet Transform and SVM," in Information Technology, 2007. ITNG '07. Fourth International Conference on, 2007, pp. 516-521.
- [15] B. Han, et al., "Motion-segmentation-based change detection," SPIE Defence & Security Symposium 2007, pp. 65680Q-65680Q, 2007.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)