



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 8      Issue: II      Month of publication: February 2020**

**DOI: <http://doi.org/10.22214/ijraset.2020.2072>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Automatic Recognition of Leaf Diseases

Tejaswini Talegaonkar<sup>1</sup>, Ishani Parkar<sup>2</sup>, Mariam Shaikh<sup>3</sup>, Deepashree Rai<sup>4</sup>, Prof. Shikha Malik<sup>5</sup>  
<sup>1, 2, 3, 4, 5</sup>Electronics and Telecommunication, Atharva College of Engineering, Mumbai, Maharashtra

**Abstract:** *This paper elucidates various approaches for the identification of plant diseases in the branch of image processing. With the aid of image processing and neural network, an automatic plant disease detection technique can be utilized to overcome the damage caused by plant ailments. Innumerable leaf diseases have been discovered in the past decade, and the detection of these diseases is dependent on certain patterns. There are different classification techniques that exist such as Artificial Neural Network (ANN), Back propagation (BP) Network, Support vector machine (SVM), and Radial Basis Function (RBF) Neural Network.*

**Keywords:** *Deep learning, Convolutional Neural Networks*

## I. INTRODUCTION

Since the old occasions horticulture has its own significance in life. Plants are the fundamental hotspot for the distribution of vitality for human body. Creations dependent on farming get effectively influenced by different plant ailments. These sicknesses cost as social, natural and practical misfortune to ranchers. It turns out to be critical to investigate plant infections precisely inside explicit time. A few maladies are obvious to human eyes and can be effectively identified and secured. Some are so advanced needs amazing magnifying lens or explicit electromagnetic range. Advanced innovation can make it exceptionally simple undertaking to process all sort of infection pictures definitely. It additionally gives the office to remote sense the ailments without having a specialist on the field. As malady of the plants is inescapable, recognizing ailment assumes a significant job in the field of horticulture. Location and characterization of sicknesses is a significant and earnest assignment. We can examine the picture of sickness leaves by utilizing PC preparing of the picture innovation and concentrate the highlights of malady spot as per shading, surface and different qualities from a quantitative perspective.

Plants have become a significant wellspring of vitality, and assume a significant job in handling numerous ecological issues, for example, an Earth-wide temperature boost. There are a few maladies that influence plants with the possibility to cause crushing conservative, social and environmental misfortunes. What's more, distinguishing proof of illnesses in the field is significant for the arranging of the following harvest. Ordinary planting assessments are likewise hard to perform while developing in enormous regions. To beat these issues, there is a developing inspiration to utilize VANTs in horticulture as they can fly over fields in information assortment missions. Agrarian efficiency is something on which economy exceptionally depends. This is the explanation that sickness discovery in plants assume a significant job in horticulture field, as having illness in plants are very common. On the off chance that appropriate consideration isn't taken here, at that point it causes genuine impacts on plants and because of which particular item quality, amount and profitability is influenced. For example a malady named little leaf ailment is an unsafe illness found in pine trees. Location of plant ailment through some programmed procedure is advantageous as it diminishes a huge work of checking in huge homestead corps, and at beginning time itself it distinguishes the manifestations of illnesses for example at the point when they show up on plants leaves. The given paper, displays a calculation for a picture division strategy which is utilized for programmed recognition and characterization of plant leaf maladies. It additionally covers study on various infections arrangement strategies that can be utilized for plant leaf ailment recognition. Picture division, which is a significant viewpoint for illness discovery in plant leaf ailment is finished. Plant infection ID by visual way is progressively relentless undertaking and simultaneously, less exact and should be possible just in constrained regions. While if programmed recognition procedure is utilized it will take less endeavors, less time and turn out to be progressively precise. In plants some major ailments that we observe are black and yellow colored spots along with early sear and late sear, and others are contagious, bacterial sicknesses. Picture preparing is utilized to get the measure of influenced territory of ailment and to decide the distinction in the shade of the unnatural zone. Programmed discovery of the ailments by noting down or observing the side effects on the plant leaves makes it simpler just as inexpensive and furthermore underpins machine vision. Picture division is the way toward isolating or gathering a picture into various parts. There are at present a wide range of methods for performing picture division, extending from the straightforward thresholding strategy to cutting edge shading picture division strategies. These parts regularly compare to something that people can without much of a stretch discrete and see as individual articles, thus various strategies have been created so as to section pictures. The division procedure depends on different highlights found in the picture.

The simple strategy to distinguish the plant sicknesses is with the assistance of rural master knowing about plant ailments. Yet, this manual recognition of plant ailments takes parcel of time and is a difficult work. Subsequently, there is a requirement for AI technique to distinguish the leaf infections. PC can assume a significant job to build up the programmed strategies for the recognition and order of leaf sicknesses. There can be different example acknowledgment and picture handling systems that can be utilized in the leaf infection identification. The leaf sickness recognition and grouping of leaf ailments is the way to forestall the agrarian misfortune. Distinctive plant leaves bear various infections. There are various kinds of techniques and classifiers to recognize plant leaf sicknesses.

Programmed recognition of plant sicknesses is a significant assignment as it might be helpful in checking plethora of field of yields, and in this manner consequently identify ailments from indications that show up on plant leaves. Consequently programmed location of plant malady with the assistance of picture preparing strategies give progressively exact and direction to sickness the board. Relatively, visual ID is less precise and tedious. Consequently, it is required to structure and build up an AI technique to recognize sickness of banana plant leaves in convenient style to assist the ranchers with increasing more yield of banana. Though if programmed recognition system is utilized it will take less endeavors, not so much time but rather more precisely. In plants, some broad infections are bacterial, dark spotted, and others are Rust, viral and Red cotton Leaf.

The most broadly utilized strategy for plant infection location is basically unaided eye perception by specialists through which recognizable proof and recognition of plant maladies are finished. For doing as such, an enormous group of specialists just as ceaseless observing of specialists is required, which costs high when homesteads are huge. Simultaneously, ranchers don't have appropriate offices or even thought that they can contact to specialists, in certain nations. Because of which counselling specialists even cost high just as tedious as well.

The effect of the ailment on the plant may lead to significant loss in not just quality but also in the amount of farming item. This can inflict a negative outcome on the client countries whose economies are primarily dependent on the agriculture business. The identification of the illness in the prior stages is of vital importance. This aids in keeping away from the loss as far as quality, amount and fund is considered. Generally, the strategy that is adopted for observing the board of plant leaf disease are manual. But, the necessity of this approach is unceasing observation of the field by a person with unrivaled knowledge of the plants and the diseases associated with them.

## II. BLOCK DIAGRAM OF THE SYSTEM




Fig. 1. Plant disease detection system.

### A. Input Leaf Images

The input images contains the affected leaf as well as background with healthy vegetation and soil.

### B. Pre-processing

Pre-processing involves improving vital features of the image. Various segments of the plant image are partitioned using segmentation. These helps in extraction of the affected area from the background.

### C. Feature Extraction

This step majorly includes removing redundant parts of the image and extraction of features like colour, shape and texture of the diseased part of the plant.

### D. Database Images

This database includes knowledge-based dataset that is developed for captured images with various categories.

### E. Training Images

These pictures are a lot of pictures for which the necessary result will be known. For the program that will examine and arrange the highlights, these pictures will be necessary. This will help in deciding the proper loads to use on the highlights. Method of classification techniques like machine learning, deep learning, soft computing, fuzzy logic etc. can be used.

### F. Defect Region Classified

The influenced district on the leaf is isolated from the foundation and utilized for recognizable proof. The methodologies referenced in this paper accomplished an average measure of precision as far as rivalry of the infection influenced zone which thusly brings about exact ailment distinguishing proof. Related work

Comparativey, study has been led to look at ailment discovery and characterization systems. We've looked into help vector machine arrangement technique, fuzzy logic...

## III. CLASSIFICATION TECHNIQUES

### A. SVM Classifier

Support machine vector can also be called a discriminative classifier. Support machine vector classifier is utilized for malady recognition of various yields. Despite the fact that the analysts have worked with SVM, the issue of distinguishing various ailments by utilizing SVM will be a confounded undertaking, as a result of this the efficiency of the framework will diminish both in the terms of cost and time.

It doesn't have a non-linear approach towards identification and regression. It can resolve linear and non-linear issues and stands as a great solution for several practical problems. It converts your data and then based on these conversions, finds an optimal boundary between the possible outcomes. An support vector model uses a presentation of the specimens of the different categories that are divided by a clear gap that is as wide as possible. More examples are then mapped onto the selfsame space and predicted so that it can be grouped into a group based on the part of the gap on which they fall.

### B. GLCM Approach

Grey Level Cooccurrence Matrix method uses textures to classify certain aspects of the image. Texture analysis represents the characteristics of an image in a unique form such that the segmentation of the image becomes much easier. Only the first order and the second order statistical features can be computed with speed and accuracy. Higher orders are theoretically possible but when it comes to practical implementation, interpretation difficulty and high calculation time is experienced. This approach method has been used in a number of applications.

This way it extracts second order statistical texture features. Classification and identification of cancerous areas and histopathologic images can get challenging due to complexity in image background and resolution.

### C. Fuzzy Logic

For the most part, any recommendation has two truth esteems; the worth is either valid or bogus. Be that as it may, in fluffy rationales multi-esteemed suggestions are seen where n number of genuine qualities can be resolved according to the necessity of the framework. Fluffy picture preparing is the gathering of all techniques that comprehend, process the pictures and their highlights as fluffy sets.

It has three principle arranges to be specific Fuzzification, Modification of part esteems and Defuzzification. Fuzzy logic has been used by numerous applications such as facial pattern recognition, transmission system, knowledge based systems for multi objective optimization.

**D. Artificial Neural Network**

The design of ANN is a three-layer feed forward system. Increasingly shrouded layers can upgrade the characterization procedure; in any case, it will take more emphases of preparing the information, which will prompt higher danger of over fitting. In ANN the picture is characterized in the spatial area. It has three parameters and they are as per the following N, C, R. N represents regular numbers, R represents genuine numbers and C represents complex numbers. The picture is prepared as far as a network. As per the information inside the picture, the picture is separated into power scale and afterward it is filed. In a scalar picture, every pixel is considered having a brilliant force. Contingent on the estimation of the list, each worth can be related with a shading.

**E. K-means clustering algorithm**

This section depicts the main k-suggests packing computation. The plan of action is to arrange given set of data in k number of disjoint gatherings, where the estimation of k is fixed early. This comprises of two phases: 1. The chief stage: it is to portray k centroids, one for each gathering. This stage is to take each guide having a spot toward the given instructive assortment and accomplice it to the nearest centroid. 2. Euclidean partition is usually considered to choose the division between data centers and the centroids. Right when all of the centers are associated with specific packs, the underlying advance is done and an early assembling is done. Presently we need to recalculate the new centroids, as the thought of new centers may provoke a modification in the bundle centroids. At the point when we find k new centroids, another coupling is to be made between comparative data centers and the nearest new centroid, creating a circle. The k centroids may change their circumstance in a little bit at a time way, in view of this circle. Unavoidably, a condition will be landed at where the centroids don't move any more.

**IV. ACCURACY TABLE**

SR. NO	CLASSIFIER	ACCURACY
1	FUZZY	88%
2	SVM	88.89%
3	ANN	97.41%
4	K-MEANS	88.6%

**V. CONCLUSION**

In this way, a survey has been done on different techniques associated with picture handling area. Every strategy has been abridged with the end goal that the procedures utilized in the technique and their efficiencies and disadvantages have been talked about.

**REFERENCES**

- [1] Mrs Shruthi U, Dr Nagaveni V and Dr Raghavendra B K, 'On a review on machine learning classification techniques for plant disease detection,' 5<sup>th</sup> International Conference on Advance Computing and Communication System (ICACCS) 2019
- [2] 'Optimization Based RBFNN for Identification and Classification of Plant Leaf Diseases: An Automatic Approach Towards Plant Pathology' by Siddharth S C, Ajay K, Uday P S and Sanjeev J
- [3] 'Image Texture Feature Extraction Using GLCM Approach,' Nellore, India, in International Journal of Scientific and Research Publications, May 2013.
- [4] 'Plant Disease Detection using Image Processing- A Review' by Surender Kumar Chandigarh University at International Journal of Computer Applications, Punjab, India, August 2015.
- [5] Sandika Biswas\*, Bhushan Jagyasi, Bir Pal Singh† and Mehi Lal‡TCS Innovation Labs Mumbai Tata Consultancy Services, Yantra Park, Thane, India Email: {biswas.sandika, bhushan.jagyasi}@tcs.com† Central Potato Research Institute (CPRI), Simla, India Email: directorcpri@gmail.com ‡Central Potato Research Institute Campus (CPRIC), Modipuram, Meerut, India on Severity Identification of Potato Late Blight Disease from Crop Images Captured under Uncontrolled Environment.
- [6] Everton Castelaõ Tetila , Bruno Brandoli Machado , Gabriel Kirsten Menezes , Adair da Silva Oliveira, Jr. , Marco Alvarez, Willian Paraguassu Amorim, Nicolas Alessandro de Souza Belete , Gercina Gonçalves da Silva, and Hemerson Pistori on Automatic Recognition of Soybean Leaf Diseases Using UAV Images and Deep Convolutional Neural Networks.
- [7] 'A leaf recognition algorithm for plant classification using probabilistic neural network', by Stephen G W, Forrest S B, Eric Y X, Yu – Xuan W and Yi – Fan C, IEEE 7th International Symposium on Signal Processing and Information Technology, 2007.



- [8] 'Grading method of leaf spot disease based on image processing' by Shen Weizheng, Wu, Yachun, Chen Zhanliang and Wei Hongda, Proceedings Of 2008 International Conference On Computer Science And Software Engineering, Volume 06, 2008.
- [9] 'SVM-based Multiple Classifier System for Recognition of Wheat Leaf Diseases' by Yuan Tian, Chunjiang Zhao, Shenglian Lu, and Xinyu Guo.
- [10] 'Identification and classification of normal and affected agriculture / horticulture produce based on combined color and texture feature extraction' by Basvaraj S. Anami, J.D. Pujari, Rajesh Yakkundinath.
- [11] 'Leaf Disease Grading by Machine Vision and Fuzzy Logic', by Sanjeev S S, Vijay S R, V B Nargund, ArunKumar R, Prema S Y.
- [12] 'Classification of Watermelon Leaf Diseases Using Neural Network Analysis' by Suhaili K, Noor A, Dr. Hazdi H, A'zraa Ab Rahim, Aida K, Tuan Y, Puteri Y, Mohd Abd Rahman at 2013 IEEE BEIAC.
- [13] 'ANFI System for Classification of Cotton Leaf Diseases' by P.R. Rothe and R. V. Kshirsagar, International Conference on Innovative Applications of Computational Intelligence on Power, Energy and Controls with their Impact on Humanity, 2014
- [14] 'Automated Vision-Based Diagnosis of Banana Bacterial Wilt Disease and Black Sigatoka Disease' by Godliver Owomugisha, John A. Q, Ernest M and James L.
- [15] 'Plant Disease Detection Using Image Processing' by Sachin D. K, International Conference on CCCA
- [16] 'Classification of diseased plant leaf using NN algorithms' by K. Muthukannan, P. Latha, R. Pon Selvi and P. Nisha, arpn journal of engineering and applied sciences.
- [17] 'Cotton Leaves Diseases Identification using Pattern Recognition' by P.R. Rothe and R. V. Kshirsagar, International Conference on Pervasive Computing, IEEE 2015
- [18] 'Leaf Disease Detection and Grading using Computer Vision Technology & Fuzzy Logic' by Aakanksha Rastogi, Ritika Arora and Shanu Sharma, 2015 2nd International Conference on Signal Processing and Integrated Networks (SPIN), IEEE.
- [19] 'Knowledge Based System Prototype Application for Transfer of Property Law in Indian Judicial System' by Bilgi, N. B., and Dr RV Kulkarni, International Journal of Intelligent Information Processing
- [20] 'An image processing and neural network based approach for classification of plant leaf diseases' by Garima Tripathi and Jagruti Save
- [21] 'Rice Disease Identification Using Pattern Recognition Techniques', by Santanu Phadikar & Jaya Sil, International Conference On CIT.
- [22] 'A Study on the Method of Image PreProcessing for Recognition of Crop Diseases' by Geng Ying, Li Miao, Yuan Yuan & Hu Zelin International Conference on Advanced Computer Control, 2008 IEEE.
- [23] 'Disease Detection on Cotton Leaves by Eigenfeature Regularization and Extraction Technique' by Ajay A. Gurjar, Viraj A. Gulhane International Journal of Electronics, Communication & Soft Computing Science and Engineering (IJECSSE)
- [24] 'Fast And Accurate Detection And Classification Of Plant Diseases' by H. Al-Hiary, S. Bani-Ah Mad, M. Reyalat, M. Braik And Z. A Lrahamneh, H. Al-Hiary, S. Bani-Ah Mad, M. Reyalat, M. Braik And Z. A Lrahamneh, IJCA, IEEE-2010
- [25] 'Grading & Identification of Disease in Pomegranate Leaf and Fruit,' by Tejal Deshpande, Sharmila Sengupta, and K.S.Raghuvanshi, IJCSIT
- [26] 'Classification of Cotton Leaf Spot Diseases Using Image Processing Edge Detection Techniques,' by P.Revathi and M.Hemalatha, IEEE International Conference, 2012
- [27] 'Unhealthy Region of Citrus Leaf Detection using Image Processing Techniques,' by Ms. Kiran R. Gavhale, Prof. Ujwalla Gawande, and Mr. Kamal O. Hajari, IEEE International Conference on Convergence of Technology (I2CT), Pune,
- [28] 'Image processing for smart farming detection of disease and fruit grading,' by Monika Jhuria, Ashwani Kumar and Rushikesh Borse, IEEE (ICIIP)



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)