



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: VI Month of publication: June 2020

DOI: <http://doi.org/10.22214/ijraset.2020.6168>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

An Analysis of Cloud Backed File System and Backup Algorithms

Shalima N S¹, Shamna H R²

¹M. Tech. Student, ²Associate Professor, Dept. of Information Technology, Government Engineering College, Barton Hill, Kerala, India

Abstract: Cloud computing enables computing resources to be provided as IT services. Cloud computing has high efficiency and effectiveness. Big data a vast amount of data. Big data with cloud computing is one of the most problems in our society so researchers are trying to solve these problems and they also focus their researches in this field. One of the main issues is how to perfect security is offered to big data with cloud computing, another major issue is stored in big data with cloud computing. In day to day, the Storage costs are increasing. So, we can use Cloud backed file system. This file system is backing up data and distribute a copy of the data over a community network to an off-site server. So, in this paper reviews about the Survey of big data with cloud computing security in a cloud backed file system and how to securely store big data with an available cloud of clouds. Also, a cloud backed file system enables efficient management of storage, increases performances, and cost reduction in the cloud.

Keywords: Cloud Computing, Big Data, Security, Storage, cloud back file system

I. INTRODUCTION

Cloud computing is on-demand availability of resources used to deliver hardware and software services over the internet. if the user can be used to access files and their applications from any sources that can access the web. In day-by-day due to the increase in cloud computing the data can be a store like a forerunner and a facilitator. So, it can the emergence of a huge amount of data. It's the commodification of cloud computing the time and the data storage means that standardized technologies. It has significant advantages over traditional physical deployments. However, cloud platforms are available in several forms and sometimes they need to be integrated with traditional architectures. This results in confusion for decision-makers responsible for massive data projects results in a drag of how and which cloud computing is that the optimal choice for his or her computing needs, especially if it's a huge data project. These projects are unpredictable, bursting, or immense computing power and storage needs.

Big data is known as a dataset with a size beyond the facility of the software tools that used today to manage and [1] process the info within a fanatical time. With volume, velocity, variety, veracity, and value big data such as military data or other unauthorized data need to be protected in a scalable and efficient way [1]. Information privacy and security are some of the most concerning issues for cloud computing thanks to its open environment with very limited user side control. It is also a crucial challenge for giant data. After a few years later, more data can globally have touched with cloud computing. it provides strong storage, computation, and distributed capability in the big data processing. Other considerations are information privacy and security challenges in cloud computing and big data must be investigated. The privacy and security providing by them such a forum for researchers, and developers to exchange the newest experience, research ideas, and development on fundamental issues and applications about security and privacy issues in cloud and enormous data environments [2]. The cloud helps us to organizations and it enables rapid on-demand provisioning of server resources such as CPUs, manage, storage, bandwidth, share and analyse their huge amount of data in a reasonable and simple to use. The cloud infrastructure as a service platform that supported by an on-demand analytics solution seller that creates the massive size of knowledge analytics very affordable. As location-independent cloud computing involving shared services providing resources, software, and data to systems and therefore the hardware on demand, storage networking in the cloud may be very strong because it uses the driver for high performance. Based on data received from varied sources, the big data are categorized into three: Structured data it is organized data in a predefined format and stored in tabular form (Relational Database Management System). Machine-generated structured data from sensors and weblogs. human-generated structured data are taken as information from a human. Like their names, addresses, age, nationality, etc. Sources of structured data are relational databases, flat files (CSV files, tab-separated files), legacy databases, and multidimensional databases. Unstructured data has no clear format in storage. It is a set of data that might or might not have any logical or repeating patterns. Machine-generated unstructured data are satellite. like images, scientific data. Human-generated unstructured data are images, videos, social media, etc. the main sources of unstructured data are social media, mobile data, both internal and external to an organization [3].

Semi-structured data is very difficult to categorize sometimes they look like structured or sometimes unstructured. XML or JSON documents, No SQL database data items are semi-structured data. Sources of semi-structured data are web data in the form of cookies and data exchange formats such as JSON data [4].

II. DIFFERENT FILE SYSTEM FOR CLOUD BACKUP

Cloud backup means an online backing up data that involves replication of the data over a public network to an off-site system. Cloud backed is a model that provides data backed up remotely, maintained, and managed. Users can access the data through the network. Users pay for their data storage on the cloud as per usage or monthly rate. The cloud storage providers provide a platform as a service, is one of the infrastructure services on cloud storage to shorten storage management for enterprises and personality users. Implementing cloud data backup can help boost an organization's data protection without raising the workload on information technology [9]. Online backup systems are classically built a client software application that runs on a program determined by the purchase stage of service. Cloud backups of the system contain the software and hardware component to keep an organization's data, include applications exchange and SQL Server. Online backup is used by many services like small and medium-sized businesses (SMBs) and larger enterprises to back up the data. For larger organizations, cloud data backup as a complementary form of backup.

A. Distributed File Systems

DFS is the record framework for the cloud. DFS permits the shoppers to induce to data. Data records are isolated by elements as lumps place away on totally different remote frameworks that provide equal execution. Data are place away in documents within the arrangement of the progressive tree structure. Indexes are meant by hubs. DFS encourages any quite business, (for example, enormous, medium, little) that allows golf shot away from the data and reaching to the data remotely. DFS permits 2 styles of the record framework as GFS and HDFS. Each document frameworks are taken care of the cluster handling. Hadoop distributed record framework (HDFS) supposed to induce the terabyte's data or petabytes data. HDFS is an Associate in Nursing ace slave style. it includes a reputation hub and knowledge hub systems. The name hub oversees. The capability of information and knowledge hub deals with the hub reposition. HDFS document frameworks the records are divided into squares. every sq. contains different data hubs and every hub is continual for accessibility. this is often the sq. level replication. The name hub deals with the activity of namespace and guide. The sq. to the data hub. HDFS is delineated by the strategy for data rebalancing. Google record framework (GFS) could be a distributed Document framework that offers hardly any problems – lenient, high data. capability and execution varied customers get to the data at constant time, GFS permits the guide to diminishing plan for reaching to the assorted machines. GFS could be a solitary ace server and various client style. The documents are isolated into items that place away within the Server lump. Organizing the quality reposition and information Documents the executives is answerable for the ace server. within the GFS record getting ready done by 2 stages causation stage and composing stage.

B. BlueSky: A Cloud-Backed File System for the Enterprise

Blue Sky may be a filing system of network-based cloud storage. Cloud backup provides persistent knowledge storage, provided by amazon s3 or windows azure. wild blue yonder permits consistency and huge storage capability and reduces the employment of hardware sever. Shopper access the cloud storage server with the assistance of proxy running on-the-scene. Cloud optimized by log-structured style and secure cloud log cleaner. It uses multiple protocols like NFS and CIFS for numerous suppliers. The Blue-sky filing system is maintained by object knowledge structures format and log-structured format for cloud organization. wild blue yonder provides versioned store knowledge for backups within the filing system. knowledge and information are diagrammatical by wild blue yonder objects; it's given in a very log-structured filing system, the format is knowledge blocks, node, in lyric maps, and checkpoints. For storage purposes, log segments object is aggregate. wild blue yonder customary filing system linguistics is POSIX with atomic exhausting links and renames. wild blue yonder provides a clear proxy primarily based structural style, with the aim of the store the info per mentally on cloud storage suppliers to shoppers in the associate enterprise. File knowledge are store in knowledge blocks. Files are separated by constant size blocks. Blocks' size is thirty-two KB. In-odes contain the main points of basic information like possession, access management timestamps, the directory in lyric cut back the trail traversals. The in-ode map list provides the placement of nodes as a result of in lyric knowledge aren't hold on in a very permanent location. Origin of file structure photograph is set by stop objects that find this in lyric map objects. the most use of checkpoints is managing the filing system integrity. for each file structure, the wild blue yonder maintains a neighbourhood of the log for each author to file structure. Classically there are two: the proxy managing the filing system

C. Dropbox

Dropbox is a cloud-based backup file system for storage, access, and management of data. The shopper will store and share to access this information through desktop, mobile OS. The drop box keeps a copy data or metadata is completed mechanically once the Dropbox shopper drops the file into the chosen folder. Dropbox server and shopper programs square measure written within the python language. Dropbox uses version management to revise and repost the files. Dropbox uses a revision history that is employed to recover the information simply. Version history is combined with the delta coding technique. Dropbox uses the AES-256-bit cryptography technique and SSL for synchronization. local area network synchronizes technology is provided by drop box that permits the file to transfer. The user will access cloud storage via a free account and paid account. The management server and information storage server may be a major part of Dropbox design.

D. SCFS: A Shared Cloud-backed File System

Cloud backed storage systems have various restrictions related to reliability, durability, and inefficient file sharing. SCFS provides strong consistency and POSIX semantics for the Cloud backed services. It uses a pluggable backplane is used to single cloud storage or a cloud of-clouds for cloud storage. The file system provides an integrity, confidentiality, availability through users, and also supports consistency-on-close semantics to the user's is not proposed to be a big-data file system because the SCFS file despite their increasing technology, current cloud backed Storage systems still have various restrictions related to reliability, durability assurances, and inefficient file sharing. SCFS is not proposed to be a big-data file system, because file data is downloaded from and uploaded service to one or more clouds. It contains the backend cloud storage, co-ordination, and SCFS agent. Metadata management and synchronization supported by co-ordination service. SCFS is functionality and the client file system is mounted by SCFs agent. it provides strong consistency based on two approaches as maintaining the metadata with limited capacity data and save the data itself. SCFS supports two types of a prototype of coordination services: zookeeper and deep space. These two services are integrated with the SCFS Wrappers. Zookeeper needs to $2f + 1$ replica for tolerating f crashes by using PAXOS-like protocol. Deep space is needed to $3f + 1$ or $2f + 1$ replica to tolerate f arbitrary faults by using the BFT-smart engine. SCFS are for amazons3, windows azure blob, google cloud storage, racks Page Cloud files, and all services using the cloud of cloud back end. Cloud back end uses the extended version of DEPSKY protocols. A new operation as read all versions of hashes data are Stored in DEPSKY'S metadata internal objects and stored in Cloud. Based on the consistency and sharing requirements of Stored data the SCFS operation divided into 3 modes. First is the Blocking mode, the second is Non -blocking mode, third is Non- sharing mode. SCFS is mainly used for file backup, disaster file recovery, and file-sharing control and without requiring dependence on any single cloud provider.




Fig 1: SCFS architecture

E. Google Drive

Google consolidates a complete arrangement of office apparatuses with distributed storage in the drive. You get a small little bit of everything with this administration, including an application, spreadsheet application, and introduction developer, additionally to 15gb of the free storeroom. On the off chance that you just as of now have a Google account, you'll as of now get to google drive. You just must make a beeline for drive. Google.Com and empower the administration. You get 15gb of capacity for love or money you transfer to drive, including photographs, recordings, archives, photoshop documents so some. In any case, you would like to share that 15gb together with your Gmail account, photographs you transfer to google+, and any reports you create in google drive. While you'll get to any of your documents from the drive web website, you'll likewise download the Drive desktop application for mac and pc to house your records from your pc. You'll compose the greater a part of your documents within the desktop application, and they'll adjust with the cloud so you'll go anyplace.

Drive is incorporated with Google’s web-based working framework chromium, so on the off chance that you just have a Chromebook, google drive is your best-distributed storage alternative. the drive has the advantage of an implicit office suite, where you'll alter reports, spreadsheets, and introductions, irrespective of the possibility that you just made the archive in another program. The administration additionally an intensive gathering of additional items, for example, outsider applications that will send faxes or sign records. Google additionally as these days presented google photos, and internet photograph locker, where you'll delineate photographs into collections. Google photos are incorporated with the drive during a different tab, however, you're truly happier going straight to google photos. Com to determine and type out photographs. Be that because it may, you do not must download the google photos application on your telephone or tablet to back pictures you take there. The google drive application can house that.

F. DEPSKY: Dependable and Secure Storage in a Cloud-of-Clouds

DEPSKY, cloud backup improves the availability, integrity, and confidentiality of information store in the cloud. It helps to encode, replication, and encryption of the information on varied clouds that make a cloud-of-clouds. it uses reliable and guarded storage services. DEPSKY also offers the storage, it's accessed by users while invoking the operations. DEPSKY also provides four limitations which include Loss and corruption of facts, Loss of privacy, Vendor lock-in, Loss of availability. DEPSKY System uses data and device models. It incorporates algorithms that might be DEPSKY–A and DEPSKY–CA algorithm. DEPSKY has a set of protocols. DEPSKY algorithms are implemented on the client-side using the software library. In DEPSKY the information model contains 3 abstraction levels. The first level is the conceptual facts unit it has a unique name, version number, records verification, cryptographic information hash. The 2d stage is the Conceptual unit is implemented by using a generic statistics unit, it has styles of documents which are signed Metadata record and storage record. The 0.33 level is the records unit are implemented. Data unit supports the operation of storage gadgets like the introduction of Metadata file, deletion of the facts unit, read and write operation, and read operation. System Model use of the ADS. it's far composed of writers, readers, and cloud garage providers. Quorum protocols are the spine of storage systems. That includes the man or woman garage nodes instead of servers. Numerous protocols must get right of entry to the shared memory, which makes geographically isolated with dispensed systems. The DEPSKY protocols are used to need two communications to study or write metadata and information files. Byzantine fault-tolerant (BFT) is implemented by the DEPSKY protocol. But it's difficult for the server to execute to code and functions. The foremost distinction between DEPSKY protocols and BFT protocols. DEPSKY – A is that the protocol improves the provision and integrity of storage cloud through replication of the usage of quorum techniques. DEPSKY -A ought to examine and write a set of rules. The DEPSKY-A protocol has 2 limitations they are size and costs. The facts stored in single. Cloud. So, it does not provide a facts confidentiality guarantee. DEPSKY – CA protocol overcomes some problems and also have extra cryptographic function and coding functions. DEPSKY-CA is used to encryption method for writing a set of rules generates key sharing.




Fig 2: DEPSKY architecture

G. CHARON-FS: Data-centric cloud-Backed file System

CHARON is a cloud upheld record framework that skilled to store and offer the immense measure of data between different cloud suppliers. this stockpiling framework is a safe, solid way. CHARON has two primary highlights: first is CHARON is the serverless plan and the effective administration of the record framework. second is it underpins three sorts of information areas. as a haze of mists, single distributed storage, and private distributed storage. The Cloud of mists gives multi coloured accessibility, classification, honesty. Single cloud is a minimal effort contrasted with the haze of mists. in CHARON information is isolated by record information and Metadata. at the point when Metadata is put away in the haze of mists. it is s information-driven. The byzantine-flexible renting calculation which dodges the simultaneousness clashes. it separates the records into little consistent size squares. at that point, Files are put away in different information areas dependent on their prerequisites. CHARON uses the POSIX interface. then the client can cooperate with any recorded framework. distributed storage suppliers use in CHARON are Amazon S3, Windows Azure Storage, Backspace Cloud Files, and Google Cloud Storage. CHARON comprises two significant plan ideas: first is composes on assimilates record and the second is evacuate compose – work clashes and instrument of precluding idealistic. CHARON configuration has three difficulties. The capacity to manage different distributed storage areas has a Proper record framework for the executives and it has simultaneous access to the document framework. CHARON utilizes a measured based methodology for no issue lenient, that assemble administration of the cloud.




Fig.3 Charon architecture

H. Rock-FS: Cloud-backed file System Resilience to client-side Attacks

Rock-FS is cloud upheld record framework. it bolstered by a solitary cloud or haze of-clouds.it is versatile to customer side assaults. Rock-FS have two arrangements of security components that can be incorporated with the customer side of the document framework. a recuperation administration is fit for fixing unintended record tasks, without losing legitimate document activities that happened after the assault, and gadget information security instruments are utilized to store encryption keys wellbeing and it likewise lessens the likelihood of getting the certifications by assailants and gatekeeper to reserved information. It is utilized with distributed storage suppliers with AWS-s3, Back burst B2, google distributed storage, Microsoft purplish-blue mass, and Rack Space Cloud Files. Rock-FS requires a coordination administration and it's good with Dep Space and Zookeeper. it's additionally conceivable to check Rock-FS without a coordination administration and the metadata of the document framework is kept inside the memory in during the execution of record and dispose of a short time later. Recuperation Rock-FS spares logs to record activities. Each log section is made out of two sections, the information part, the metadata part, the information part was heading off to the capacity mists, and the metadata part goes to the coordination administration.

III. DIFFERENT BACKUP ALGORITHMS

A backup or data backup could be a copy of computer data taken and stored elsewhere so it should be wont to restore the initial after an information loss event. The verb form, concerning the method of doing so, is "Back up", whereas the noun and adjective form is "Backup". backups are often wont to recover data after its loss from data deletion or corruption or to recover data from an earlier time. backups provide a straightforward kind of disaster recovery; however, not all backup systems can reconstitute or other complex configurations like a computer cluster, active directory server, or database server. a backup system contains a minimum of one copy of all data considered worth saving. The information storage requirements are often large. An information repository model could also be wont to provide structure to the current storage. There are different types of information storage devices used for copying backups of the information that's already in auxiliary storage onto archive files. There also are alternative ways these devices are often arranged to produce geographic dispersion, data security, and portability. Data is chosen, extracted, and manipulated for storage. The method can include methods for handling live data, including open files, further as compression, encryption, and de-duplication. Additional techniques apply to enterprise client-server backup. Backup schemes may include dry runs that validate the reliability of the information being secured.

A. Seed block algorithm:

The user info is collected from many remote locations while not a network association. The files square measure recovered by the seed block algorithmic rule. The seed block algorithmic rule principally concentrates on security. it's used to making a copy file storage on a distant system and excluding any encoding techniques. Seed Block algorithmic rule (SBA) provides associate economical and easy Back-up and recovery methods. independent agency computation supported XOR (exclusive – OR) operation. Example: the 2 information files samplefile1 and samplefile2 square measure hold on in cloud storage. the independent agency performs the computation operation XOR on these 2 files and produces the result as a result file (samplefile1 + samplefile2). once the samplefile1 is missing within the cloud storage, to recover the samplefile1 by XOR (i.e.) $\text{samplefile1} = (\text{result file samplefile2})$.

B. HSDRT

HSDRT is also a contemporary record reinforcement technique. it's affordable for a transportable digital computer, advanced mobile phones and shortly. HSDRT for the foremost half utilizes disseminated info exchange strategy with a high rate encoding system. HSDRT framework is isolated into reinforcement and recovery. the price of usage is high.

C. ERGOT

It highlights the semantic examination and neglects to concentrate on schedule necessities and execution unpredictability. It is a Semantic-based System which enables for Service Discovery in dispensed computing. It uses our facts recovery technique. It was visible that this approach isn't a back-up component however it gives a productive recuperation of facts this is based on the semantic comparison between administration portrayals and management demands. ERGOT has three segments. A percentage of semantic closeness amongst administration portrayal. DHT based seek is productive but its regulations to recover accurate terms for instance administration name, subsequently, it now and again falls short for properly for the semantic likeness.

D. Linux Box

Linux Box model has a very fully easy conception of knowledge back-up and recovery at a low price. in this method, the migration from one cloud service supplier to a different appears to be terribly and straightforward. it's economical for all customers and tiny and Medium Business. This answer removes consumer's dependency on the net service supplier and its associated backup price. It incorporates Associate in the Nursing application on the UNIX operating system box that may perform a backup of the cloud onto native drives. Care is taken to stay knowledge protected by mistreatment cryptography techniques throughout transmission over the network. The delineate methodology is easy to implement and might be simply reasonable by little and medium business. Also, it will be enforced low price, it needs higher information measure because it performs a backup of the whole virtual machine.

E. Cold and Hot Backup Service

Here the creator proposes two methodologies for recuperation reason for administration synthesis which is one of the major worries in a powerful system. The two strategies give improvement to the current Backup Service Substitution Strategy (BSRS) specially intended for overseeing disappointments in a powerful system. In any case, certain impediments in this technique neglect to offer great support. In the Cold Backup Strategy, the administration triggers at whatever point there is an indication of the inaccessibility of administrations. The hot reinforcement system offers more prominent support substitution when contrasted and Cold

Replacement procedure. It is appropriate whenever the odds of disappointment is high, as it re-establishes the administration before there is interference by keeping various administration reinforcements to keep up high accessibility.

F. Shared Backup Router resources (SBBR)

SBBR is a backup algorithm for the failure of routers and a reduction in cost. SBBR provides the multi-layer signalling AND management system for the network. SBBR uses IP logical connectivity for the failure of a router. The main drawback of SBBR is an inconsistency between the physical and logical configuration, which affects the performance of the system.

G. PCS: Parity Cloud Service

This recovery includes the attendant highlights It does not need the utilization of steep chartered lines once differentiated with commonplace structures and uses unused framework resources (e.g. Unused memory house of PCs, transportable telephones, etc). It utilizes special scrambling and arbitrary dispatching innovation to work important data documents. because the number of purchasers builds there'll be a lot of spotlight on security. because it includes stream figure speed of cryptography that is going to be enlarged. The HS-DRT, that utilizes a compelling ultra-generally disseminated data move instrument and a quick cryptography innovation. The framework includes 2 arrangements one is reinforcement succession what is a lot of, recovery arrangement. The recovery succession is going to be utilized once there's any data misfortune owing to the cataclysmal event at the purpose once one among the elements of HSDRT begins recovery. There square measure several impediments related to this system because of that it cannot be thought-about as a perfect strategy for reinforcement and recovery in distributed computing. Even if this model is utilized for transportable customers, for instance, PCs, PDAs, and so on. The data recovery price is sort of enlarged and there's enlarged excess.

IV. CONCLUSIONS

This paper is ready for the survey of the various record gadget for cloud backed services different backup algorithms for cloud backed offerings in the cloud. At currently a dramatically growing in the enterprise and internet programs so, garage is turning into a major issue in cloud computing. Cloud backed report system is backing up facts and distribution reproduction of the facts over a community network to an off-web page server. Uncomplicated access interfaces and elastic billing models, cloud storage has come to be a suitable method to make simple the garage organization for both organizations and character users. The file gadget that enhancing their performance, protection, and value of end-users. Cloud copy manner that the combination of intellectual facts backup, recovery, and straightforward unified solutions that save the enterprise information. It affords the corporation control offerings, disaster recovery plan, strength efficiency, and value reduction.

REFERENCE

- [1] Intel IT center, "Peer Research Big Data Analytics ", Intel's IT Manager Survey on How Organizations Are Using Big Data, AUGUST 2012.
- [2] Vahid Ashktorab, Seyed Reza Taghizadeh, and Dr. Kamran Zamanifar, "A Survey on Cloud Computing and Current Solution Providers," International Journal of Application or Innovation in Engineering Management (IJAIEM), October 2012.
- [3] Thilakanathan.D, Calvo.R, Chen.S, Nepal S, "Secure and controlled sharing of data in distributed computing," In Proceedings of the 16th IEEE International Conference on Computational Science and Engineering (CSE 2013), Sydney, Australia, pp. 825-832, 2013.
- [4] V.N. Inukollu, S. Arsi, and S.R. Ravuri, "Security issue Associated with Big data in Cloud Computing," Int. J. of Network Security and its Application, vol. 6, Issue 3, 2014.
- [5] H. Fang, Z. Zhang, C. J. Wang, M. Daneshmand, C. Wang, and H. Wang, "A survey of big data research," In *IEEE Network*, vol. 29, no. 5, pp. 6-9, September-October 2015.
- [6] Dr. Chinthagunta Mukundha, K. Vidyamadhuri, "Cloud Computing Models: A Survey," *Advances in Computational Sciences and Technology*, ISSN 0973-6107 Volume 10, Number 5 (2017) pp. 747-761.
- [7] M Sulochana1, Ojaswani Dubey, "Preserving Data Confidentiality Using Multi-cloud Architecture," 2nd International Symposium On Big Data And Cloud Computing (ISBCC'15) *Procedia Computer Science*.
- [8] Nikhil Srivastava, Poorva Andurkar, "A New Approach For Cloud data Security: from Single To Cloud Of Clouds," International Journal Of Advances In Computer science And Cloud Computing, Volume-3,may-2015.
- [9] P. Rohini, K. Palraj, " A Survey on Coral - A Cloud-Backed Frugal File System," International Journal of Advanced Research in Computer and Communication Engineering, Vol. 5, Issue 9, September 2016.
- [10] J. Howard et al." Scale and performance in a distributed file system," *ACM Trans. Computer Systems*, 6(1):51-81, 1988.
- [11] Zhang, Qi-Fei; Pan, Xue-Zeng; Shen, Yan; Li, Wen-Juan, "A Novel Scalable Architecture of Cloud Storage System for Small Files Based on P2P," 2012 IEEE International Conference on Cluster Computing Workshops. Coll. of Comput. Sci. Technol., Zhejiang Univ., Hangzhou, China.
- [12] Upadhyaya, Azimov,.Doan, T.Choi, Eunmi, Kim, Sangbum, Kim, Pilsung, "Distributed File System: Efficiency Experiments for Data Access and Communication," 2008 Fourth International Conference on Networked Computing and Advanced Information Management. Sch. of Bus. IT, Kookmin Univ., Seoul. pp. 400-405.doi:10.1109/NCM.2008.164. ISBN 978-0-7695-3322-3.



- [13] Alysson Bessani, Ricardo Mendes, Tiago Oliveira, Nuno Neves, Miguel Correia, Marcelo Pasin, and Paulo Verissimo, "SCFS: A Shared Cloud-backed File System," In Proceedings of the USENIX ATC on USENIX Annual Technical Conference 19&20-June -2014.
- [14] Alysson Bessani, Miguel Correia, Bruno Quaresma, Fernando Andre, and Paulo Sousa, "DEPSKY: Dependable and Secure Storage in a Cloud-of-clouds," EuroSys 11-April- 2011.
- [15] Ricardo Mendes, Tiago Oliveira, Vinicius Cogo, Alysson Bassani, " A Secure Cloud-of-Clouds System for Storing and Sharing Big Data," IEEE Transactions On Cloud Computing, Vol.Xx, No. Y, March 2019.
- [16] Kailas Pophale, Priyanka Patil, Rahul Shelake, Swapnil Sapkal, "Seed Block Algorithm: Remote Smart Data- Backup Technique for Cloud Computing," International Journal of Advanced Research in Computer and Communication Engineering, Vol. 4, Issue 3, March 2015.
- [17]] Lili Sun, Jianwei An, Yang, and Ming Zeng, "Recovery Strategies for Service Composition in Dynamic Network," InternationalConference on Cloud and Service Computing,2011.
- [18] Giuseppe Pirro, Paolo Trunfio, Domenico Talia, Paolo Missier, and Carole Goble "ERGOT: A Semantic-based System for Service Discovery in Distributed Infrastructures," 10th IEEE/ACM International Conference on Cluster, Cloud and Grid Computing,2010.
- [19] Xi Zhou, Junshuai Shi, YingxiaoXu, Yinsheng Li, and Weiwei Sun, "A backup restoration algorithm of service composition in MANETs," Communication Technology ICCT 11th IEEE International Conference, 2008, pp. 588-591.
- [20] Ms...Kruti Sharma, and Prof K.R. Singh "Online data Backup and Disaster Recovery techniques in cloud computing: A review," JEIT, Vol.2, Issue 5, 2012.
- [21] Eleni Palkopoulou, Dominic A. Schupke, Thomas Bauscherty, "Recovery Time Analysis for the Shared Backup Router Resources (SBRR) Architecture," IEEE ICC, 2011.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)