



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 8      Issue: VII      Month of publication: July 2020**

**DOI: <https://doi.org/10.22214/ijraset.2020.30542>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Randomness of Manna Cipher for Larger Plain Texts

Neelanjan Manna

BCA, The Heritage Academy . MCA , Vellore Institute of Technology

**Abstract:** This document gives an overview of solving the limitations of cipher text formatting while implementing cryptography techniques on computers. The Manna Cipher uses the numbering system to represent ciphers rather than alphanumeric characters. The aim is to create a ciphering standard which is painstakingly difficult to crack even using the latest super computers. This document will be focusing on the plain text the resultant cipher text and the run time to have a fair idea about the randomness.

**Keywords:** Manna Cipher, cryptography, mathematical cipher model, uncrackable cipher.

## I. INTRODUCTION

Cryptography, is the training and investigation of methods for secure correspondence within the sight of outsiders called enemies. All the more for the most part, cryptography is tied in with building and investigating conventions that keep outsiders or people in general from perusing private messages.

Different angles in data security, for example, information secrecy, information respectability, validation, and non-revocation are vital to current cryptography standards.

Present day cryptography exists at the convergence of the orders of arithmetic, software engineering, electrical building, correspondence science, and material science. Utilizations of cryptography incorporate electronic business, chip-based installment cards, computerized monetary forms, PC passwords, and military correspondences.

Cryptography preceding the cutting edge age was adequately equivalent with encryption, the change of data from an intelligible state to obvious rubbish. The originator of a scrambled message shares the unraveling strategy just with planned beneficiaries to block access from enemies. The cryptography writing regularly utilizes the names Alice ("A") for the sender, Bounce ("B") for the expected beneficiary, and Eve ("meddler") for the foe. Since the improvement of rotor figure machines in World War I and the approach of PCs in World War II, the techniques used to complete cryptology have gotten progressively intricate and its application increasingly across the board.

## II. OBJECTIVES OF THE STUDY

- A. Manna cipher randomness visualisation
- B. Time performance of the Manna Cipher.
- C. Identifying whether the time taken to process the cipher text varies by a huge degree due to increase in the length of the cipher

## III. HYPOTHESES

### A. Null hypotheses

- 1)  $H01$ : For the same encryption key the resultant cipher is the same
- 2)  $H02$ : The plain text and cipher text are always same in length
- 3)  $H03$ : Run time varies by a huge degree due to varying lengths of cipher text

### B. Alternative Hypotheses

- 1)  $H11$ : For the same encryption key the resultant cipher is not same
- 2)  $H12$ : The plain text and cipher text are never same in length
- 3)  $H13$ : Run time does not vary by a huge degree due to varying lengths of cipher text

#### IV. METHODOLOGY

##### A. The Configurations of The Computer Under Study

- 1) Windows 10 home edition
- 2) Intel i5 8<sup>th</sup> gen
- 3) GTX 1050ti
- 4) 8gb ddr4 ram
- 5) 1tb hdd
- 6) 128 gb ssd

##### B. Algorithm Implementation

- 1) Using C




Figure 1

In figure 1 the run time is depicted to encrypt a text file containing the text “hello world” with the password neel .The time taken to encrypt in seconds is depicted along y axis and the serial number of the encryption round is depicted along x axis.




Figure 2:

In figure 2 the run time is depicted to decrypt a text file containing the Manna cipher with the password neel .The time taken to decrypt in seconds is depicted along y axis and the serial number of the decryption round is depicted along x axis.




Figure 3: The plain text before encrypting








Figure 4: The plain text after encrypting

### 2) Variations of cipher text for same password(i)















3) Actual data



1 Abstract- This document gives an overview of solving the limitations of cipher text formatting while implementing cryptography techniques on computers. The Manna Cipher uses the numbering system to represent ciphers rather than alphanumeric characters. The aim is to create a ciphering standard which is painstakingly difficult to crack even using the latest super computers. This document will be focusing on the plain text to the resultant cipher text and the run time to have a fair idea about the randomness.

2  
3  
4  
5 Keywords- Manna Cipher , cryptography , mathematical cipher model , uncrackable cipher.

6 I. Introduction

7 Cryptography, is the training and investigation of methods for secure correspondence within the sight of outsiders called enemies. All the more for the most part, cryptography is tied in with building and investigating conventions that keep outsiders or people in general from perusing private messages. Different angles in data security, for example, information secrecy, information respectability, validation, and non-revocation are vital to current cryptography standards. Present day cryptography exists at the convergence of the orders of arithmetic, software engineering, electrical building, correspondence science, and material science. Utilizations of cryptography in corporate electronic business, chip-based installment cards, computerized monetary forms, PC passwords, and military correspondences.

8 cryptography preceding the cutting edge age was adequately equivalent with encryption, the change of data from an intelligible state to obvious rubbish. The originator of a scrambled message shares the unraveling strategy just with planned beneficiaries to block access from enemies. The cryptography writing regularly utilizes the names Alice ("A") for the sender, Bounce ("B") for the expected beneficiary, and Eve ("meddler") for the foe. Since the improvement of rotor figure machines in World War I and the approach of PCs in World War II, the techniques used to complete cryptography have gotten progressively intricate and its application increasingly across the board.

9

10 II. OBJECTIVES OF THE STUDY

11 A. Manna cipher randomness visualisation

12 B. Time performance of the Manna Cipher.

13 C. Identifying whether the time taken to process the cipher text varies by a huge degree due to increase in the length of the cipher

14

15 III. HYPOTHESES

16

17 A. Null hypotheses

18 1) H01: For the same encryption key the resultant cipher is the same

19 2) H02: The plain text and cipher text are always same in length

20 3) H03: Run time varies by a huge degree due to varying lengths of cipher text

21

22 B. Alternative Hypotheses

23 1) H11: For the same encryption key the resultant cipher is not same

24 2) H12: The plain text and cipher text are never same in length

25 3) H13: Run time does not vary by a huge degree due to varying lengths of cipher text

26

27 IV. METHODOLOGY

28

29 A. The configurations of the Computer Under Study

V. CONCLUSION

From the above figures (Figure 1 and Figure 2) we can observe that the performance of the laptop used in the study the encryption algorithm is very fast to perform the encoding process and the decryption algorithm after running for three consecutive times using the same pass code takes only 0.015 seconds at maximum in the later decryption stages to decode the cipher. The plain text is given in Figure 3 and the cipher text is given in Figure 4. The performance analysis for larger plain texts has been done in this document where the variations in cipher text for same password can be seen. The performance analysis regarding randomness of SHA 256, SHA 512 and RSA 512 in comparison with the Manna ciphering standard shall be the part of future research work.



#### REFERENCES

- [1] F. L. Bauer, *Decrypted Secrets*. Springer, 2010. ISBN 978-3-642-06383-1.
- [2] Ciphher A. Deavours/Louis Kruh, *Machine Cryptography and Modern Cryptanalysis*. Artech House, Norwood 1985. ISBN 0-89006-161-0.
- [3] William F. Friedman, *Elements of Cryptanalysis*. Aegean Park Press, Laguna Hills 1976. ISBN 0-89412-002-6.
- [4] William F. Friedman, *Military Cryptanalysis*, Part I, II, III, IV. 1938. Reprint: Aegean Park Press, Laguna Hills 1980. ISBN 0-89412-044-1, 0-89412-064-6, 0-89412-196-0, 0-89412-198-7.
- [5] Helen Fouché Gaines, *Cryptanalysis*. Dover Publications, New York 1939, 1956(6). ISBN 0.486-20097-3.
- [6] Walt Howe: Basic Cryptanalysis. US Army Field Manual 34-40-2. Aegean Park Press, Laguna Hills 1997.
- [7] David Kahn, *The Codebreakers*. Macmillan, New York, 1967. ISBN 0-02-560460-0. 2. Auflage: Scribner, New York 1996.
- [8] Simon Singh, The Code Book. Fourth Estate, London 1999.
- [9] Solomon Kullback, *Statistical Methods in Cryptanalysis*. Aegean Park Press, Laguna Hills 1976. ISBN 0-89412-006-9.
- [10] Randall K. Nichols, *Classical Cryptography Course*, Volume I & II. Aegean Park Press, Laguna Hills 1996. ISBN 0-89412-263-0 & 0-89412-264-9.
- [11] Abraham Sinkov, *Elementary Cryptanalysis*. The Mathematical Association of America, Washington 1966. ISBN 0-88385-622-0.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)