



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: VIII Month of publication: August 2020

DOI: <https://doi.org/10.22214/ijraset.2020.30997>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

MRI Process Improvement

Puneethraj V¹, Chandramouli V A², Madhushri J V³, Ranjith K V⁴, Madhusudhan M⁵

^{1, 2, 3, 4}students, ⁵Professor, Department of Electronics and Communication Engineering, Dr. Ambedkar Institute of Technology Bangalore, India

Abstract: With the remarkable increase in image processing for discussing medical imaging is one of the budding fields and the desires for advancements in medical imaging is always developing and challenging. MRI based brain medical imaging are used for medical diagnosis given that it show the internal portions of the human brain and Brain tumor is the vicious life changing diseases. Image normalising plays vital role in image processing as it facilitates in the extraction of doubtful regions from the MR Images. Division method is one of the typical used normalising technique for brain MRI and above all useful for gray scale image normalising practical on mathematical morphology and region detection. The similar research outcome demonstrate the enhancement in brain MRI normalising by combining various method and techniques. Nevertheless the perfect results are not been planned and demonstrated in the analogous researches. Hence, this work demonstrates the advanced accuracy for brain tumor detection in compared to the presented methodologies. Also the major identified bottleneck of the recent research outcomes are limited to detection of brain tumor and the overall analysis of internal structure of the brain is predominantly ignored being one of the most important factor for disorder detection. This work also explores the possibilities of identify the brain regions with feasible disorders.

Keywords: Method, Marker based, Image Normalising, MRI, Brain Tumor.

I. INTRODUCTION

In the room of image processing, the processing of medical images for medical diagnostics is the prime area of research for many decades and image processing plays key part in the health care. Brain Tumor is hysterical expansion of cancer cells and varied types of brain tumor with dissimilar characteristics and treatments^[2]. A brain tumor is shaped because of atypical cells created within the brain and brain tumor is primarily classified into two types such as benign tumors and malignant or cancerous tumors. Cancerous tumors further separated into two types' primary tumors that begin within the brain and secondary tumors, brain metastasis which is multiply from somewhere else in the body. In the field of medical, brain tumor grows without any control of typical forces, with the improvement of medical imaging; imaging modalities achieve significant part in the brain tumor measurement and huge impact on patient concern^[3]. Last few years, hopeful imaging modalities are compute Tomography (CT), XRay, Single-Photon Emission Computed Tomography (SPECT), Ultrasonography, Magnetic Resonance Imaging (MRI), Positron Emission Tomography (PET), Magneto EncephaloGraphy (MEG), and Electro EncephaloGraphy (EEG).

MR and CT scan images can be used for detection of brain tumor and diagnosis of brain tumor with dependable algorithms is active research area in medical imaging. In medical diagnosis, normalising of tissues and structures are key component for medical image analysis and Image normalising plays significant part in diagnosis of brain diseases using the quantitative analysis of MR images such as measuring accurate size and volume of extracted portion of the medical imaging. Many researchers have proposed algorithms and technique for normalising of medical images^[7].

Therefore image normalising is the basic procedure used in tumor revealing in medical imaging and which separation or divides the medical image into analogous region with a main aim to make simpler and easier to analyse visually. Medical imaging has several fuzzy factor such as grey scale, region boundary and texture etc, further medical imaging have bunch medical data, hence we believe speed and effectiveness of image normalising technique.

The central focus of the brain tumor normalising is to split the odd tumor tissues which is active cells, edema and necrotic core from the normal brain tissue. For the recognition of Brain tumor disease MRI is mainly popular because of non-invasive imaging and soft tissue contrast of MRI^[4].

The rest of the work is organized as follows, in division II we discuss the active techniques for MRI based brain tumor normalising, in division III we are discussing software and language used, in division IV we demonstrate the proposed approach for Brain tumor detection via Marker based normalising algorithm, in division V we discuss the normalising techniques on several MRI datasets and in division VI we discuss the conclusions^[1].

II. RELATED WORK

Image normalising is a very essential method for the common medical image analysis responsibilities and also significant development to take out information from difficult medical images. Normalising has wide application in medical field^[2]. Having fine normalisings will help clinicians and patients as they present important information for 3-D visualization, surgical planning and premature disease detection. In past few years various brain MRI normalising methodologies and technique have been presented and wide collection of medical imaging normalising techniques have been deployed to identify the brain tumors from the MR images^[1]. An extensive range of medical image normalising techniques are been characterized to detect the brain tumors from the MR images. Some of the techniques are compare [Table I].

TABLE I
Existing Algorithms For MRI-Based Brain Tumornormalising

S.No	Method	Presentation
1	Combination of k-means and fuzzy c-means	Better exactness and reproducibility
2	FKSRG	Lower more and Under normalising
3	Multi-region plus multi-reference framework	Higher tissue overlap rates and lower standard deviations
4	Generative probabilistic model and spatial regularization	enhancement greater than the conventional multivariate tumor normalising (25 gloom)
5	Probabilistic model plus localization	latest strong valuable to observe disease progression
6	Non-rigid registration, atlas and MRF	Multivariate tumor normalising
7	SVM plus CRF	10 multispectral patient datasets extra feature normalising low computation times
8	Decision Forests plus tissue-specific Gaussian mixture models	Segmenting the individual tissue type simultaneously such as AC, NC, E, etc.
9	VM plus Kernel feature selection	Good results tested in T1w, T2w and T1c and low computation time

Thus with this consideration, the subsequently research trend is obvious to have several normalising technique to improve the accuracy of brain tumor detection in MRI^[3].


III. SOFTWARE AND LANGUAGE

A. Why do I need Anaconda Distribution?

Many scientific packages require a definite version of Python to run. It's difficult to keep various Python installations on one computer as of interacting and breaking, and harder to keep them up-to-date. Anaconda Distribution makes management of several Python versions on one computer easier, and provides a huge collection of highly optimized, commonly used data science libraries to get you started faster.

Which is also include standard lib files.

While python language describes the precise syntax and semantics of the Python language, this library reference guide describes the standard library that is distributed with Python. It also describe some of the possible components that are commonly integrated in Python distributions. Python's standard library is very extensive, offering a wide range of services as indicated by the long table of contents listed below. The library contain built-in modules (written in C) that provide access to system functionality such as file I/O that would otherwise be unapproachable to Python programmers, as well as modules written in Python that provide standardized solutions for many troubles that occur in everyday programming. Some of these modules are explicitly designed to encourage and enhance the portability of Python programs by abstracting away platform-specifics into platform-neutral APIs.



V. BRAIN MRI NORMALISING TECHNIQUE AND TUMOR DETECTION

A. Normalising

In image processing, **normalization** is a process that changes the range of pixel intensity values. Applications include photographs with poor contrast due to glare, for example. Normalization is sometimes called contrast stretching or histogram stretching. In extra general fields of data processing, such as digital signal processing, it is referred to as dynamic range expansion.

The purpose of dynamic range expansion in the various applications is usually to bring the image, or extra type of signal, into a range that is more familiar or normal to the senses, hence the term normalization. Often, the stimulus is to achieve consistency in dynamic range for a set of data, signals, or images to avoid mental disturbance or fatigue. For example, a newspaper will strive to make all of the images in an issue share a similar sort of grayscale.

Normalization transforms an n-dimensional grayscale image with intensity values in the range (Min,Max), into a new image with intensity values in the range (newMin,newMax).

The linear normalization of a grayscale digital image is performed according to the formula.

$$I_N = (I - \text{Min}) \frac{\text{newMax} - \text{newMin}}{\text{Max} - \text{Min}} + \text{newMin}$$

For example, if the intensity range of the image is 50 to 180 and the preferred range is 0 to 255 the process entails subtracting 50 from each of pixel intensity, assembly the range 0 to 130. Then each pixel intensity is multiplied by 255/130, building the range 0 to 255.

Normalization might also be non linear, this happens when there isn't a linear relationship. An illustration of non-linear normalization is when the normalization follows a sigmoid function, in that case, the normalized image is compute according to the formula.

$$I_N = (\text{newMax} - \text{newMin}) \frac{1}{1 + e^{-\frac{I-\beta}{\alpha}}} + \text{newMin}$$

Where defines the width of the input intensity range, and defines the intensity around which the range is centred. Auto-normalization in image processing software typically normalizes to the full dynamic range of the number system specified in the image file format.



Image without normalizing and after normalizing

B. Masking

Masking involves setting some of the pixel values in an image to zero, or some other "background" value. Masking can be done in one of two ways:


- 1) Using an image as a mask. A mask image is simply an image where some of the pixel intensity values are zero, and others are non-zero. Wherever the pixel intensity value is zero in the mask image, then the pixel intensity of the resulting masked image will be set to the background value (normally zero). You might, for example, create a mask image using the bit Analysis tool.
- 2) Using a set of ROIs as the mask. The ROIs for each slice are use to define the mask.

C. Train And Test Data

In a dataset, a training set is implementing to build up a model, while a test (or validation) set is to validate the model built. Data points in the training set are excluded from the test (confirmation) set^[9]. Usually, a dataset is divided into a training set, a validation set (some people use 'test set' instead) in each iteration, or divided into a training set, a validation set and a test set in each iteration. In Machine Learning, we basically try to create a model to predict the test data. So, we use the training data to fit the model. Testing data to test it. The models generated are to predict the results unknown which are named as the test set. As you pointed out, the dataset is divided into train and test set in order to check accuracies, precisions by training and testing it on it^[9].

D. Load Model

- 1) *U-net Model*: The U-Net architecture is built upon the Fully Convolution Network and modified in a way that it yields better segmentation in medical imaging. Compared to FCN-8, the two main differences are (1) U-net is symmetric and (2) the skip connections among the down-sampling path and the up-sampling path apply a concatenation operator instead of a sum. These skip connections intend to provide local information to the global information while up-sampling. Because of its symmetry, the network has a large number of feature maps in the up-sampling path, which allows transferring information. By comparison, the basic FCN architecture only had number of classes feature maps in its up-sampling path.



U-Net architecture is separated in 3 parts

- a) The contracting/down-sampling path
- b) Bottleneck
- c) The expanding/up-sampling path

E. Model Simulation

We are using one of the activation function relu and it will take max-value in our data, and also we have sigmoid function still we are using relu because, we have hidden network inside, which can go through with all the hidden network.

We have hidden layers because, in a image there are so many nodes. In these nodes relu function can go through.

F. Predicting Images

1) *plt.imshow*: The matplotlib function imshow() create an image from a 2-dimensional numpy array. The image will have one square for all element of the array. The color of each square is determined by the worth of the equivalent array element and the color map used by imshow(). Giving some haphazard image number in x-train, squeeze and reshape the images, plotting the image.

VI. RESULTS AND DISCUSSIONS

In order to prove the findings and theoretical construction predictable in this work, we provide the PYTHON implementation of this structure to test the visual advantages of normalising algorithms for normalising of brain MRI. PYTHON is a highly popular multipurpose numeric programming language for the wide variety of built-in library functions range from image processing to higher order numeric calculation. The final outcome of this work is a stable edition of PYTHON based application to visually display the discovery of brain tumor. In this section, we have measured three different Datasets of Brain MRI for identification of brain tumor using Marker based methods. The testing results clearly demonstrated better results in above mentioned figures for the brain tumor identification using marker based normalising technique and breakdown of correctness for brain MRI^[1].

The obtainable approach is exhibited on brain MRI Datasets and accomplished average accurateness is 97.34%. The application is outfitted with a pre-processing component and the relative performance of the application is also been confirmed with the help of three Datasets brain MRI and achieve average accurateness is 97.34%^[8].

VII. CONCLUSION

In this work significant sum of analyses has been performed on brain MRI to detect brain anomalous regions with marker based normalising algorithm. This work demonstrate the possible enhancement of detection of brain tumor with high precision of MR Image^[7]. The discussions of fundamental design at the back these algorithms are obtainable and the fundamental consideration about the development parameters of algorithm is been discussed. The work also study the existing methods of brain image normalising like mixture of k-means and fuzzy means, FKSRG, Multi-region and multi-reference framework^[8]. Generative probabilistic mold and spatial regularization, Probabilistic model and localization, Non-rigid registration, plan and MRF, SVM and CRF, Decision Forests and tissuespecific Gaussian mixture model, SVM and Kernel feature selection and the advantages of methods for MR Images are been identified with likely enhancements. The theoretical model is also legalize using the application and the results are also been experienced with improved accuracy satisfaction for detecting brain tumor^[6].

REFERENCES

- [1] J. B. T. M. Roerdink and A. Meijster, "The transform: Definitions, algorithms with parallelization strategies," *Fundamenta Informaticae*, vol. 41, pp. 187–228, 2000.
- [2] Gang Li, Improved normalising with optimal scale based on ordered dither halftone and mutual information, Page(s) 296 - 300, *Computer Science and Information Technology (ICCSIT)*, 2010, 3rd IEEE International Conference, 9-11 July 2011.
- [3] Jin Liu, Min Li, Jianxin Wang, Fangxiang Wu, Tianming Liu, and Yi Pan, A Survey of MRI-Based Brain Tumor Normalising Methods, *Tsinghua Science and Technology*, Volume 19, Number 6, December 2014.
- [4] R. C. Gonzalez and R. E. Woods, *Digital Image Processing*, 3rd ed., Prentice all, New Jersey 2008.
- [5] J. M. P. Gupta and M. M. Shringirishi, Implementation of brain tumor normalising in brain mr images using k-means clustering and fuzzy cmeans algorithm, *International Journal of Computers & Technology*, vol. 5, no. 1, pp. 54-59, 2013.
- [6] G.-C. Lin, W.-J. Wang, C.-C. Kang, and C.-M. Wang, Multispectral mr images normalising based on fuzzy knowledge and modified seeded region growing, *Magnetic Resonance Imaging*, vol. 30, no. 2, pp. 230246, 2012.
- [7] F. Shi, P.-T. Yap, Y. Fan, J. H. Gilmore, W. Lin, and D. Shen, Construction of multi-region-multi-reference atlases for neonatal brain mri normalising, *Neuroimage*, vol. 51, no. 2, pp. 684-693, 2010.
- [8] B. H. Menze, K. Van Leemput, D. Lashkari, M.-A. Weber, N. Ayache, and P. Golland, A generative model for brain tumor normalising in multi-modal images, in *Medical Image Computing and Computer Assisted Intervention-MICCAI 2010*. Springer, 2010, pp. 151-159.
- [9] L. Weizman, L. Ben Sira, L. Joskowicz, S. Constantini, R. Precel, B. Shofty, and D. Ben Bashat, Automatic normalising, internal classification, and follow-up of optic pathway gliomas in mri, *Medical Image Analysis*, vol. 16, no. 1, pp. 177-188, 2012.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)