



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 8 Issue: X Month of publication: October 2020

DOI: <https://doi.org/10.22214/ijraset.2020.31495>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Melanoma Skin Cancer Detection with Machine Learning

Vishala B M¹, Kavitha Sooda²

^{1,2}Department of computer science and Engineering, B.M.S. College of Engineering, Bangalore, India

Abstract: *One of the serious kinds of skin disease is Melanoma. Starts in the cells called melanocytes. Burning or tanning occur to the skin due to skin explore to UV radiation triggers changes (transformations) in the melanocytes, bringing about uncontrolled development of cells. While it is less basic than different, sorts are of skin disease yet it is hazardous because it is probably going to develop and spread if it is not treated early. Early detection of skin cancer can be curable. The traditional approach to detecting skin is the Biopsy in which scrapping off the patient skin lesion and sending that for testing in the laboratory. This methodology is agonizing, troublesome and tedious.*

Treating Melanoma skin cancer is a time-consuming task by the dermatologist. Here proposing an approach to detecting skin cancer with machine learning techniques. This needs less human effort in detecting skin cancer with dermoscopy images of melanoma cancer.

Keywords: *Image Pre-Processing, Segmentation, Feature Extraction, Classification.*

I. INTRODUCTION

Melanoma is such a skin dangerous development that makes at the point when the melanocytes (the cells gives the skin its tan or diminish or dim hued concealing) begin to develop uncontrollable. Melanoma can happen any place on the skin. Melanoma is an uncommon type of skin malignant growth. It is bound to attack near to tissues and spread to various bits of the body than different sorts of skin malignancy.

Biopsy: A method to evacuate the strange tissue and a limited quantity of ordinary tissue around it. A pathologist takes a gander at the tissue under a magnifying lens to check for malignant growth cells. It tends to be difficult to differentiate between a hued mole and an early melanoma injury.

Patients might need to have the example of tissue checked by a subsequent pathologist. On the off chance that the anomalous mole or injury is malignant growth, the example of tissue may likewise be tried for certain quality changes [1].

Skin malignant growth is hazardous ailment which causes human demise. Unusual development of melanocytic cells causes a skin malignant growth. Because of threat include skin malignant growth is otherwise called melanoma. Melanoma shows up on the skin because of presentation of bright radiation and hereditary elements. Melanoma sore shows up as dark or darker in shading. Early recognition of melanoma can be curable completely. Biopsy is a conventional strategy to identifying skin malignant growth. This technique is agonizing and intrusive [2].

Skin Cancer is most common malignant growth in the fair looking populace and it is for the most part brought about by introduction to bright light. Skin disease is uncontrolled development of anomalous skin cells [3].

Melanoma: Melanoma starts in melanocytes. On any skin surface melanoma can happen. Melanoma is uncommon in brown complexion individuals. It will occur on skin on the head, on the neck, between the shoulders, on lower legs, on palms of the hands, on the bottoms of feet or under the finger nails.

Basal Cell Skin Cancer: This disease starts in the skin layer of basal cell. It is typically happens in places that have been exposed to the sun. Basal cell skin disease is the most commonly recognized sort of malignant growth in reasonable individuals.

Squamous Cell Skin Cancer: Squamous cell skin disease starts in squamous cells. Squamous cell skin malignant growth is the most well-known sort of skin disease in dim individuals and it is normally found in places that are not exposed to the sun, for example, the legs or feet [4].

Numerous exploratory inquires about endeavor to assemble programmed skin disease identification also, improve the precision of assurance. In the going with, the composed takes a shot at these undertakings are assessed. In like manner, to achieve a trustworthy skin threat area system, the right way data which is explained right now dire.

II. LITERATURE REVIEW

The paper [5] addressed melanoma cancer detection using device learning. Including the steps like photo preprocessing, segmentation, characteristic extraction and class. Selected original color pores and skin photo is transformed into gray color photograph. Skin photograph carries a few hairs in an effort to degrade the accuracy of class Preprocessing is to do away with noise in the photo which include air bubbles and hair. The segmentation primarily based on thresholding and deciding on specific part of pores and most skin cancers in the picture enables to crop only precise most cancers lesion inside the image. Feature Extraction calculating the unique capabilities from the picture and color, perimeter, area, irregularity and texture feature will be extracted from the skin photo. Then used neural network classifier to categorize the photos and to stumble on the pores and skin cancer.

The paper [6] addressed Skin Cancer Detection the usage of Artificial Neural began with picture acquisition to collect the images , The goal of segmentation method is to divide the photograph into homogenous, self-steady regions. Segmentation is the technique of partition the image into the group of pixels that are homogenous with admire to some criterion segmentation achieved by thresholding. In feature extraction method useful information are extract from segmented photograph. Feature extraction is achieved the usage of multilevel 2-D wavelet decomposition, Classification performed by using lower back propagation neural community and radial primary neural network. In last step data set of cancerous and non-cancerous are found. Radial foundation function (RBF) networks a sort of artificial neural network for application to troubles of supervised learning. The main benefits of this approach are retaining the mathematics easy and the computations quite cheap.

The paper [7] addressed The MATLAB platform, alongside its Image process and Neural Network Toolboxes, may be a nice resource for image based mostly diagnosing systems. the photographs are processed and their options evaluated exploitation the Image process chest, whereas the Neural Network chest is employed to coach a model of feedforward Neural Network, that is employed to classify the photographs into its individual malignant and benign classes. a group of 463 pictures were non heritable from completely different internet sources.

The cleansed image is then divided exploitation Otsu's thresholding formula. Once the image is with success divided, options are to be extracted from it supported the ABCD rule, wherever ABCD stands for spatial property, Border, color and Diameter. Classification is performed employing a feed forward Artificial Neural Network (ANN).

The paper [8] watched out for the upside of digital image processing (DIP) approaches and Artificial Intelligence. The basic thing given to the device is Dermoscopy pictures. Dermoscopic or Epiluminescence Light Microscopy (ELM) or Dermatoscopic, is a particular kind of copy scheme which are applied to examine wounds with a dermatoscopy. Division clears out the extraordinary physical shape skin tissues and finds the zone of hugeness.

Usually, the threatening development cell continues being exist in the image following division. one of a group is applied and dealt with the dim scaled extended picture into it.

Classifier is effectively applied with the ultimate objective of thoroughly arranging Malignant Melanoma from extraordinary skin afflictions. ANN based classifier is suitably applied thus. A feed forward multilayer sort out is effectively executed. Back Propagation Neural (BPN) scheme is utilized to plan.

The paper [9] tended to Melanoma skin malignancy location utilizing shading and new surface highlights, preprocessing as injury augmentation and extraction of accurate limit among sore and setting is one of powerful parameters to analyze disease sores, picture highlights must be separated to characterize with high-exactness. ABCD-based highlights have been extricated, Once shading and surface based highlights were separated, Initially R, G, B segments of ROI were isolated and zero qualities were expelled from network and standardized. Mean, min, Standard deviation, skewness and kurtosis were determined for every one of R, G, B parts they were ordered to analyze amiable and dangerous melanomas by SVM classifier. The highlights were independently assessed to inspect viability level and Texture – based highlights and RGB segments were utilized to remove picture include. TC highlights for estimate grids of wavelet change were chosen as most effective element. Numerous investigations on huge and finish database are expected to expand the presentation and speed of analysis.

III. PROPOSED SYSTEM

It is been seen that loads of the work available in writing is in view of picture handling strategies. It includes picture preprocessing, picture segmentation, include meaning extraction and classification model. Proposed technique contains two subsections: A] Framework

overview, B] Framework Stream Graph, Framework diagram gives the pictorial diagram of the framework where framework stream graph gives progression of proposed framework.

A. Framework Overview

Pictorial outline of skin disease location is appeared in underneath Figure 1. In beneath figure first picture is skin malignancy picture. This skin picture contains a few hairs and air bubbles which will lessen the order precision. With the goal that hair evacuation is done in following stage. After hair expulsion picture division is acted in which injury part is divided from the picture. After division extraordinary highlights are acquired utilizing highlight extraction which is trailed by arrangement. Every one of these means are appeared in Figure 1.




Figure 1: Image pre-processing stages

B. Framework Stream Graph

PC based distinguishing proof of skin danger contains four Phases: Image pre-handling, Segmentation, Feature extraction from image and Classification. This image is pre-handled for improving the idea of picture. After pre-preparing sore part is partitioned from the skin by using picture division techniques. Picture division is followed by feature extraction which removes the unique features. After segment extraction, request is performed for orchestrating the image as accommodating sore and melanoma skin illness. System stream chart is showed up in underneath Figure 2.

1) *Image pre-processing*: Pre-preparing is underlying advance in the picture handling which appeared in above Diagram. Input to framework is skin picture. This picture contains few foundation commotion and undesirable parts, for example, hairs and bubbles of air. These items decrease the consequence of image segmentation and classification. In this framework input picture will be changed over into dark shading. To evacuating hairs Gaussian filter algorithm can be utilized as appearing in equation 1 and 2. Pre-handling is to perform picture preparing on unique picture to acquire the upgraded picture. The regular tasks in pre-preparing step are as per the following; to diminish the processing time, pictures are resized to bring down goal pixels. To evacuate this brilliant territory around the sore a paired veil is created and another picture is delivered. This picture is trimmed for evacuating additional regions. In the subsequent stage, by playing out some sifting the hairs are expelled. At last, to smother huge varieties inside the sore and foundation, and furthermore to decrease the impact of various skin shading varieties, the first shading RGB pictures are changed into force (grayscale) images.




Figure 2: Framework Stream diagram

- 2) *Image Segmentation*: Area of intrigue (AOI) is isolated from the picture is called as picture division. This one is second step which is appeared in Figure 3.1. Skin picture contain fine part just as affected part. Considering both the part for additional preparing will give low exact characterization output. Just the affected part of the skin is required for picture investigation then division is performed. Division is performed utilizing otsu's thresholding method strategy which is change over twofold picture. After Otsu thresholding, edges are smoothed.
- 3) *Classification*: Order of information is one of the most incessant dynamic assignment carried out by human. From this progression classifier characterizes melanoma injury in kindhearted sore. So choice of the classifier is significant advance. Performing grouping of melanoma cancer from considerate sore Convnet classifier utilized. In the AI, vector machines are managed learning models are broadly utilized for arrangement. Idea of Convnet depends on the model construction and the number of layers and hyper paramters that characterize choice limits. Convnet trained model isolates the articles which will recognize classes. Convnet has diverse part work from which straight capacity and spiral premise work is utilized for order the information into dangerous or considerate.
- 4) *Output*: Expectation of picture having Malignant or non Malignant disease by the prepared model of CNN. This framework requires just skin picture for identifying malignancy and no physical contact with any part of body. Because of picture this framework using for no intrusive skin malignant growth recognition. No need of research center examining. This framework is less tedious. This framework is low expensive in light of the fact that just dermoscopy picture is required for preparing the framework so this framework productively and successfully utilized.

C. Proposed System Algorithm

- 1) *Step 1*: Take dataset with colour images of melanoma skin cancer.
- 2) *Step 2*: Transform dataset images into gray colour images.
- 3) *Step 3*: Using filter from Gaussian method for deleting noise in image.
- 4) *Step 4*: Using Otsu's thresholding approach for segmenting only the affected lesion of the image.
- 5) *Step 5*: Build Convenet model for processed images.
- 6) *Step 6*: Perform training on processed images.
- 7) *Step 7*: Perform melanoma detection using trained model

IV. RESULTS

In this methodology original colour skin picture is chosen from dataset. Chosen coloured skin picture is changed over into grey shading picture. Skin picture contains a few hairs which will corrupt the precision of result. Hair expulsion is needed. Hair expulsion is finished by utilizing Gaussian filter. This filtered picture is appeared in Figure 3. Hair removed picture contains infected part alongside healthy lesion. Just the affected part is required for picture investigation with the goal of segmentation is performed which is appeared in Image 4.




Figure 3: Noise removed from image




Figure 4: Segmenting the lesion part from image

In the following steps unique features are extracted from segmented part of image with building Convnet model. Features are fed into Convnet model for training with checking accuracy of training and validation accuracy.

Taking the dataset for training from original dataset which is 80% of processed image and taking 20% processed images for testing. Accuracy of trained model as shown in the Figure 5 where x axis represents the number of epochs and y axis represents the Accuracy of the model.

Trained Model with 3000 images collected from Kaggle website and divided with Training and testing set. Resulted with Accuracy of 96%.

Experiment carried out with different models of CNN such as constructed custom model, SVM and VGG16, which used transfer learning from already trained model.




Figure 5: Accuracy graph of the experiment

Below Table 1 describes Accuracy of custom model, VGG16 and SVM model.

Table I: CNN, VGG16 and SVM Accuracy of using 80% of Training set and 20% Testing set from Classifier.

	CNN	VGG16(CNN)	SVM
Model Accuracy (%)	96	93	85

V. CONCLUSION & FUTURE WORK

Melanoma skin cancer is a treatable disease if detected in early stage. Melanoma is more common in developing countries such as USA. With the limited number of experts available in such countries like India makes it very challenging to detect the melanoma density in primary stage. In this project, the pipeline to extract meaningful information from skin image and provide them to the pathologist for further diagnosis was implemented.

Finally we have proved that using skin image we are able to classify the image successfully with the maximum accuracy, the implementation was mostly achieved using Machine Learning and Image processing techniques. With these models developed it reduces some of the efforts required by the Pathologist, speeding up the diagnosis process.

we have collect only small amount of images to train and testing where in future major task is to classify the melanoma with other type of skin cancer, where until now no one has proved the classification of Bipolar patient with other kinds of skin cancer because these disease share the common symptoms for future implementation needs to collect more images with melanoma and other type skin cancer and Healthy person where prediction of the patient will be easier.

REFERENCES

- [1] "Cancers" National Cancer Institute,2020,[Online] Available:<https://www.cancer.gov/about-cancer/understanding/what-is-cancer>.
- [2] Soniya Mane and Dr. Swati Shinde ,"A Method for Melanoma Skin Cancer Detection Using Dermoscopy Images", 2018,Fourth International Conference on Computing Communication Control and Automation (ICCUBEA), pp. 1-6. IEEE, 2018
- [3] Singhal, Ekta, and Shamik Tiwari. "Skin Cancer Detection using Artificial Neural Network." International Journal of Advanced Research in Computer Science, 6, no. 1 (2015).
- [4] Nezhadian, F. K., & Rashidi, S. (2017, October). Melanoma skin cancer detection using color and new texture features. In 2017 Artificial Intelligence and Signal Processing Conference (AISP) (pp. 1-5). IEEE,2017.
- [5] Esteva, Andre, Brett Kuprel, Roberto A. Novoa, Justin Ko, Susan M. Swetter, Helen M. Blau, and Sebastian Thrun. "Dermatologist-level classification of skin cancer with deep neural networks." nature 542, no. 7639 (2017): 115-118.
- [6] Tan, Teck Yan, Li Zhang, and Ming Jiang. "An intelligent decision support system for skin cancer detection from dermoscopic images." In 2016 12th International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery (ICNC-FSKD), pp. 2194-2199. IEEE, 2016.
- [7] Dubal, Pratik, Sankirtan Bhatt, Chaitanya Joglekar, and Sonali Patil. "Skin cancer detection and classification." In 2017 6th international conference on electrical engineering and informatics (ICEED), pp. 1-6. IEEE, 2017.
- [8] Jaleel, J. Abdul, Sibi Salim, and R. B. Aswin. "Computer aided detection of skin cancer." In 2013 International Conference on Circuits, Power and Computing Technologies (ICCPCT), pp. 1137-1142. IEEE, 2013.
- [9] Lattoofi, Nabeel F., Israa F. Al-sharuee, Mohammed Y. Kamil, Ayoob H. Obaid, Aya A. Mahidi, and Ammar A. Omar. "Melanoma Skin Cancer Detection Based on ABCD Rule." In 2019 First International Conference of Computer and Applied Sciences (CAS), pp. 154-157. IEEE, 2019.
- [10] "What are the key statistics about melanoma skin cancer?",Cancer.org,2020,[Online].Available:<http://www.cancer.org/cancer/skincancermelanoma/detailedguide/melanoma-skin-cancer-key-statistics>.
- [11] "Test for Melanoma Skin Cancer" ,2020,[Online] Available :<https://www.cancer.org/cancer/melanoma-skin-cancer/detectiondiagnosis-staging/how-diagnosed.html>.
- [12] Soumya R S, Neethu S, Niju T S, Renjini A, Aneesh R. P, "Advanced Earlier Melanoma Detection Algorithm Using Colour Correlogram",IEEE International Conference on Communication Systems and Networks (ComNet), Trivandrum, pp. 190-194, 2016.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)