



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 9      Issue: III      Month of publication: March 2021**

**DOI: <https://doi.org/10.22214/ijraset.2021.33430>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Behaviour of Floating Column in RC Building at Optimum Location under Action of Seismic Load

Mahendra Vishwakarma<sup>1</sup>, Prof. Sumit Singh Shekhawat<sup>2</sup>

<sup>1</sup>PG Student, <sup>2</sup>Professor, Department of Civil Engineering, Sushila Devi Bansal College of Engineering, Indore (MP), India

**Abstract:** In the last decades the trend of constructing multistorey building and competition between architectural fields has increased to construct milestone projects. For architectural purpose the aesthetic view and unique planning is more important and this requirement is the origin of floating column concept. In these articles a multistorey construction for the residential, industrial and commercial has become a common feature. This multistorey construction needs ample of parking or open space below or middle the building for large hall etc. And this requirement can be fulfill by introducing floating columns. Generally providing floating columns is not simple as providing regular column. Total 10 building models having regular plan are analyzed (as per Indian standards) and with variation in location of floating columns. The building models with or without floating columns is considered for the analysis. An equivalent static analysis and response spectrum analysis is performed with the help of nonlinear analysis tool (ETABS) to evaluate the response of structure against seismic forces. Storey displacement, Storey drift, storey shear and modal mass participation ratio are evaluated for each model in both horizontal directions.

**Keywords:** Floating Columns, Storey Displacement, Storey Drift, Response Spectrum Analysis, Equivalent Static Analysis, Stiffness, Mass Participation Ratio.

## I. INTRODUCTION

A column is vertical member in a structural system starting from foundation level to throughout overall height of the structure. Column transfers the gravity load and lateral load of the structure to the ground by mean of foundation. The concept of floating column is introduced in the structural system to fulfill the architectural requirements like open space at ground floor level for utilities like parking, reception lobby, party or assembly hall and closely spaced columns at upper floor. Sometimes aesthetic view is highly mandatory then other parameters at the time many columns have to terminate at floors and floating columns have to introduce. From literature reviews following review are discussed. Floating column buildings are trending among architects because it provides more freedom to provide good planning and good aesthetic view. Floating column is supported with the help of transfer girder which is supported by columns directly connected to ground level. The design of the floating column structure becomes critical in seismically active areas. As we know that distribution of earthquake force depend on the mass and stiffness of the structure and presence of floating columns may change the uniform distribution of earthquake force because floating column directly affect the structure's stiffness. Also structure should have shortest load path which transfer the lateral loads developed at different floor level to the earth without damaging structure but presence of floating columns discontinue the load path and make structure unstable against lateral load resistance. This instability of the structure may cause development of overturning force, column buckling and deformation failure of the beam column joint and total collapse of the structure.

## II. METHODOLOGY AND MODELLING

A total number of 20 building models are selected for the thesis with number of storey G+5 and keeping the number of bays 6 in both horizontal directions for regular square and L shape building model and 6 X 8 bays in X and Y direction respectively for rectangular and irregular L shape building model. The storey height and bay width of G+5 storey frame is 3.2 m and 4 m (in both direction) respectively. The frames are assumed to be located in seismic zone IV, the soil type chosen is medium (Type II).

- A. Square WOT FC Square building without floating column
- B. Square WT FC at BC Square building with floating column at bottom corner
- C. Square WT FC at BM Square building with floating column at bottom middle
- D. Square WT FC at TC Square building with floating column at top corner
- E. Square WT FC at TM Square building with floating column at top middle
- F. L Shape WOT FC L Shape building without floating column
- G. L Shape WT FC at BC L Shape building with floating column at bottom corner
- H. L Shape WT FC at BM L Shape building with floating column at bottom middle
- I. L Shape WT FC at TC L Shape building with floating column at top corner
- J. L Shape WT FC at TM L Shape building with floating column at top middle

1) *Models*: Each Model Description content the three part i.e. a) Plan b) Elevation & c) 3D view for Square and L Shaped Buildings.




Fig 1: Square building without floating column)




Fig2: Plan and section of square building with floating column at bottom0 corner




Fig 1 : Plan and section of square building with floating column at bottom middle




Fig.2 : Plan and section of square building with floating column at top corner




Fig.3 : Plan and section of square building with floating column at top middle




Fig.6 : Plan and section of L shape building without floating column




Fig.7: Plan and section of L shape building with floating column at bottom corner




Fig.8: Plan and section of L shape building with floating column at bottom middle




Fig.9 : Plan and section of L shape building with floating column at top corner



Fig.10 : Plan and section of L shape building with floating column at top middle

- 2) *Seismic Data:* Zone IV, R factor: 5, I factor: 1, Soil type Type II, RSA method
- 3) *Material Properties:* Concrete Grade: 25 MPa. The grade rebar: Fe 500 for both main and secondary rebar. The live load of 2 KN/m<sup>2</sup> on floor and 1.5 KN/m<sup>2</sup> on roof is taken. The unit weight of concrete and brick masonry wall is takes as 25 KN/m<sup>3</sup> and 20 KN/m<sup>3</sup> (including weight of plaster) respectively. The thickness of the slab is considered as 150 mm with floor finish load of 1.25 KN/m<sup>2</sup> on all floors. The thickness of the brick masonry wall is assumed 230 mm (including plaster).

### III. RESULT AND DISCUSSIONS

#### A. Parameter 1; Storey Displacement Result (curve between displacement vs. storey no.)




Fig.11: Square Shape Building Storey Displacement in RS + X & RS - X Direction




Fig.12 : Square Shape Building Storey Displacement in RS + Y & RS - Y Direction




Fig.13: Square Shape Building Storey Displacement in EQ + X & EQ - X Direction




Fig. 14 Square Shape Building Storey Displacement in EQ + Y & EQ - Y Direction




Fig. 15 : L- Shape Building Storey Displacement in RS + X & RS - X Direction




Fig. 16: L- Shape Building Storey Displacement in RS + Y & RS - Y Direction




Fig. 17: L- Shape Building Storey Displacement in EQ + X & EQ - X Direction




Fig. 18: L- Shape Building Storey Displacement in EQ + Y & EQ - Y Direction

B. Parameter 2: Storey Drift




Fig.19: Square Shape Building Storey Drift in RS + X & RS - X Direction




Fig.20: Square Building Storey Drift in RS + Y & RS - Y Direction




Fig.21: Square Building Storey Drift in EQ + X & EQ - X Direction




Fig.22: Square Building Storey Drift in EQ + Y & EQ - Y Direction






Fig.23: L Shape Building Storey Drift in RS + X & RS - X Direction




Fig.24: L Shape Building Storey Drift in RS + Y & RS - Y Direction




Fig.25 : L Shape Building Storey Drift in EQ + X & EQ - X Direction




Fig.26: L Shape Building Storey Drift in EQ + Y & EQ - Y Direction

C. Parameter 3: Storey Stiffness




Fig.27: Square Shape Building Stiffness in RS-X & RS-Y Direction




Fig.28: Square Shape Building Stiffness in EQ-X & EQ-Y Direction




Fig.29: L- Shape Building Stiffness in RS-X & RS-Y Direction




Fig.30: L- Shape Building Stiffness in EQ-X & EQ-Y Direction

#### IV. CONCLUSIONS

- A. The displacement is more for floating column buildings because as the columns are removed the stiffness gets reduced and hence displacement also increases. From the above discussion it has been concluded that providing floating columns at corner location is critical in terms of storey displacement.
- B. The displacement is more for floating column buildings because as the columns are removed the stiffness gets reduced and hence drift also increases. From the above discussion it has been concluded that providing floating columns at corner location is critical in terms of storey drift.
- C. Presence of floating columns at bottom corner location affect the stiffness at all floor level.
- D. Presence of floating columns at bottom middle location affects the storey level stiffness.
- E. Presence of floating columns at top corner and top middle affects the storey level stiffness.

#### REFERENCES

- [1] Criteria for Earthquake Resistant design of structures, Part1: General provisions and buildings, IS 1893:2016, Bureau of Indian Standards, New Delhi.
- [2] IS 875 (Part-I) Bureau of Indian Standards (1987) Code of Practice for Design Loads (Other than Earthquake) for Buildings and Structures: Dead Loads-Unit Weights of Building Materials and Stored Materials (Second Revision). UDC 624.042: 006.76
- [3] IS 875 (Part-II) Bureau of Indian Standards (1987) Code of Practice for Design Loads For Buildings and Structures: Imposed Loads (Second Revision). UDC 624.042.3:006.76.
- [4] IS: 456-2000 Code of practice for plain and reinforced concrete (fourth revision).

- [5] Earthquake Resistant Design of Structures, 2nd Edition – S.K Duggal, Oxford University.
- [6] Agarwal Pankaj and Srikhande Manish, “Earthquake Resistant Design of Structures”, PHI learning Private Limited, New Delhi, (2012)
- [7] Bhensdadia Hardik and Shah Siddharth, “Pushover analysis of RC frames structure with floating column and soft story in different earthquake zones”, IJRET, Vol 4, Issue 04, April 2015.
- [8] Annapurna D and Nadipelli Sriram, “Comparative study of seismic analysis of a Normal building and building with floating column”, IJRET, Vol 4, Issue 13, December 2015.
- [9] Rahman Ashfi and Singla Sarita, “Effect of floating column on seismic response of multi storey RC framed building”, International journal of Engineering Research and Technology, Vol 4, Issue 06, June 2015.
- [10] Nautiyal Prerna, Atktar Saleam and Batham Geeta “Seismic Response Evaluation of RC frame building with floating column considering different soil conditions”, International Journal of Current Engineering and Technology, Vol 4, No 1, February 2014.
- [11] Bandwal Nikhil, Pande Anant, Mendhe Vaishali and Yadav Amruta, “To study seismic behaviour of RC building with floating column”, ISET, Vol 13, ISSUE 08, May 2014.
- [12] Hirde Suchita and Rahangdale Dhananjay, “Seismic Performance of Multi-Storey RCC Building with Floating Columns” International Journal of Engineering Research, 27-28 Feb. 2016
- [13] Rohilla Isha, Gupta S.M. and Saini Babita, “Seismic Response of Multi-storey Irregular Building with Floating Column”, IJRET: International Journal of Research in Engineering and Technology eISSN: 2319-1163 | pISSN: 2321-7308
- [14] D. Motghare Priyanka, “Numerical Studies Of RCC Frame With Different Position Of Floating Column”, Technical Research Organization India. Vol. 2, Issue-2016, (ISSN 2395-7786)
- [15] Patil Nakul A. and Shah Riyaz Sameer, “Comparative Study of Floating and Non-Floating Columns with and Without Seismic Behaviour”, ISSN: 2348 – 8352, pp 29-33.
- [16] Gowda Keerthi B.S and Tajoddeen Syed, “Seismic Analysis of Multistorey Building with Floating Columns”, 1st annual conference on innovations and developments in civil engineering (19-20 May 2014), Pg.No. 528-535.
- [17] Waykule.S.B and Pise C.P., “Comparative Study of floating column of multi storey building by using software”, International Journal of Engineering Research and Application, Volume-7, Issue-1, January 2017
- [18] Nanabala Sreekanth Gandla, Ramancharla Pradeep Kumar and Arunakanthi, “Seismic Analysis of A Normal Building and Floating Column Building”, International Journal of Engineering Research & Technology (IJERT) ISSN: 2278-0181 Vol. 3 Issue 9, September- 2014
- [19] Malaviya P. and Saurav, “Comparative Study of Effect of Floating Columns On the Cost Analysis of a Structure Designed on STAAD PRO V8i”, International Journal of Scientific & Engineering Research, Volume 5, Issue 5, May-2014, ISSN 2229-5518.
- [20] Sabari S and J.V Praveen, “Seismic Analysis of Multistorey Building with Floating Column”, International Journal of Civil and Structural Engineering Research Vol. 2, Issue 2, October 2015
- [21] Sharma R. K and Dr.Shelke N. L. “Dynamic Analysis of RCC Frame Structure with floating Column” International Journal of Advanced Research in Science”, Engineering and Technology Vol. 3, Issue 6, June 2016 Copyright to IJARSET [www.ijarset.com](http://www.ijarset.com) 2302
- [22] Gupta T. Sahithi and Kumar M. Pavan, “Effect of Floating Columns in R.C Frames at Different Seismic Zones in India” ISSN 2319-8885 Vol.06, Issue.11 March-2017, Pages:2194-2196 Copyright @ 2017 IJSETR. All rights reserved.
- [23] Sachdeva Gourav, Sachdeva Ankit and Hiwase P., “Seismic response of Column with different shapes” ISSN (Online) 2349-6967 Volume 4, Issue 2 (March-April 2017), PP.036-041 [www.ijeebs.com](http://www.ijeebs.com)
- [24] Mundada A.P. and Sawdatkar S.G., “Comparative Seismic Analysis of Multistorey Building with and without Floating Column” Accepted 20 Sept 2014, Available online 01 Oct 2014, Vol.4, No.5 (Oct 2014)
- [25] Zozwala Mohammed Mustafa and Parikh K. B., “Seismic Analysis of a Multistorey Building with Floating Column” A Review.
- [26] Prasanna Daparti Devi and Sagar T.Santhi, “Seismic Analysis of Multi-Storey Building with Floating Column” Vol. 04(2017), Issue 08(Aug)
- [27] Deekshitha. R and H. S. Suresh Chandra, “Analysis of Multi-Storey Building with and without Floating Column” IJERTV6IS060498 Volume & Issue: Volume 06, Issue 06 (June 2017)
- [28] Kandukuri Sunitha and Reddy Kiran Kumar, “Seismic Analysis of Multistorey Building with Floating Column by using E-Tab”’s ISSN 2394 – 3386 Volume 4, Issue 8 August 2017
- [29] Pardhi Avinash and Shah Parakh, “seismic analysis of rcc building with & without floating columns” Vol. 04, Issue 03, march 2016.
- [30] Pakmode Ashish G. and Vairagade Lakshmikant, “Seismic Analysis of Multistorey Building with Floating Columns” IJSRD - International Journal for Scientific Research & Development | Vol. 4, Issue 05, 2016 | ISSN (online): 2321-0613
- [31] Ms.Waykule.S.B, Mr.Kadam.S.S and Ms.Lale S.V., “Study of behaviour of floating column for seismic analysis of multistorey building” Volume: 03 Issue: 08 | Aug-2016 p-ISSN: 2395-0072
- [32] Fahimi M and Sreejith R., “Seismic Analysis of Multi-Storey Building with and without Floating Column” Paper ID: IJERTCONV3IS29048 Volume & Issue: NCRACE – 2015 (Volume 3 – Issue 29) Published (First Online): 30-07-2018 ISSN (Online) : 2278-0181, IJERT



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)