



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 3 Issue: XI Month of publication: November 2015

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Radar Imaging In Two Dimensions

Kumari Disijan Kabadia¹, Dr.Sukhwinder Singh²

¹ Student, ² Mentor, Assistant Professor, ECE Department
PEC University of Technology, Chandigarh

Abstract- This paper is going to describe what is radar imaging in two dimensions, principles on which it works, it's application, what are the types of radar imaging ,what are the major problems occurring in it and the solutions of that problems.And have a small description about the radar and its uses in defence.

Keywords-Topography, Tomography, Resolution, Rebar's, Tripod

I. INTRODUCTION

Radar imaging is the implementation /application of the radar. These are used in finding the images in two dimensions like mainly of landscapes. Usually radar are used to display the position and motion of purely highly reflective objects(ships &aircraft).In radar imaging it form the images of the Landscapes on the basis of intensity receive from the reflected Signal of the object. Reflected signal is the causal of light scattering. These scattered lights help us two make images in two dimensions.

II. PRINCIPLE

The principles on which it work is Doppler Effect, Doppler Effect is the change in frequency of wave for an Observer moving relative to its source. This helps them to create a perfect image.

III. APPLICATIONS

Surface topography, crustal change

Medical microwave tomography

Through wall radar imaging

Environmental monitoring

A. Surface Topography

It is also called surface finish can be characterised by three characteristics lay, surface roughness and waviness Example 3D map of Earth from the space. Imaging radar bounces the radar signal from the ground ,then measures the time taken by the signal to come back after reflection from the ground and how it is strong. With the help of these information we can get the image of the Earth(mountains, hills, lakes, rivers).

B. Medical Microwave Tomography

Microwave tomography is a science which is generated from older techniques in order to find hidden or embedded objects in a media using electromagnetic wave in microwave regime (300MHZ-300GHZ).Recently, it is used for structural health monitoring.It occur when electromagnetic waves in low frequency penetrate inside concrete and reach toobject of interest which is usually rebar. When there is any rust found on the rebar ,sorust reflects less EM wave in comparison to the whole metallic rebar, it is used to distinguish between rebars with and without rust.It is also used to detect any anomaly inside concrete ex-crack or air voids.

C. Through Wall Radar Imaging

Sometimes in investigation we have to know that whether suspect is inside the building or not.The location of suspect inside the building is also needed. With the help of radar imaging we can look into the building at standoff distances and build the changing situations of suspect.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)



Fig-1[15]

The “test range ”for through-wall measurement Shows the 10cm and 20cm thick, solid concrete walls on the left and cinder-block on the right.

D. Environmental Monitoring

The satellite radar imaging is used in observing ocean and weather conditions as a high resolution data. It is used in mapping and studying of the behaviour of grounds. This prevent the collapse of mine areas, inhabitant areas.

IV. TYPES OF RADAR IMAGING

Presently there are two technique’s used by radar imaging –

Synthetic aperture radar (SAR)

Inverse synthetic aperture radar (ISAR)

A. Synthetic Aperture Radar (SAR)

It is the form of radar which uses a method of moving a real aperture or antenna over a different position’s to get distinctive coherent signal variation. This is used to get higher resolution.

There are problems occurs when an obstacle comes between the radar and the object of which we have to create an image. After long time invention of Synthetic Radar, there exist certain problems in it which are related to design of incident field related to a particular purpose.




Fig-2[16]

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

An SAR radar image acquired by the SIR-C/X-SAR radar on board the Space Shuttle Endeavour shows the Tiede Volcano.

B. Inverse Synthetic Aperture Radar (ISAR)

It is just analogous to SAR but it has a unique feature that it utilizes the movement of the target rather than to use the emitter to create the synthetic aperture. This technique results in defocusing and geometry error in image. Target depression, Multipath, antenna motion, image blocking modelling errors etc are the errors occur due to ISAR. Example of Multipath-Multiple reflections can create a problem in ISAR imaging like distortions while taking the image of ghost trails from jet aircraft tail pipes. Both SAR and ISAR are based on known relative motion target and sensor, but this type of motion does not give well defined or well - focused images. For this we need methods. Better knowledge of finding algorithms so that we can determine the exact position of antenna from the radar.

V. RADAR

The full form of radar is Radio Detection And Ranging. It is mainly used in defence to detect the enemies in the sea and on the border line. The main component of radar is sensors. Sensors sense the parameters of any object and convert them into electrical signal. This signal is used by the radar to perform its function. Radar is not affected by the day or night.

VI. BATTLEFIELD SURVEILLANCE RADAR SHOR- RANGE (BFSR-SR)

This type of radar have high degree of complexity. Therefore used to search, track and identify the targets like moving single vehicle, walking man and moving heavy vans at different distances. This is a very large system that it is carried out by the three soldiers and is tripod mounted when it is operated. An infantry warrior install and make it to perform operation within 5min. This is basically used for border security force, police etc.



Battlefield surveillance radar–short range

Fig-3[14]

VII. CONCLUSION

It is concluded that radar imaging is a very useful technique to detect the suspects and study the nature of the earth. It helps us to protect the earth from future calamities like tsunamis, landslides etc. The detectives solve their various cases by using this technique.

REFERENCES

- [1] D.J. McLaughlin, E.J. Knapp, Y. Wang, V. Chandrasekar, "Distributed Weather Radar Using X-Band Active Arrays", Radar Conference, 2007, IEEE.
- [2] Aryanfar, F. and Sarabandi, K. (2004) Through wall imaging at microwave frequencies using spacetime focusing, In IEEE Intl. Antennas and Propagation Symposium, Vol. 3, pp.3063–3066.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

- [3] Bonneau, R. J., Bascom, H. F., Clancy, J. T., and Wicks, M. C. (2002) Tomography of moving targets (TMT), Italy.
- [4] T.S. Ralston, D.L. Marks, P.S. Carney, and S.A. Boppart, "Real-Time Interferometric Synthetic Aperture Microscopy," *Optics Express*, vol. 16, no. 4, pp. 2555–2569, 2008.
- [5] Anthony T. S. Ho, W. H. Tham, K. S. Low. Through wall radar image reconstruction based on time-domain transient signals in the presence of noise. *IEEE International Geoscience and Remote Sensing Symposium, 2005 (GARSS '05)*. , Vol. 6, pp. 4271-4274.
- [6] Wang, C.T., K.S. Chen, C.T. Chen, and J.M. Kuo. A study of target identification from multi-temporal SAR images. *22nd Asian Conf. Remote Sensing, National University of Singapore, Singapore, Nov. 2001.*
- [7] Mahafza, Bassem R. *Introduction to Radar Analysis*. New York: C R C P LLC, 1998.
- [8] [8]S.Varadarajan ,*Bulletin of defence research and development organisation* ,printed and published by the director, DESIDOC ,on behalf of DRDO,RNI NO.55787/93,Vol 21 No.2 April2013. *Image Processing*, vol. 7, no. 5, 1998, pp. 729-761.
- [9] Hayden J. Callow. *Signal Processing for Synthetic Aperture Sonar Image Enhancement*.
- [10] PhD thesis ,Department of Electrical and Computer Engineering, University of Canterbury, 2003.
- [11] https://en.wikipedia.org/wiki/Surface_finish
- [12] https://en.wikipedia.org/wiki/Inverse_synthetic_aperture_radar
- [13] <http://www.radartutorial.eu/20.airborne/ab07.en.html>
- [14] http://www.drdo.gov.in/drdo/pub/techfocus/2013/TF_April_2013_WEB.
- [15] http://www.ll.mit.edu/publications/journal/pdf/vol19_no1/19_1_4_Peabody.
- [16] https://en.wikipedia.org/wiki/Radar_imaging.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)