



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VI Month of publication: June 2021

DOI: <https://doi.org/10.22214/ijraset.2021.35349>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Comparison Performance of Conventional Drying Methods and Flat Plate Collector Solar Dryer

Prof.S.S.Gurav¹, Mr. Y.D. Salunkhe², Mr. A. H. Lolkande³, Mr. S. R. Jadhav⁴, Mr. Y. V. Mohite⁵

¹Prof. at Department of Mechanical Engineering, NMCOE, Peth

^{2, 3, 4, 5}Student. at Department of Mechanical Engineering, NMCOE, Peth

Abstract: As another to the marketing of fresh fruits and vegetables, small farmers can think of conservation by drying. In the conservation of agricultural crops, wastewater treatment, and biomass treatment, drying is an important process. Energy requirements for drying can be supplied from different sources, such as fossil fuel, natural gas, electricity, wood, remaining bark forests, and solar energy. Although the use of solar radiation has existed for drying since a long time ago, it has not yet been widely commercialised, particularly in the agricultural sector.

I. INTRODUCTION

This work is concerned with the comparative study of temperature distribution and performance analysis of flat plate type tunnel dryer and evacuated tubes type tunnel dryer for drying of leafy vegetable. The main thrust of this study is to study the effect various parameters on rate of drying and drying time and percentage reduction in humidity. In short this proposed work will compare the performance analysis of solar dryers for drying of leafy vegetables. The performance of the dryer will be evaluated by measuring the parameters like temperatures at various locations. Other parameters such as outdoor temperature variation, relative humidity, drying rate, drying time, layer thickness of product to dry can be monitored. In fact, solar drying has been used since ancient times for food and agricultural crop preservation. This was achieved particularly by drying open sun under open sky. This approach has many drawbacks, such as product spoilage due to adverse climatic conditions such as rain, humidity, wind and dust, loss of material due to birds and animals, decomposition material failure, growth of insects and fungi. Even the process is highly labour-intensive, time consuming and requires wide area. Thus solar drying is the perfect alternative as a workaround to all the disadvantages to natural drying and unnatural mechanical drying. Solar dryers used for food and crop drying in the agricultural sector.

II. DEVELOPMENT OF EXPERIMENTAL SETUP

From the literature review and considering the suitability of the system for testing solar tunnel dryer system is developed. Figure shows the developed experimental test setup of solar tunnel dryer.




Figure 1. actual experimental setup

III. EXPERIMENTAL PROCEDURE

The performance of solar dryer is evaluated by obtaining the values of drying rate, system drying efficiency, moisture content. These can be obtained by measuring various parameters like solar radiation, amount of water removal, drying time, relative humidity of air entering in the drying chamber. The experimental procedure consist of following steps




Figure 2.Experimental procedure

IV. CONCLUSIONS

The purpose of the drying of agricultural products by means of a solar tunnel dryer is to improve the drying quality and preserve the products. The solar tunnel dryer has been designed and fabricated for drying leafy vegetables. The effects of different atmospheric conditions on the drying leafy vegetables are carefully observed. For the comparison performance of dryer following points are considered

Table1: Result comparison flat plate type solar tunnel dryer for drying curry leaves

| Sr. No. | Particular | Air velocity | | |
|---------|------------------------------------|--|--------------------|--------------------|
| | | 0.5 m/s | 0.6 m/s | 0.7 m/s |
| 1 | Final moisture content on W.B. (%) | Fogging was Occurred because the air velocity was not sufficient to Throughout the moist air | 3.61% | 3.75% |
| 2 | Total Drying time required | | 3 hours 45 minutes | 4 hours 15 minutes |
| 3 | Maximum drying rate | | 0.004(kg/min) | 0.0032(kg/min) |
| 4 | Average drying rate | | 0.0018(kg/min) | 0.0015(kg/min) |
| 5 | Average System drying efficiency | | 15.02% | 11.75% |

Table.2: Result comparison flat plate type solar tunnel dryer for drying coriander

| Sr. No. | Particular | Air velocity | | |
|---------|------------------------------------|--|--------------------|--------------------|
| | | 0.5 m/s | 0.6 m/s | 0.7 m/s |
| 1 | Final moisture content on W.B. (%) | Fogging was Occurred because the air velocity was not sufficient to Throughout the moist air | 6.71% | 6.71% |
| 2 | Total Drying time required | | 5 hours 30 minutes | 5 hours 45 minutes |
| 3 | Maximum drying rate | | 0.0040(kg/min) | 0.0038(kg/min) |
| 4 | Average drying rate | | 0.0023(kg/min) | 0.0022(kg/min) |
| 5 | Average System drying efficiency | | 16.89% | 19.70% |

REFERENCES

- [1] Rajendra Patil, et al. "A review on solar tunnel greenhouse drying system", Science Direct November 2015.
- [2] S.V. Navale, et al. "Dehydration of leafy vegetables using cabinet solar dryer".Indian Streams Research Journal March 2013
- [3] A. D. Choudhari, et al. "A review of solar dryers technologies", international journal of research in advent technology, vol.2, Feb 2014.
- [4] A.A. El-Sebaai, et al. "Experimental investigation of an indirect-mode forced convection solar dryer for drying thymus and mint", science Direct june2013.
- [5] Ranko Goic, et al. "A review of solar drying technologies", Science Direct March2012.
- [6] G. Pirasteh, et al. " A review on development of solar drying applications", Science Direct November2013
- [7] Feyza Akarlan, "Solar-Energy Drying Systems, Modeling and Optimization of Renewable Energy Systems", ISBN: 978-953-51-0600-5, May, 2012.
- [8] A.R. Umayal Sundarier al., "Performance of Evacuated Tube Collector Solar Dryer with and Without Heat Sources", Iranica Journal of Energy &Environment 4 (4) 2013
- [9] S. Babu Sasi et al., "experimental study on the thermal efficiency of the forced Convection evacuated tube solar air collectors with and without absorber plate", Jr. of Industrial Pollution Control 2018.
- [10] P.Vijayakumar, et al., "Comparison of evacuated tube and flat plate solar collector", WWJMRD 2017.
- [11] Manoj Kumar Gaur et al. "Recent Development and Applications of Evacuated Tube Solar Collectors", STGSF 2017.
- [12] M.A. Sabiha et al., "Progress and latest developments of evacuated tube solar collectors", Renewable and Sustainable Energy Reviews 51 2015.
- [13] Chandraprabu Venkatachalam et al., "Evacuated Tube Solar Collectors", International Journal of Scientific Engineering and Research (IJSER) 2017.
- [14] Ashish Kumar et al., "Experimental Study of Thermal Performance of One-Ended Evacuated Tubes for Producing Hot Air", Hindawi Publishing Corporation, Journal of Solar Energy November 2013.
- [15] Avadhesh Yadav et al., "An Experimental Study on Evacuated Tube Solar Collector for Heating of Air in India", International Journal of Mechanical and Mechatronics Engineering 2011.
- [16] S. P. Sukhatme and J. P. Nayak - Solar Energy. Tata McGraw-Hill Publishing conmany.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)