



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 5      Issue: VI      Month of publication: June 2017**

**DOI:**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# **Brain Tumour Detection and Segmentation Techniques: A State-Of-The-Art Review**

Mansi Lather<sup>1</sup>, Parvinder Singh<sup>2</sup>

<sup>1,2</sup> CSE Department, DCRUST, Murthal, Sonipat, India

**Abstract:** Brain tumor is a disease difficult to cure. Therefore detection of brain tumor at an initial stage can help in easy and proper diagnosis. Image processing exercises a major role in analysis of the medical imagery. In medical image processing, brain tumor detection is considered as the most difficult and challenging activity. Magnetic Resonance Imaging (MRI) is an advanced medical imaging approach for analyzing the body's inner anatomy. MRI produces high quality images of human soft tissues that help in brain tumor diagnosis. Due to complex nature of brain MR images, the precise MRI image segmentation is necessary for brain tumor diagnosis. Next, the tumor classification into benign and malignant is a tough job on account of differences in features of tissues of tumor such as gray level intensities, size, and structure. This paper addresses the potencies and weaknesses of the previously adduced classification strategies. The paper provides an insight into the reviewed literature to reveal new aspects of research and proposes a hybrid technique for brain tumor detection and segmentation.

**Keywords:** Magnetic Resonance Imaging (MRI); Brain tumor detection; Image processing; Denoising; Segmentation

## **I. INTRODUCTION**

The brain is regarded as the command center of the nervous system, and it is the most complicated organ inside the body of human. It is a non-replaceable and soft and spongy mass of tissue. Human brain takes input from the sensory organs and forwards them as output to the muscles [1]. Intelligence, creativity, emotions, memory etc are governed by brain [2]. Therefore, any damage or harm in the brain will cause problems for personal health including mobility or cognition [1].

In diagnosis of brain, precise measurements are very difficult because of diversity in size, shape & appearance of tumors. A brain tumor is an aberrant and uncontrolled propagation of cells [3]. A brain tumor does not only impact the immediate cells in its location but it also can cause damage to surrounding cells by causing inflammation. In medical image processing, brain tumor detection is considered as the most difficult & time absorbing activity. Medical imaging strategies exercise an important role in tumor detection. There are various imaging modalities such as X-ray Radiography, Ultrasound imaging, Positron Emission Tomography (PET), Magnetic Resonance Imaging (MRI), Computed Tomography (CT). Among the various modalities MRI is regarded as the most proficient means for analyzing the body's internal structure [4]. Early and accurate tumor detection is essential for efficient treatment planning.

The important goal of image processing application is to abstract from image data the main features, so that machine can gather an interpretative, descriptive, or reasonable plan.

Among the various steps of image processing the steps mainly considered for detection of brain tumor includes image denoising, morphological operation and image segmentation.

Image denoising is defined as the method of removing noise from the image. In medical imaging, for easy and proper diagnosis of diseases, denoising provides better clearance in the image [4]. Various schemes are available for removing noise from images [5], [6]. The image denoising methods are broadly categorized as [5]:

### *A. Spatial filtering methods*

Includes linear and non-linear filters

### *B. Transform domain filtering methods*

Constitutes spatial frequency filtering methods and wavelet domain methods.

- 1) Morphological operators are non-linear operators dealing with morphology & shape of images. They are related to pixel ordering and they don't change the pixel's numerical value. These operators are dependent on structuring element, which is a small matrix of pixels each having value one or zero and the choice of suitable structuring element plays an important role in the process. Various types of morphological operators include erosion, dilation, opening and closing [4].
- 2) Image Segmentation is the process of abstracting the arena of interest from an image by automatic or semi-automatic means [7].

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Segmentation techniques used for analyzing the medical images are classified as [8]:

### C. Region based methods

Includes thresholding and region growing methods.

### D. CLASSIFICATION METHODS

Includes k-nearest neighbor and maximum likelihood methods.

### E. CLUSTERING METHODS

Includes K-Means, FCM & expectation maximization methods.

In this paper work done by different scholars and researchers to assist in the problem of brain tumor segmentation has been reviewed along with their benefits and limitations. An improved hybrid technique for brain tumor detection and segmentation has also been proposed.

## II. LITERATURE REVIEW

Ayed, Kharrat and Halima [9] In their paper proposed an approach that consists of five phases: In the first phase, feature extraction is done via 2D Discrete Wavelet Transform & Spatial Gray Level Dependence Matrix (DWT-SGLDM). In the second phase, to reduce features size, features are selected via SA. In the next phase, over fitting is avoided using Stratified K-fold Cross Validation. In the fourth phase to optimize SVM parameters, GA-SVM model is used. Finally SVM is used for creating the classifier.

On the T2-weighted brain MR image datasets, this method obtained high classification accuracy. This strategy could further be used for image classification with differences in pathological conditions, types and disease status.

Ramya and Sasirekha [4] in their paper proposed a segmentation technique consisting of three phases: fourth order partial differential equation is used to denoise the image; then the morphological operators are used to remove the skull part and finally segmentation is done using region growing segmentation. The precision of this method is high than the watershed segmentation algorithm.

Its future work includes use of Neural Network classifier or Support Vector Machine (SVM) classifier for classifying the stages of tumor and tumor size calculation for better analysis of tumor.

El-Khamy, El-Khoreby and Sadek [10]. In this paper they introduced a hybrid technique of FCM and conformed threshold. The proposed technique consists of five stages: the first stage involves preprocessing for enhancing the intensity of input brain MR image for next stages. The second stage involves the use of a rectangular window for image histogram in order to calculate the number of clusters for FCM input. The third stage is to use FCM to find the center of clusters. The fourth stage is to use the conformed threshold value in order to segment the tumor. The final stage is tumor detection from the segmented image. This method gives better results for correctness and processing time than the global threshold method of segmentation, but the completeness is better in global threshold method than the proposed method.

Its future work includes tumor diameter calculation in three dimensional brain MRI images for accurately planning the treatment.

Dadheech, Gupta and Mathur [11] in their paper presented a fuzzy dependent detection of edges via K-means clustering technique. The K-means clustering technique is used to create different chunks to be fed as input to the mamdani fuzzy inference system. The result of this is the formation of threshold attribute to be then fed into the classical sobel edge detector which enhances its capability of detecting the edges using the fuzzy logic.

The result presents that fuzzy derived k-means clustering increases the effectiveness of classical sobel edge detector besides holding most of the relevant details. Its future work includes the use of proposed technique on different edge detectors.

Gupta, Khare and Srivastava [12] In this paper they introduced a new method using Genetic Algorithm (GA), Curve Fitting and SVM. Image segments are created using GA. After application of GA, the resultant segments might be relinquishing some of the details in their adjoining segments. Curve fitting is applied to properly segment the image without the loss of information. After segmenting the image, features are extracted from the segments. SVM is then used to classify these extracted features. The classified data then assists in determining the tumor using the extracted features. This method is more accurate and precise than the method using Mahalanobis distance.

Arivoli, Lakshmi and Vinupriyadharshini [13] proposed a system consisting of two main steps: preprocessing and segmentation. Preprocessing step involves three methods. First method is noise removal using curvelet transform, second one is artifact removal and the third method is skull removal using mathematical morphology. After preprocessing, segmentation is done using spatial FCM. The results presented in the paper are preliminary and quantitative validation on more accuracy and stability of method is still

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

necessary. Its future work includes image segmentation, classification and performance analysis.

Selkar and Thakare [14] in their paper presented watershed and thresholding algorithm that consists of three stages. Firstly quality of the scanned image is enhanced by removing noise. Secondly thresholding and watershed segmentation is applied to get a high intensity portion called tumor from the whole image. Finally, edge detection operator is applied for extracting the boundary and for finding the tumor size. The result shows efficient tumor detection by using thresholding algorithm rather than watershed algorithm and canny edge operator gives efficient boundary extraction results rather than prewitt and Robert operator.

Abid, BenMessaoud and Kharrat [15] In their paper presented an automatic brain tumor segmentation method in MRI images. The proposed method constitutes four steps – The first step is image pre-processing. The second step involves extraction of features using wavelet transform-spatial gray level dependence matrix (WT-SGLDM). In third step dimensionality reduction is done using GA and the final step involves classification of reduced features using SVM.

This method surpasses manual segmentation as well as FCM algorithm.

Beham and Gurulakshmi [16] In this paper they proposed a technique comprising of three phases: The first phase is image enhancement in which outer elliptical shaped object is eliminated. The second phase is morphological processing, conducted for extracting the needed region. The final phase is the segmentation using K-means clustering algorithm. This unsupervised method is efficient and less prone to error and can be carried out with lesser amount of data giving accurate output compared to supervised methods.

Gopal and Karnan [17] In this paper they presented a hybrid approach such as FCM with GA and PSO for detecting the tumor. The tumor detection is done in two phases. The first phase involves pre-processing & enhancement using the tracking algorithm for elimination of film relics and median filter to eliminate the high frequency components. The second phase involves segmentation and classification using GA with FCM and PSO with FCM. PSO with FCM outperforms GA with FCM.

A critical review of the studied literature is summarized in table I.

Table I Comparison of Different Papers Reviewed

Author	Paper Title	Methods Used	Advantages	Limitations
Ayed, Kharrat and Halima (2016)	MRI Brain Tumor Classification using Support Vector Machines and Meta-Heuristic Method [9].	DWT-SGLDM for feature extraction. Simulated Annealing (SA) for reducing the size of features. Stratified K-fold Cross Validation to avoid over fitting. GA-SVM for SVM parameters optimization. SVM for classifier construction.	Minimum number of features for classifying pathological and normal brain reduces the cost of classifier.	SA and GA requires greater computational time which rises with the growth in generation number.
Ramya and Sasirekha (2015)	A Robust Segmentation Algorithm using Morphological Operators for Detection of Tumor in MRI [4].	<u>Image denoising</u> : fourth order Partial Differential Equation (PDE). <u>Skull Removal</u> : Morphological Operators (erosion and dilation). <u>Segmentation</u> : Seed point selection based region growing segmentation.	Fourth order PDE removes noise effectively and favors better edge preservation. The detection accuracy is high in comparison to watershed segmentation.	Initial seed point selection depends on user ability.
El-Khamy, El-Khoreby and Sadek (2015)	An Efficient Brain Mass Detection with Adaptive Clustered based Fuzzy C-Mean and Thresholding [10].	Fuzzy C-Mean (FCM) and conformed threshold.	Improvement in correctness and reduction in operational time than the global threshold segmentation method.	Completeness result better in global threshold method than the proposed method.

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Dadheech, Gupta and Mathur (2015)	The K-means Clustering Based Fuzzy Edge Detection Technique on MRI Images [11].	Fuzzy based sobel edge detection using K-means clustering approach.	Performance enhancement of classical sobel edge detector besides seizing most of the important details.	Computational cost complexity is high
Gupta, Khare and Srivastava (2014)	Optimization Technique, Curve Fitting and Machine Learning used to Detect Brain Tumor in MRI [12].	GA to create image segments. Curve fitting to properly segment the image without loss of information. SVM to classify extracted features.	More accurate and precise results than the method using Mahalanobis distance	Variation in image database demands new training set.
Arivoli, Lakshmi and Vinupriyadharshini (2014)	Noise and Skull removal of Brain Magnetic Resonance Image using Curvelet transform and Mathematical Morphology [13].	<u>Noise removal</u> : curvelet transform <u>Skull removal</u> : mathematical morphology <u>Segmentation</u> : spatial FCM	Curvelet transform is an efficient noise removal method that considers both faint linear and curvy linear features.	Results presented are preliminary and requires clinical evaluation.
Selkar and Thakare (2014)	Brain Tumor Detection and Segmentation By Using Thresholding and Watershed Algorithm [14].	<u>Image enhancement</u> : Noise removal <u>Segmentation</u> : Thresholding and watershed method <u>Edge detection</u> : Prewitt, Sobel, Canny edge detection operator	Thresholding algorithm detects tumor more efficiently than watershed algorithm and canny edge operator gives efficient boundary extraction results rather than prewitt and robert operator.	Watershed method results in over-segmentation.
Abid, BenMessaoud and Kharrat (2014)	Brain Tumor Diagnostic Segmentation based on Optimal Texture Features and Support Vector Machine Classifier [15].	Preprocessing of image, extraction of feature using wavelet transform-spatial gray level dependence matrix (WT-SGLDM), GA to reduce dimensionality and reduced feature classification using SVM.	Using the optimal features, malignant and benign tumors are segmented with high classification precision.	Applicative where the parameters must be updated.
Beham and Gurulakshmi (2012)	Morphological Image Processing Approach On The Detection Of Tumor and Cancer Cells [16].	Image enhancement to remove outer elliptical shaped object. Morphological processing to extract the required region and K-means clustering segmentation method	Less error sensitive and can be applied to minimal amount of data with reliable results compared to supervised segmentation methods.	K-means clustering does not work well with non-globular cluster.

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Gopal and Karnan (2010)	Diagnose Brain Tumor through MRI using Image Processing Clustering Algorithms such as Fuzzy C-Means along with Intelligent Optimization Techniques [17].	Pre-processing and enhancement using the tracking algorithm and median filter. Segmentation and classification using PSO with FCM.	PSO with FCM has lower classification error rate and execution time and better accuracy than GA with FCM.	Median filter significantly denoises the image but the image appears with blurred boundaries.
-------------------------	--	--	---	---

### III. PROPOSED SYSTEM

In the previous section, we discussed various techniques for brain tumor detection and segmentation. There are various difficulties such as noise, non-cerebral tissues etc that results in poor segmentation and improper tumor detection. To overcome these issues, we are proposing an improved hybrid method for brain tumor detection and segmentation, so as to assist neurosurgeons in identifying the boundary of diagnostic region so that tumor can be precisely removed in surgical operation. Early and accurate detection of tumor is vital for proper diagnostics. The proposed system will consist of mainly three steps. First is image denoising (removal of noise from image) using Discrete Wavelet Transform (DWT). Next is skull removal (removal of brain's non-cerebral tissues) using morphological operators and finally image segmentation (extracting the region of interest) using K-Means and Otsu's thresholding method. The proposed technique will be as shown in fig. 1.




Fig. 1 Steps for Tumor Detection

### IV. CONCLUSIONS

Image processing is widespread in analyzing the biomedical images and is vital for studying anatomical structures, computing tissue volume, and aberration scrutiny, pathology, planning treatment and computer-assisted surgery. A brain tumor is an aberrant and uncontrolled propagation of cells. Finding the accurate border of the area comprising an identified brain tumor is a difficult task and needs to be addressed as it is applicable to many medical modalities and tumor types. In this investigation various automatic and semi-automatic methods for the detection of brain tumor through MRI has been studied. There are various difficulties such as noise, non-cerebral tissues etc that results in poor segmentation and improper tumor detection. To overcome these issues, we are proposing an improved hybrid method for brain tumor detection and segmentation.

### V. ACKNOWLEDGMENT

The authors are thankful to all the reviewers for their important comments and suggestions.

# International Journal for Research in Applied Science & Engineering Technology (IJRASET)

## REFERENCES

- [1] Lewis Tanya and Writer Staff, "Human Brain: Facts, Functions & Anatomy," 2016. [Online]. Available: <http://www.livescience.com/29365-human-brain.html>. [Accessed: 24-May-2017].
- [2] "Anatomy of the Brain," 2016. [Online]. Available: <https://www.mayfieldclinic.com/PDF/PE-AnatBrain.pdf>. [Accessed: 24-May-2017].
- [3] Mandal Ananya, "What is a Brain Tumor?," 2014. [Online]. Available: <http://www.news-medical.net/health/What-is-a-Brain-Tumor.aspx>. [Accessed: 24-May-2017].
- [4] L. Ramya and N. Sasirekha, "A Robust Segmentation Algorithm using Morphological Operators for Detection of Tumor in MRI," in IEEE International Conference on Innovations in Information Embedded and Communication Systems ICIIECS 2015, 2015, pp. 2–5.
- [5] F. C. Harris, M. C. Gadiya, M. C. Motwani, and R. C. Motwani, "Survey of Image Denoising Techniques," Proc. GSPX, pp. 27–30, 2004.
- [6] R. C. Gonzalez and R. E. Woods, Digital Image Processing, 2nd ed. Upper Saddle River, New Jersey: Prentice Hall, 2001.
- [7] "Image Segmentation," Wikipedia, The Free Encyclopedia. 2017. [Online]. Available: [https://en.wikipedia.org/w/index.php?title=Image\\_segmentation&oldid=781506915](https://en.wikipedia.org/w/index.php?title=Image_segmentation&oldid=781506915). [Accessed: 24-May-2017].
- [8] A. Altameem, A. A. Norouzi, A. E. Rad, A. Rehman, M. S. M. Rahim, M. Uddin, and T. Saba, "Medical Image Segmentation Methods , Algorithms , and Applications," IETE Tech. Rev., vol. 31, no. 3, pp. 199–213, 2014.
- [9] A. Kharrat, M. B. Ayed, and M. B. Halima, "MRI Brain Tumor Classification using Support Vector Machines and Meta-Heuristic Method," 2015 Int. Conf. Intell. Syst. Des. Appl., pp. 446–451, 2016.
- [10] M. A. El-Khoreby, R. A. Sadek, and S. E. El-Khamy, "An Efficient Brain Mass Detection with Adaptive Clustered based Fuzzy C-Mean and Thresholding," in 2015 IEEE International Conference on Signal and Image Processing Applications (ICSIPA), 2015, pp. 429–433.
- [11] N. Mathur, P. Dadheech, and M. K. Gupta, "The K-means Clustering Based Fuzzy Edge Detection Technique on MRI Images," 2015 Fifth Int. Conf. Adv. Comput. Commun., pp. 330–333, 2015.
- [12] S. Khare, N. Gupta, and V. Srivastava, "Optimization Technique, Curve Fitting and Machine Learning used to Detect Brain Tumor in MRI," in IEEE International Conference on Computer Communication and Systems (ICCCS 2014), 2014, pp. 254–259.
- [13] A. Lakshmi, R. Vinupriyadharshini, and T. Arivoli, "Noise and Skull removal of Brain Magnetic Resonance Image using Curvelet transform and Mathematical Morphology," Int. Conf. Electron. Commun. Syst. ICECS 2014, pp. 1–4, 2014.
- [14] M. N. Thakare and R. G. Selkar, "Brain Tumor Detection and Segmentation By Using Thresholding and Watershed Algorithm," Int. J. Adv. Inf. Commun. Technol. IJAICT 2014, vol. 1, no. 3, pp. 321–324, 2014.
- [15] A. Kharrat, M. Abid, and M. BenMessaoud, "Brain tumour diagnostic segmentation based on optimal texture features and support vector machine classifier," Int. J. Signal Imaging Syst. Eng., vol. 7, no. 2, pp. 65–74, 2014.
- [16] M. P. Beham and A. . Gurulakshmi, "Morphological Image Processing Approach On The Detection Of Tumor," Int. Conf. Devices, Circuits Syst. (ICDCS), 2012, pp. 350–354, 2012.
- [17] N. N. Gopal and M. Karnan, "Diagnose Brain Tumor Through MRI using Image Processing Clustering Algorithms such as Fuzzy C Means along with Intelligent Optimization Techniques," in 2010 IEEE International Conference on Computational Intelligence and Computing Research, ICCIC 2010, 2010, pp. 694–697.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)