



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 5      Issue: VI      Month of publication: June 2017**

**DOI:**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# **Revenue and Profit Maximization of Intermediary by Providing Multiple Cloud Services to Users**

Mr. Jivan Puri<sup>1</sup>, Prof. Bhagwan Kurhe<sup>2</sup>

<sup>1</sup>M.E. Student, Department of Computer Engineering, SPCOE, Otur., Pune, Maharashtra, India

<sup>2</sup>Professor, Department of Computer Engineering, SPCOE, Otur., Pune, Maharashtra, India

**Abstract:** *Data streaming with various cloud condition is a potential response for give the profitable pay on demand respond in due order regarding tradeoff between whole deal leasing and contrasting burdens. In this paper, we propose an organization structure with various cloud condition to give spouting colossal data figuring organization with lower cost per stack. In our model, a cloud advantage go between rent the cloud advantage from various cloud providers and give spouting taking care of organization to the customers with different organization interfaces. In this structure, we in like manner propose an evaluating philosophy to expand the income of the different cloud go-between. With expansive multiplications, our esteeming system brings higher income than other assessing methods.*

**Keywords:** *Pricing, Big Data, Cloud, Streaming*

## **I. INTRODUCTION**

The IoT vision has starting late offered rise to rising IoT big data applications e.g. insightful essentialness systems, syndromic bio observation, common checking, emergency situation care, propelled agribusiness, and sagacious gathering that are fit for making billions of data stream from geologically appropriated data sources. Despite late mechanical advances of the data-genuine handling gauges [4] (e.g. the MapReduce perspective, work prepare propels, stream dealing with engines, conveyed machine learning structures) and datacentre clouds [5], broad scale strong system level programming for IoT big data applications are yet to twist up obviously regular. As new different IoT applications begin to ascend, there is a prerequisite for redesigned systems to flow get ready of the streaming data made by such applications over multiple datacentres that solidify multiple, free gouge, and geographically passed on programming and gear ssets. In any case, the capacity of existing data-concentrated enrolling perfect models is compelled in various fundamental plots for instance, (i) they can simply prepare data on enlist and limit resources inside a concentrated neighborhood, e.g., a lone cluster inside a datacentre. This prompts unsatisfied Quality of Service (QoS) to the extent fortunateness of fundamental authority, resource availability, data openness, et cetera as application solicitations increase; (ii) they don't ace vide segments to immaculately arrange data spread over multiple appropriated heterogeneous data sources (ICOs); (iii) require support for brisk arrangement of normal inquiries over streaming data in light of extensively helpful thoughts, vocabularies and data disclosure; and (iv) they don't star vide any essential initiative reinforce for picking perfect data mining and machine counts, data application programming structures, and NoSQL database systems in view of nature of the big data (volume, combination, and speed). Also, choice of existing datacentre cloud stages for encouraging IoT applications is yet to be recognized because of nonappearance of systems and programming structures that can ensure QoS under uncertain big data application rehearses (data landing rate, number of data sources, decision making criticalness, et cetera.), unpredictable datacentre resource conditions (dissatisfactions, openness, glitch, et cetera.) and confine demands (transmission limit, memory, stockpiling, and CPU cycles). Unmistakably existing data concentrated enlisting perfect models besides, related datacentre cloud resource provisioning techniques come up short concerning the IoT big data challenge or don't exist. Along these lines, this phenomenal issue demands papers related to subjects tallying methodology for giving a protected end-to-end association among customers and data sources, QoS upgraded standard allel data logical systems, programming reflections for increasing existing data raised figuring measures to multiple datacentres, IoT big data application specific metaphysics models for getting heterogeneous data from multiple sources, Innovative IoT big data application use cases therefore on. The call for papers for this uncommon issue got various sections. After a two-arrange peer review set we up, have recognized four phenomenal papers related to the above scopes of interest. It address the trial of streaming big data service in multi cloud conditions. Existing cloud pricing strategy is debilitating for get ready streaming big data with moving weight. Multiple cloud condition is a potential game plan in any case, a successful pay-on-demand pricing strategy is asked for dealing with streaming big data. They propose an intermediary structure with multiple cloud condition to give streaming big data enrolling service with lower cost per stack, in which a cloud service intermediary rents the cloud service from multiple

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

cloud providers and gives streaming taking care of service to the customers with multiple service between appearances. The also propose a pricing strategy to help the income of the multiple cloud intermediary. With wide reenactments, our pricing strategy brings higher income than other pricing procedures.

### II. RELATED WORK

In many years, specialists and organizations created some effective frameworks concentrate on streaming big data figuring. Aurora, is a streaming administration framework created by the participation of Brown, Brandis, and MIT University. It is a solitary foundation which can proficiently and flawlessly bolster constant checking applications, documented applications and spreading over applications. Borealis, is an appropriated augmentation of Aurora which can handle streaming data through different processors also, PCs. For bolster circulated design, Borealis presents a proficient calculation for the dissemination of occupations between hubs. The STREAM extend, gives a data base administration usefulness to bolster for persistent questions over streaming data. It displays a moderately minor augmentation to SQL named CQL to offer Stream-to-Relation and Connection to-Stream Operators. Cougar, is a streaming preparing framework that works with little scale sensors, actuators, and installed frameworks. Dissimilar to general sensor systems utilize disconnected questioning and analysis, Cougar extend conveys inquiries to hubs and subsequently just the coveted data gathered by the focal preparing hubs. Transmit, concentrates on versatile dataflow and questioning streaming data from sensors. It permits questioning of ongoing and verifiable data with parallelized administrators, which depends on the occasional reports by the CQL inquiry dialect. IBM InfoSphere, Streams is a progressed logical platform that permits clients create applications for breaking down also, associating data from a great many ongoing sources. Info Sphere is a conveyed runtime platform which can be scaled from a solitary server to an boundless number of hubs to process a great many occasions every second. Microsoft Stream Insight, is a platform for creating furthermore, sending complex occasion preparing applications, which investigations and corresponds data incrementally without putting away data with low inertness. Esper, likewise concentrate on complex occasion preparing, which gives a profoundly versatile big data handling engine for authentic data or live stream data.

### III. PROPOSED SYSTEM

#### A. Multiple Cloud

Diverse cloud good means the delegate can rent PC resources from different cloud providers with different organizations, which infers there are two levels of perfect including stage perfect and advantage good. Stage good level is that the center individual applies the PC resources from various cloud stages with different interfaces. This is the essential diagram thought of the various cloud benefits that the customers can send their applications to different cloud stages clearly. The upside of this good is the go-between can arrange the PC resource essential between various cloud providers to increase as far as possible and the cost of the PC resources. Advantage perfect level is that the go-between applies the PC resources at different organization levels. For the most part, there are three levels of organizations from existing cloud providers, which including the Infrastructure as a Service (IaaS) level, MapReduce level and Streaming figuring level. IaaS level means the cloud providers exemplify their organizations as enroll cases and the customers use these events as general PCs. MapReduce level means the processing resources are given as general MapReduce registering structures and customer send their figuring need as MapReduce applications. Streaming processing level is that the streaming figuring applications can be executed in this cloud stage. Considering the delegate focuses on the streaming registering, it can apply more versatile arranging systems due to the organization good. B. On Demand Services On-ask for advantages mean the center individual can give the unmistakable organization sorts to satisfy the customer requirements. What's more, what's more the different cloud good, there are furthermore two levels of on-demand benefits including ondemand advantage levels and on-demand advantage interfaces. Onrequest advantage levels mean the center individual structure can give the specific organization level required customers. As discussed in the discourse of the organization good, there are three organization levels when all is said in done cloud providers. For these organization levels, different customers will grasp various levels for their streaming figuring assignments. For example, if customers need to pass on their unprecedented taking care of systems in the cloud stages, they will pick IaaS level while if customers need to execute their assignments on general streaming planning structure, they will pick the streaming processing level. Along these lines, to satisfy the need of different customers, the center individual system needs to give these three organization levels at any rate. On ask for advantage interfaces mean the go-between system can give the specific organization interface required by clients. Benefit interfaces are commonly including the interfaces of the processing structures (e.g., POSIX, et cetera.), MapReduce systems (e.g., hadoop, et cetera.) and the streaming taking care of systems (e.g.,

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

SPARK, et cetera.). Some time as of late using the delegate advantage, customers as a general rule have made a couple of utilizations or systems to execute their streaming get ready errands with specific interfaces. For representation, if customer developed their streaming get ready applications on the Apache SPARK, they will slant toward the cloud advantage with the interface gave by the Start. Thusly, the center individual structure needs to arrange general interfaces in those organization levels.




Fig1: System Architecture

### IV. SYSTEM ANALYSIS

Usually, As the structure showed up in Figure 1, the different cloud assign framework for streaming registering contains a couple of modules to meet the arrangement thoughts. There are seven essential modules in the framework including the cloud event organization, streaming center point organization, MapReduce center organization, streaming organization, MapReduce benefit, IaaS Service and client organization modules. Cloud event organization module manages all figure events at the IaaS banquet level. This module records all status of the events and assigns appropriate events to other modules. Streaming center point organization module manages the processing resources which are given to clients as streaming figuring organization level. The streaming registering resources are delivered in three sorts of procedures. To begin with sort is that the middle person rents resources from the streaming taking care of cloud administrations. Second sort is that the module passes on the streaming planning frameworks on the MapReduce center points. Third sort is that the module passes on the streaming dealing with frameworks in the figure events direct. MapReduce center point organization module manages the figuring resources which are given to clients as MapReduce advantage level. Therefore with the streaming registering resources, the MapReduce processing resources are made from two sorts: the benefits rented from the cloud MapReduce organizations, and the module sends the MapReduce frameworks in the figure events. Streaming organization module gives streaming registering organizations to the clients. To give the required organization interface from clients, the streaming organization module facilitates general streaming get ready frameworks. MapReduce advantage module gives MapReduce organizations to the clients. Correspondingly, the MapReduce advantage module facilitates general MapReduce executions to give the perfect interfaces to reinforce the streaming frameworks from clients. IaaS advantage module gives IaaS organizations to the clients. When in doubt, clients can get prepare cases from this module with the required version of the working

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

frameworks and some key programming. Client organization module manages all clients in the center individual framework including access control usage history, charging, et cetera. We consider clients buy cloud registering resources from the center individual with enough point of confinement and insignificant exertion than significant cloud providers. The center individual get markdown costs from various cloud provider with longterm gets The center individual generally speaking combines these processing resources into different gigantic data figuring frameworks

as the organization units for cloud clients. Here intermediary will purchase the cloud service from CSP like Amazon for some discounted amount then prepare its own plan to provide same service to end users. Intermediary will charge the price less than what cloud provide and this will increase the customer count and ultimately the revenue.

### V. ALGOTIRHM

Algorithm 1 Computing profit maximization

Input: Quantity sold to customer  $Q_c$  and Quantity purchased from cloud  $Q_p$

Output: Profit

Step 1: Calculate Cost paid to cloud  $C_c$  for EMR and EC2 both

Step 2: Calculate revenue  $R$  generated as per the quantity sold to customer for EMR and EC2 both

Step 3: Calculate repurchasing amount  $R_a$  refunded to customer for EMR and EC2 both

Step 5: Profit =  $R - R_a - C_c$

### VI. RESULT AND DISCUSSION

The result table and pie chart shows revenue generated by the intermediary. In EMR revenue generated by intermediary is 371.25 and cost paid to cloud is 20.625 so approximate profit to intermediary is 350.625 which is almost 94 % of total revenue. In EC2 revenue generated by intermediary is 120 and cost paid to cloud is 60 so approximate profit to intermediary is 60 which is almost 50 % of total revenue. The fig4 shows the trend related to cost paid by intermediary to cloud service provider and revenue ,profit generated against the all customer .

#### EMR Report || Profit Analysis || Back

Instance Type	Quantity Sold	Revenue	Cloud Cost	Profit
m4.large	2750	371.25	20.625	350.625




Fig2: EMR Profit Analysis

#### EC2 Report || Profit Analysis || Back

Instance Type	Quantity Sold	Revenue	Cloud Cost	Profit
m4.large	2000	120.0	60.0	60.0




Fig3: EC2 Profit Analysis

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)




Fig4: Intermediary Profit Analysis

### VII. CONCLUSION

We propose a various cloud delegate framework for streaming enormous information computing to give streaming enormous information handling cloud administrations to the users. The go-between rents PC assets from diverse cloud benefits and gives distinctive administration interfaces to users. We likewise outline a Pricing-Repurchasing methodology to most extreme the income of the middle person furthermore, diminish the dangers by long haul leasing contracts with users. We define the Pricing-Repurchasing issue as a two-organize pioneer adherent (Stackelberg) amusement, what's more, break down the amusement balance. We additionally assess our evaluating technique with broad reproductions and think about its income with our estimating procedures. From the consequence of execution assessment, the Pricing-Repurchasing technique conveys more income to the mediator than other strategies. Later on, we will plan to actualize an entire numerous cloud middle person arrangement with changed OpenStack to bolster streaming huge information handling administration. In the mean time, it is implication to discover booking technique to streamline the streaming computing execution in the different cloud environment. A more profound explore different avenues regarding the genuine word testbed is moreover expected to assess the proficiency of the new numerous cloud middle person arrangement.

### VIII. ACKNOWLEDGEMENT

I dedicate all my works to my esteemed guide Prof. Bhagwan Kurhe, whose interest and guidance helped me to complete the work successfully. This experience will always steer me to do my work perfectly and professionally. I express my immense pleasure and thankfulness to all the teachers and staff of the Department of Computer Engineering, for their co-operation and support. Last but not the least, I thank all others, and especially my friends who in one way or another helped me in the successful completion of this paper.

### REFERENCES

- [1] L. Wang, H. Zhong, R. Ranjan, A. Zomaya, and P. Liu, "Estimating the statistical characteristics of remote sensing big data in the wavelet transform domain," *IEEE Transactions on Emerging Topics in Computing*, vol. 2, no. 3, pp. 324–337, Sept 2014
- [2] L. Wang, J. Tao, R. Ranjan, H. Marten, A. Streit, J. Chen, and D. Chen, "G-hadoop: Mapreduce across distributed data centers for data-intensive computing," *Future Generation Computer Systems*, vol. 29, no. 3, pp. 739–750, 2013, special Section: Recent Developments in High Performance Computing and Security
- [3] K. Alhamazani, R. Ranjan, P. P. Jayaraman, K. Mitra, C. Liu, F. A. Rabhi, D. Georgakopoulos, and L. Wang, "Cross-layer multcloud real-time application qos monitoring and benchmarking asa-service framework," *CoRR*, vol. abs/1502.00206, 2015. \Armbrust, A. Fox, R. Griffith, A. D. Joseph, R. Katz, A. Konwinski, G. Lee, D. Patterson, A. Rabkin, I. Stoica, and M. Zaharia, "A view of cloud computing," *Commun. ACM*, vol. 53, no. 4, pp. 50–58, Apr. 2010.
- [4] J. A. Toosi, R. Calheiros, R. Thulasiram, and R. Buyya, "Resource provisioning policies to increase iaas provider's profit in a federated cloud environment," in *High Performance Computing and Communications (HPCC)*, 2011 IEEE 13th International Conference on, Sept 2011, pp. 279–287
- [5] Y.-J. Hong, J. Xue, and M. Thottethodi, "Dynamic server provisioning to minimize cost in an iaas cloud," in *Proceedings of the ACM SIGMETRICS Joint International Conference on Measurement and Modeling of Computer Systems*, ser. SIGMETRICS '11. New York, NY, USA: ACM, 2011, pp. 147–148
- [6] A. Iosup, S. Ostermann, M. Yigitbasi, R. Prodan, T. Fahringer, and D. Epema, "Performance analysis of cloud computing services for many-tasks scientific computing," *IEEE Transactions on Parallel and Distributed Systems*, vol. 22, no. 6, pp. 931–945, June 2011
- [7] A. Iordache, C. Morin, N. Parlavantzas, E. Feller, and P. Riteau, "Resilin: Elastic mapreduce over multiple clouds," in *The 13th IEEE/ACM International Symposium on Cluster, Cloud and Grid Computing (CCGrid 2013)*, May 2013, pp. 261–268



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)