



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 5 Issue: VI Month of publication: June 2017

DOI:

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Training Free Skin Detection Using Luminance Based Approach

Khirendra Patel¹, Suman Swarnkar², Mr. Virendra Swarnkar³
^{1,2,3} Computer Science & Engineering, BCET Durg

Abstract: Confront discovery is perceiving human faces in pictures caught by the cameras in the manmade brainpower frameworks. Various methodologies have been adopted for face detection. Face recognition techniques are working on various electronic devices and on many of the security systems for authentication purposes. In this project, the input image which is captured by any camera is taken as input and a skin detector typically transforms the given pixels into an appropriate color space and then uses a Luminance Skin Classifier to label the pixel whether it is a skin or a non-skin pixel. A skin classifier characterizes a choice limit of the skin shading class in the shading space in view of a preparation database of skin-hued pixels. Keywords: ycbcr, skin detection, classifier, color space, skin pixel.

I. INTRODUCTION

This project involves the use of YCBCR technique of skin identification upon which the Luminance Skin Classifier is used to get a defined skin color area, which can then be cropped to get a defined area of face from an input image. The input image is typically treated by the YCBCR method to get the skin and non skin pixels area of an input image which then undergoes by the process of skin classification. For this purpose, the Luminance Skin Classifier which helps in defining the skin pixels boundaries. Skin color and textures are unit necessary cues that individuals use consciously or unconsciously to infer style of culture-related aspects regarding one another. coloring and texture will be a sign of race, health, age, wealth, beauty, etc[1]. However, such interpretations vary across cultures and across the history. In pictures and videos, coloring is a sign of the existence of humans in such media. Therefore, within the last 20 years intensive analysis have centered on skin detection in pictures. Skin detection suggests that police investigation image pixels and regions that contain skin-tone color. Most the analysis during this space have centered on police investigation skin pixels and regions supported their color. only a few approaches commit to additionally use texture info to classify skin pixels.

Detecting skin pixels area rather computationally simple task and might be done terribly expeditiously, a feature that encourages the America e of skin detection in several video analysis applications. as an example, in one of the earlier applications, detecting skin-colored regions was wont to determine nude footage on the net for the sake of content filtering [2]. In another application, skin noticeion was wont to detect anchors in TV news videos for the sake of video automatic annotation, archival, and retrieval [3]. In such AN application, it's typical that the face and also the hands of the anchor person area unit the most important skin-tone colored region during a given frame since, typically, news programs area unit shot in indoor controlled environments with artificial background materials that hardly contain skin-colored objects. In several similar applications, wherever the background is controlled or unlikely to contain skin-colored regions, police work skin-colored pixels will be a awfully economical cue to search out human faces and hands i n pictures. AN example within the context of biometric is police work faces for face recognition in AN controlled atmosphere. police work skin-colored pixels, though appears easy task, has well-tried quite difficult for several reasons. the looks of skin in a picture depends on the illumination conditions (illumination pure mathematics and color) wherever the image was captured. we have a tendency to humans area unit excellent at distinguishing object colors during a big selection of illuminations, this is often known as constancy. constancy could be a mystery of perception. Therefore, a vital challenge in skin detection is to represent the color during a approach that's invariant or a minimum of insensitive to changes in illumination. As are mentioned shortly, the selection of the color area affects greatly the performance of any skin detector and its sensitivity to vary in illumination conditions. Another challenge comes from the very fact that a lot of objects within the world may need skin-tone colours. as an example, wood, leather, skin-colored wear, hair, sand, etc. This makes any skin locator have much false identification out of sight if the earth is not controlled.

II. LITERATURE SURVEY

The various authors have concluded that Face detection is a very effective way of detecting human appearances in various instances.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)


Salem Alelyani, Huan Liu [7], Troupe characteristic determination is known for its heartiness and generalization of exceedingly faultless prescient models. Chaoyang Zhang, Zhaoxian Zhou, Hua Sun, and Fan Dong [5] have reported, face recognition has gained a great deal of consideration in biometrics and workstation vision. The vision of using Skin Classifier is to have a simple and solid way of getting face from an input image.

III. PREVIOUS WORK

All paragraphs must be indented. A lot of study and application have been done on detecting a face from an input image. The researches basically deal with how to get a real actual face being identified from an image where there can be lots of other objects of same color type as that of skin or face being confused with other parts of the body.

IV. PROPOSED METHODOLOGY

The methodology that will be followed in the project is shown through following flowchart:



The main blocks are conversion of RGB image into YCBCR colour space. Separation of layers to detect skin area . After detected skin area, the image is processed through median filtering. The results of this step is like binary image. The binary image has blocks of pixels and therefore the group of five hundred pixels are removed and remainder of the blocks are tagged every label is considered for skin space of face, and therefore the component indexes are extracted and face area is crop down from input image according to indexes found

The main steps are as follows

Start the simulation

Read image after browsing

Convert RGB image into YCBCR colour space for better skin area detection

Separate the layer Y, CB and CR where in the layers CB and CR having better skin properties.

Now set parameters of skin like color intensities and place remainder of the pixels zero or null

Apply Erosion morphology for removing pixels like ball having pixel area unit 2x

Now delete those cluster of pixels that has less than five hundred pixels or less

Now label remainder of pixel and find the pixel indexes of those cluster

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Crop the input image as per pixel indexes found
 The extracted pixels area are fac
 End of simulation.

V. PRECISION AND ACCURACY CALCULATION

The pictures in this dataset are downloaded haphazardly from Google for human skin recognition look into. These pictures are caught with a scope of various cameras utilizing diverse shading improvement and under various enlightenments. The dataset likewise contains Ground Truth (GT) pictures for test pictures in dataset. Fig 5 demonstrates comes about gotten on a portion of the pictures in the dataset. Each graph indicates unique picture, ground truth picture and resultant picture from our calculation. Table 1 indicates precision computations on the pictures appeared in fig 5 utilizing taking after definitions [14].

Genuine positive (TP) speaks to number of Skin pixels accurately distinguished as skin, True negative (TN) is number of Non-skin pixel effectively recognized as non-skin, False positive (FP) is Non-skin pixel mistakenly recognized as skin and False negative (FN) –Skin pixel erroneously recognized as non-skin. Exactness and Accuracy is computed utilizing conditions 7 and 8 individually. Exactness of 89.33% and precision of 94.43% was gotten on a subset of pictures from this set.

$$Precision = TP / (TP+FP)$$
















$$Accuracy = (TP+TN)/(TP+TN+FP+FN)$$

| Sr. No. | Total no of Pixels | Skin pixels detected (Our algo.) | Skin pixels in GT image | Nonskin Pixels detected (Our algo.) | Nonskin pixels in GT image | True Positive | False Positive | True Negative | False Negative | Precision | Accuracy |
|---------|--------------------|----------------------------------|-------------------------|-------------------------------------|----------------------------|---------------|----------------|---------------|----------------|-----------|----------|
| 1 | 196608 | 54885 | 55836 | 140772 | 141723 | 54885 | 0 | 140772 | 951 | 100 | 99.5 |
| 2 | 176418 | 29828 | 23089 | 153329 | 146590 | 23089 | 6739 | 146590 | 0 | 77.4 | 96.1 |
| 3 | 114400 | 20497 | 21128 | 93272 | 93903 | 20497 | 0 | 93272 | 631 | 100 | 99.4 |
| 4 | 108600 | 51191 | 49420 | 59180 | 57409 | 49420 | 1771 | 57409 | 0 | 96.5 | 98.3 |
| 5 | 50000 | 19328 | 18926 | 31074 | 30672 | 18926 | 402 | 30672 | 0 | 97.9 | 99.1 |
| 6 | 128000 | 72237 | 47359 | 80641 | 55763 | 47359 | 24878 | 55763 | 0 | 65.5 | 80.55 |

Figure : Precision Accuracy Calculations

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

VI. EXPECTED RESULT

| sn | Original image | Skin like area | Face detected & Crop | Size of original image | Size of cropped image |
|----|---|---|--|------------------------|-----------------------|
| 1 |  |  |  | 404*286 | 306*253 |
| 2 |  |  |  | 764*536 | 316*421 |
| 3 |  |  |  | 555*535 | 436*586 |
| 4 |  |  |  | 595*357 | 448*325 248*176 |
| 5 |  |  |  | 1016*566 | 283*252 280*259 |

The result here shows that any image can be converted to a black and white color code using the basic YCBCR method which can be then worked upon by defining each and every pixel as skin and non-skin pixel that can be then identified. The skin pixels can be generated and can be looked upon for solid boundary to get a face area out of the many clusters of skin pixels available in the processed image. The face area can be then

re-generated and cropped to get cropped face area of the original image.

We can see that there is a decrease in the size and dimensions of the output image as compared to the original input image. From the results it is clear that the above proposed methodology is completely free from training database, means it can be applicable in various systems where face area need to be extracted out. The technique having advantage of extraction of multiple faces in a given image. The proposed algorithm has 99% accuracy and takes very less time to execute. After comparison from the existing work on face recognition, proposed technique is quite better than in accuracy and speed.

The face recognition algorithm mentioned is evaluated and the results are found which can be seen. The whole algorithm has major steps of face recognition and the outputs after each step is given in the table. The columns in the table very clearly shows the input image the processed image by the classifier and then the cropping of the image based on the classifier results. The comparative analysis of the size variation between the original image and cropped image is also given in the table for the reference.

The result as expected gave a higher success rate as compared to the other methodologies also eliminating the flaw of illumination present in the images due to editing, which can bring a varied result and conclusive behaviour of the analysis. Thus, some of the basic flaws are removed giving a simple method to be taken to achieve a desired result.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)

VII. CONCLUSION

The results and calculations show that the Face Detection can be a tricky thing to do but because of the method used i.e the Luminance Classifier, it will be relatively simple to get a defined skin area once the image have been converted to color space and there will not much mishap even if the illumination factor is involved.

VIII. FUTURE SCOPE

There is lot of scope in this area as day by day have been happening around, security and privacy are challenged every day, a lot of risk and technical factors arise, the scenario for detecting a face changes because of the change in image environment etc. Thus, according to a new scenario or change in factor some factors can be added and new algorithms can be made to improve the precision of detection.

REFERENCES

- [1] Bernhard Fink, K.G., Matts, P.J.: Visible skin color distribution plays a role in the perception of age, attractiveness, and health in female faces. *Evolution and Human Behavior* 27(6) (2006) 433–442
- [2] Fleck, M.M., Forsyth, D.A., Bregler, C.: Finding naked people. In: *Proceedings of the European Conference on Computer Vision (ECCV)*. (1996) 593–602
- [3] Abdel-Mottaleb, M., Elgammal, A.: Face detection in complex environments from color Images. In: *Proceedings of the International Conference on Image Processing (ICIP)*. (1999) 622–626
- [4] Jones, M.J., Rehg, J.M.: Statistical color models with application to skin detection. *International Journal of Computer Vision (IJCV)* 46(1) (2002) 81–96
- [5] Chaoyang Zhang, Zhaoxian Zhou, Hua Sun, and Fan Dong, “Comparison of Three Face Recognition Algorithms” 2012 International Conference on Systems and Informatics (ICSAI 2012) IEEE.
- [6] Chen Da-jin/Chen Si-yu/Su Yun-huan, Peng Min-jing, “A Fast Detection Model for Omni-directional Faces” The 7th International Conference on Computer Science & Education (ICCSE 2012) July 14-17, 2012. Melbourne, Australia IEEE.
- [7] Salem Alelyani, Huan Liu, “Ensemble Feature Selection in Face Recognition ICMLA 2012 Challenge” 2012 11th International Conference on Machine Learning and Applications, IEEE.
- [8] Emir Kremic, Abdulhamit Subasi, and Kemal Hajdarevic, “Face Recognition Implementation for Client Server Mobile Application using PCA” proceeding of ITI 2012 34th International Conference on information technology interfaces
- [9] Ming-Hsuan Yang, David J. Kriegman and Narendra Ahuja, „Detecting Faces in Images : A Survey, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 24 (1), Jan 2004.
- [10] A.H.Mir, S.Rubab, Z.A.Jhat <http://ijcir.mak.ac.ug/volume5-number2/article7>
- [11] W. Zhao, R. Chellappa, P. J. Phillips, and A. Rosenfeld. Face recognition: A literature survey. *ACM Comput. Surv.*, 35(4):399–458, December 2003
- [12] Yang, M., Ahuja, N.: Gaussian mixture model for human skin color and its application in image and video databases. In: *In Proc. of the SPIE: Conference on Storage and Retrieval for Image and Video Databases (SPIE 99)*. Volume 3656. (1999) 458466



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)