



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: IV Month of publication: April 2018

DOI: <http://doi.org/10.22214/ijraset.2018.4132>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Database Synchronization

Rushikesh Gawande¹

Abstract: *Database Synchronization Project propose allows you to take one database, make an exact copy of it on another server, and set one of them (the slave) to take all its updates from the other (the master).*

The slave reads the master's table and finds whether the data in the master has been changed and vice versa, and repeats these on its database, keeping the two in exact sync. Database Synchronizer -it is the unique program tool allowing to work with heterogeneous databases both at a simple user level, and at professional DBA level or software developer level.

The product can be tested in work with many various database types:

A. **ORACLE**

B. **MS SQL Serve**

C. **MySQL**

D. **MS Access and many others**

Keywords: *database synchronization, heterogeneous databases, data integration*

I. INTRODUCTION

The proposed system is responsible for reducing the drawbacks and the cost in the existing system . The proposed system reduces the drawbacks by applying the synchronization concept between different database servers. The proposed system will synchronize the tables between different database servers, so the problem of applying synchronization in enterprise application is reduced. The proposed system reduces the cost of installation of oracle or Inform-ix by installation of low cost database servers.

A. *The system can be broadly divided into 5 modules:*

- 1) Generating Database Schem
- 2) Constructing Database
- 3) Data Migration
- 4) Database Monitoring
- 5) Database Comparator

II. ADVANTAGES

- A. A fully structured but still versatile automated data migration process
- B. Full control of source and target data definition
- C. The highest quality target data with no data los
- D. Consistent, accurate, and cost effective results
- E. Efficient utilization of available resource
- F. Support for partial or incremental migration
- G. Support for multiple run-time environments
- H. Ensures at a given time the source and destination database will be in sync(same)
- I. Efficient way for comparing two database for integration

Database Synchronizer supports the exchange of data pertaining to resources shared between multiple production units and between multiple projects. It presents issues related to the generation and management of this data exchange

III. REQUIREMENTS

A. *Hardware Requirements*

The minimum hardware required for the development of the project is:

- 1) *Processor* : Any above 500 Mhz
- 2) *Ram* : 128Mb
- 3) *Hard Disk* : 10 GB.
- 4) *Compact Disk* : 650 Mb.
- 5) *Floppy Disk* : 1.44 Mb.

- 6) *Input device* : Keyboard & Mouse.
- 7) *Output device* : VGA & High Resolution Monitor.

B. Software Requirements

Operating System : Windows 2000 server Family.
 Pages developed using : Java Server Pages and HTML.
 Tools : J Boss IDE, J Creator 1.5
 Scripts : JavaScript
 Techniques : Apache Tomcat Web Server, J2SDK 1.4
 Web Browser : Microsoft Internet Explorer or Google chrome
 Data Bases : Microsoft Access, Oracle 8.0, SQL Server

IV. THE PRESENTATION VERSUS STRUCTURE DEBATE

The primary area currently evolving is in the formatting of documents. The debate is raging over how much control of the appearance of the document should rest in the hands of the user and how much should be decided by the publisher. Years of research have gone into graphic design and typography, and there are varied methods of using the appearance of text and graphics to communicate a particular message. To designers and publishers who have become experts in this art, it is important that the information contributor have a large degree of control over document appearance. However, on the World Wide Web, the user can choose fonts, window sizes, colors, and many other presentation variables. Not all users have the same typefaces, colors, and screen area available, and must be able to make the WWW page fit their constraints.




Fig 4.1 Context Analysis Diagram

This database server is the master server, which contains the original database with its tables and values. The contents of the database are migrated to the slave database and any changes made to the Master server is captured and sent to the slave for the database to be synchronized. Database Server II (Slave): This database server is the slave. It acts as a back up for the master database server. The changes made in the master are captured and sent to this server, it compares the XML file which contains the changes and then applies them to them to its database. Client The application revolves around this major entity. The client requests the data from the database. But, he may not be aware of the location of the database i.e., whether the data is provided from the master server or from the slave server as both the servers are synchronized and contains the same data at any time.

V. CONCLTUSION

he project entitled “Database Synchronization” can be successfully completed. With implementation an application capable of scheduling projects to subordinates. All the modules are tested separately and put together to form the main system. Finally the system is tested with real data and everything will work successfully. Thus the system can fulfill the entire objective identified. The entire system is user friendly and interactive. The performance of the system is provided efficiently. The system tested with all possible sample data should find to have an effective planning of the functions or process with a high degree of accuracy and user friendliness.



REFERENCES

- [1] John Miles Smith; et al. (1982). "Multibase: integrating heterogeneous distributed database systems". AFIPS '81 Proceedings of the May 4–7, 1981, national computer conference, pp. 487–499..
- [2] Christoph Koch (2001). "Data Integration against Multiple Evolving Autonomous Schemata" (PDF). Archived from the original (PDF) on 2007-09-26.
- [3] <http://www.infoworld.com/article/2861579/database/the-rise-of-the-multimodel-database.html>
- [4] Sheth, Amit P.; James A. Larson (September 1990). "Federated Database Systems for Managing Distributed, Heterogeneous, and Autonomous Databases" (PDF). ACM Computing Surveys. 22 (3): 183–236. doi:10.1145/96602.96604.
- [5] Orend, Kai (2013). "Analysis and Classification of NoSQL Databases and Evaluation of their Ability to Replace an Object-relational Persistence Layer". CiteSeerX 10.1.1.184.483 .
- [6] Freitas, A., Handschuh, S., Curry, E., Distributional-Relational Models: Scalable Semantics for Databases, AAAI Spring Symposium, Knowledge Representation & Reasoning Track, Stanford, 2014



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)