



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 7      Issue: VI      Month of publication: June 2019**

**DOI: <http://doi.org/10.22214/ijraset.2019.6083>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Estimating Audience Engagement/Disengagement while Watching a Video

Prof. Archana Kale<sup>1</sup>, Akhilesh Kalebere<sup>2</sup>, Rahul Deshmukh<sup>3</sup>, Rahul Bhagia<sup>4</sup>, Shaunak Patil<sup>5</sup>

Department of Computer Engineering, Mescoe, Pune- 01

Savitribai Phule Pune University

**Abstract:** While watching movies, an audience may express both nice and vulgar gestures (emotion) like; smiles, head pose change, fidgeting, stretching which conveys sentiment in form of engaged or disengaged during feature-length movies. Such engaged or disengagement will help to predict movie rating. Observing these behaviors using computer vision systems is a very challenging task especially in a movie theatre environment. There needs to develop a system which can estimate audience engagement and give the correct prediction of movie rating.

*This paper gives the survey of different techniques used by the researcher for predicting the movie rating based on the different scenario and abstract view of the system which we are going implement with higher accuracy in movie rating prediction.*

**Keywords:** Movie Ratings Prediction, Audience Engagement, Facial Expressions.


## I. INTRODUCTION

Computer vision techniques are used in various fields such as traffic control, event monitoring, marketing, healthcare field, quality control, military technology, etc. One of the sub-areas of computer vision is facial expression identification. Facial expressions which can be classified fear, happiness, joy, sadness, aggressiveness is recognizable with computer vision techniques.

Nowadays it has become necessary to identify the facial recognition of human which helps the organization as well as individual to recognize the emotions of the person. It can apply to all different places where recognition plays an important role in identifying the emotion.

Facial emotion recognition is one of the explicit issues of computer vision. Emotions which can be categorized like fear, contentment, joy, sadness, aggressiveness are recognizable facial expressions using computer vision. Emotional expressions at face are related to the activities or positions of the muscles under the skin and are a form of nonverbal agreement.

Figure 1 (below) shows the normal steps involved in image processing.



**Figure 1:** Steps in Image Processing for Expression Classification

Facial expression recognition is a process performed by humans or computers, which consist of:

- 1) Locating faces in the scene (e.g., in an image; this step is also referred to as face detection),
- 2) Extracting facial features from the detected face region (e.g., detecting the shape of facial components or describing the texture of the skin in a facial area; this step is referred to as facial feature extraction),
- 3) Analyzing the motion of facial features and/or the changes in the appearance of facial features and classifying this information into some facial expression-interpretative categories such as facial muscle activations like smile or frown, emotion (affect) categories like happiness or anger, attitude categories like (dis)liking or ambivalence, etc. (this step is also referred to as facial expression interpretation)

## II. LITERATURE SURVEY

Rajitha Navarathna et al. [1] propose a method of representing audience behavior through facial and body motions from a single video stream, and use these features to predict the rating for feature length movies. Method is used to learn individual and group behaviors; and by using these representations learning of movie rating classifier from crowd sourced ratings are collected by rottentomatoes.com.

Chen Cao, et al. [2] demonstrate the potential of Face Warehouse a 3D facial expression database for visual computing with four applications i.e. facial image manipulation, face component transfer, real-time performance-based facial image animation, and facial animation retargeting from video to image.

Jacob Whitehill, et al. [3] gives an Automatic Recognition of Student Engagement from Facial Expressions techniques for data annotation, including the timescale of labelling. By comparing state-of-the-art computer vision algorithms for automatic engagement detection; the correlations of engagement with task performance is estimated.

Mohammad Soleymani et al. [4] presents an approach in detecting video viewers' emotions from electroencephalogram (EEG) signals and facial expressions. A set of emotion inducing videos were shown to participants while their facial expressions and physiological responses were recorded Long-short-term-memory recurrent neural networks (LSTM-RNN) and Continuous Conditional Random Fields (CCRF) were utilized in detecting emotions automatically and continuously.

Hari Prasad Mal et al. [5] represents the various techniques used in facial expression detection along with system. For facial expression recognition the tensor perceptual color framework is used that has the highest recognition rate and has highest performance. SIFT flow technique is used for feature classification generates as it has higher classification rate.

Yang Zhong et al. [8] proposes the approach of predicting face attributes using CNNs trained for face recognition. Combining with conventional face localization techniques the CNNs is get with off-the-shelf architectures and publicly available models like Google's FaceNet with the conventional pipeline to study the prediction power of different representations from the trained CNNs. Here the face descriptors are constructed from different levels of the CNNs for different attributes to best facilitate face attribute prediction. By properly leveraging these off-the-shelf CNN representations, the system can achieve accurate attribute prediction with current state-of-the-art performance using the two datasets LFWA and CelebA.

Ramón Zatarain-Cabada et al.[10] presents the building and validating of a face expression database and a face expression recognizer. The face expression recognizer uses a geometric-based technique that measures distances between the central point on the face and other 68 facial landmark points. These measures are transformed into features to train a support vector machine. The database was built inside an educational context while students' program in Java code. The tests validate the accuracy of the recognizer applying a ten-fold cross-validation.

Ramon Zatarain et al. [11] uses A geometric- based recognizer that calculates coordinates, distances, and angles in different faces. The paper can detect 4 emotions having relation to educational contexts accuracy: 1. Frustration -55% 2. Boredom – 76% 3. Engagement – 91% 4. Excitement- 68%.

Barbu, et al. [12] is considered that Gabor filtering is one of the most vital feature extraction system in facial expression recognition. The basic limitation of Gabor filter is its bandwidth limitation i.e. Supreme bandwidth is limited to one octave. Gabor filters cost high and low frequency information since it is band pass in nature.

Ashwin T et al. [13] propose multiuser face detection-based eLearning system using support vector machine based supervised machine learning technique. Experimental results demonstrate that the proposed system provides the accuracy of 89% to 100% w.r.t different datasets (LFW, FDDB, and YFD).

## III. PROPOSED SYSTEM

Nowadays many systems work on detecting face and facial emotion. To detect emotions only from the face is the more challenging task. The main task of the system is to generate an image block from the input video. The system analyzed facial expression using the features which extracted from the generated block. Detecting different and accurate facial expression is more difficult. So, we propose a new approach to facial expression detection in different emotions. Figure 2 shows the architecture of the proposed system. The Estimating Audience Engagement for Movie Rating System uses the SVM algorithm for detecting facial expression from the input image. Firstly, User uploads video/grabs images using a live camera on the application, the application then extracts frames from the video. Once we get the faces to apply the pre-processing to images like noise removal, normalization etc.





Figure 2: System Architecture

Once we get the faces to apply the pre-processing on images like noise removal, normalization etc. we can detect the person body motion using STIP features. Feature extraction is done with the help of STIP. the feature is extracted with the help of STIP. Visual appearance helps to estimate audience engagement during various segments of the movie. Audience engagement estimate using parameters like engaged and disengaged. Finally, movie rating prediction is done according to engagement analysis results.


#### IV. IMPLEMENTATION

##### A. Data Gathering





D. Plotting the Result



V. CONCLUSION

Nowadays many systems work on detecting face and facial emotion. To detect emotions only from the face is the more challenging task. This paper represents the survey of various techniques used by the researcher in facial expression detection and demonstrates its sentiment predictive capability.

An approach to estimating audience engagement for movie rating has been proposed using an SVM classification algorithm. The audience engagement is based on the audience facial expression and body movement. And the movie rating is predicted based on the audience engagement level. The proposed system used the image for estimating the audience engagement and for predicting the movie rating. In the future, we would use the live video while watching the movie for estimating audience engagement & predicting movie rating

REFERENCES

- [1] Rajitha Navarathna<sup>1,3</sup>, Patrick Lucey<sup>1</sup>, Peter Carr<sup>1</sup>, Elizabeth Carter<sup>2</sup>, Sridha Sridharan<sup>3</sup>, Iain Matthews<sup>1</sup> | Disney Research, Pittsburgh, USA, "Predicting Movie Ratings from Audience Behaviours".
- [2] Chen Cao, Yanlin Weng, Shun Zhou, Yiyi Tong, and Kun Zhou "Face Warehouse: A 3D Facial Expression Database for Visual Computing", IEEE TRANSACTIONS ON VISUALIZATION AND COMPUTER GRAPHICS, VOL. 20, NO. 3, MARCH 2014.
- [3] Jacob Whitehill, Zewelanjji Serpell, Yi-Ching Lin, Aysha Foster, and Javier R. Movellan, "The Faces of Engagement: Automatic Recognition of Student Engagement from Facial Expressions", IEEE TRANSACTIONS ON AFFECTIVE COMPUTING, VOL. 5, NO. 1, JANUARY-MARCH 2014
- [4] Mohammad Soleymani, Member, IEEE, Sadjad Asghari-Esfeden, Student member, IEEE Yun Fu, Senior Member, IEEE, Maja Pantic, Fellow, IEEE, "Analysis of EEG signals and facial expressions for continuous emotion detection", IEEE TRANSACTIONS ON AFFECTIVE COMPUTING.
- [5] Hari Prasad Mal, Dr. Swarnalatha P., "Facial Expression Detection using Facial Expression Model", International Conference on Energy, Communication, Data Analytics and Soft Computing (ICECDS-2017).
- [6] Daniel McDuff, Student Member, IEEE, Rana El Kaliouby, Member, IEEE, and Rosalind W. Picard, Fellow, IEEE, "Crowdsourcing Facial Responses to Online Videos" IEEE TRANSACTIONS ON AFFECTIVE COMPUTING, VOL. 3, NO. 4, OCTOBER-DECEMBER 2012.
- [7] R. Navarathna, P. Lucey, P. Carr, E. Carter, S. Sridharan, and I. Matthews. "Predicting movie ratings from audience behaviors". In IEEE Winter Conference on Applications in Computer Vision, 2014.
- [8] Yang Zhong, Josephine Sullivan, Haibo Li, "Face Attribute Prediction Using Off-the-Shelf CNN Features", 2016 International Conference on Biometrics (ICB), 2016.
- [9] Archana Shirsat, Tejal Uplenchwar, Kushal Tuckley, "Facial Expression Recognition Using General Regression Neural Network", IEEE Bombay Section Symposium (IBSS), 2016.
- [10] Ramon Zatarain- Cabada, Maria Lucia Barron- Estrada, Francisco Gonzalez- Hernandez, "Building a face expression recognizer and a face expression database for an intelligent tutoring system", IEEE, 17th International Conference on Advanced Learning Technologies, 2017.
- [11] Ramon Zatarain- Cabada, Maria Lucia Barron- Estrada, Francisco Gonzalez- Hernandez, "Building a face expression recognizer and a face expression database for an intelligent tutoring system", IEEE 17th International Conference on Advanced Learning Technologies 2017.
- [12] Barbu, T, Gabor filter-based face recognition technique, Proceedings of the Romanian Academy, vol.11, no. 3, pp. 277 283, 2010.
- [13] Ashwin T S, Jijo Jose, Raghu G, G Ram Mohana Reddy "An E-learning System with Multifacial Emotion Recognition Using Supervised Machine L



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)